

BSD 100, 1000, 10000 100000

Abstract

0000000000 0000000000 0000 "0000000000 00000000" 0000 000 00000000 00 0000 0000 0000 0000000 000000000000
 00000000 0000000000 00000000 0000 0000000000 0000000000 00000000 000000000000 0000 00 00000000 00000000
 00000000000000 0000 000000 00000000 00.0% 000000000000 00000000 0000 00 0000000000 00 00.0% 000000000000 00000000
 00 BSD 0000000000 0000000000 000000000000 0000000000 00000000 000000000000000000 0000000, 0000, [Yahoo!](#) BSD 00000000
 00000000 0000 0000000 0000000000 FTP 00000000 [ftp.cdrom.com](#) BSD 00000000 0000 0000000000 000000 0.0
 0000000000 0000 00000 0000000 0000 0000000 BSD'0 000000 00 000000000 000, 0000 0000 000000000 0000 BSD 000
 00000000000 00000000 00000 000000000

BSD'ın lisanslama politikası hakkında ne düşünüyorsunuz ? BSD lisanslama politikası hakkında ne düşünüyorsunuz ?

BSD is a registered trademark of the FreeBSD Foundation.

Table of Contents

1. BSD 是什么？	1
2. 为什么需要 BSD？	2
3. BSD 有什么特点？	3
4. BSD 的许可证是什么？	3

1. BSD □□ ?

[illegible]

BSD □□□□□□

በህግ የተገለጸው የጥቅም ስልጣን ለሕዝብ ጥቅም ሲሆን ለሌላ ግብ ሊያገለግል አይችልም፡፡

00000000 00000000 00, 00000000000 00000000 0000 0000 00000000000 000000, 0000000 BSD 00000000000 0000000
 0000000 000 0000 00000000000 000000 000000000000000 000 0000000000 00000000000 000

C □□□□□□□□

API

BSD 0000000000 00000000 00000000 00000000 000, 0000 (GNU) 0000000000 000 0000 000

00000000 00000000 00000000

000000000000 000, 0000 00000000, 0000000000, 00000000 00000000 000 0000 000000000 00000000 0000 000000
GNU 000000000 0000, 000 00 000

X WINDOW

000 0000 000000000000 0000000000 00000000 0000000 (GUI)0

00000000 BSD'00 X WINDOW 00000000 000 000 000 XFree86 00000 0000000000 000000 00000 000000000000 0000000

2. 000 00000000!!! 00000 00000 00 ?

BSD 000000000 0000000000000 000 00000000 000000 000 000000 0000000 000000 AT&T'0 000000000000 00000000
000000000 00000000 000 00 00000 000000 000000 `UNIX System V'0 000000000000 00000000 00000 00000 00000000000, 000000
000 AT&T 000 000000 000000000000 00000 00000000000 00000000 0000000000 000 0000000

000 000000 00 AT&T 00000000 000 00000000000 00000000 000 0000000000 000 0000000 0000 BSD'000 00000000 000 000
000 0000000 00000000000000 AT&T 000000 00000000000 0000000000000000000, 000000000000000 0000000000000
00000000 000000000 000000000 000000000 00000000 0000000 0000000 0000000 0000000 0000000 0000000 0000000 0000000 0000000
000 00000000000000 000 00000 00Berkley Software Distribution 00 BSD0

000000 0000000 BSD'00 00000 000000 0000000000 0000000 0000000 0000000 00000 0 00000000 000000000 00 0000 Defence
Advanced Research Agency (DARPA) 0 00000 CSRG'0 00000 00000000 000000000 000 00 00000000 0000 CSRG'0 0000
DARPA'0 0000000000 00000000 ARPANET 00000000 00000 00000000 00000000 00000 00 0000000000000 000 0000 00
0000000000 0000000000 0000000000 00 00000000000 000 000 0000 TCP/IP0 TCP/IP 000 00000000000 0000000000 00000000
00000000000000 00000 00000 00000000000000 000000000 000000000 00000000 0000000 00 BSD'00 000000000000 00000000 0000000, 00
000 4.2 BSD'0 000; 000 00000 000000 00000

00000 00000 000 00000 00000 0000000000000 000000000 000 00000 00000 0000000 0000000 00000000 0000000 00000 00 000
000000000000 000000 0000000000000 00000 0000000000 000000 00000 00000 0000 000000000000000 0000000000
000000000 000000 4.2 BSD'0 000 0000000 0000 SunOS 00000 00000 0000 AT&T 000000 000000000000 00000000000000
00000000 00000 0000000 0000, 0000 00000 0000000 System III 0000 000 000000000 00000 System V 0000000000 00000 000000
System V'0 000 0000000000000 000 000 00, 000 00000000 00000000000 BSD'0 00000000 00000000000000 0000000 00
000000 0000000000000 0000 TCP/IP 000000000, csh 000 0000 VI 0000000 BSD 00000 00000 00 0000000000000000 0000000 000
00 Berkeley Extensions0

BSD'0 00000000 00000 AT&T'0 0000000000 0000000 00000 00000 000000 00000000000 00000000 0000 00000 00000
00000 000 00 CSRG'0 0000000000000 000000 000 000 0000000000 BSD 00000000000000 00000 000000 00000000 0 00000000
00000000 00000 0000000 AT&T'0 00000000000000 00000000 000 00000 000000000000 00000000 0000 000000000 000000
000000000 00, BSD'0 000000 00000000 0000 000000000000 0000000 00000000000000 0000 0, 00 00000 NET/2 0000
0000000, 000000000 000000000 0000000000 00 0000000 0000000000000 0000 Net/2 000 0000000000000000 000000000
000000000 0000 00, Net/2'0 000000000 00000 000000 00% 0000 0000 0000000000 CSRG'0 00000 000000 00000000 00
000000000 00 000000000 000000 00000 00000 0000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000
CSRG'0 000000000 000000000000 00000 0000000 Berkley Software Design Inc 00000 00000 0000000000 000 00000 000
00000000 Net/2'0 000000000000 000 00000000 0000 BSD/386 000000 00000 0000000000 00000000000 00000 00000000 0000000
000000 00 0000000000 00000000000 000 000000000 000 0000 BSD/OS 000 000

000000000 000000000 000000000 000000000 000000000 000000000 000000000 00000 00000 00 0000000000 00000 00000
00 0000 000 0000 0000 NetBSD 0 FreeBSD 00000 0000 00000 0000000000 0000000000 000000000000 0000000 00000 000000

[illegible]

3. BSD 许可证 有什么特点？

□□□ □□□□ □□□□ BSD □□□□□□□□□□ □□□□□□□□

- [illegible]

00000000 0000 000000 00 0000000000 0000000000 0000 0000 00 00 0000000000 0000000000 000000 000000 000000 **BSD** 00000000
 0000 "**BSD** 00000000" 00000000 **AT&T** 00000000000000 0000000 0000 000000000000 0000 00000000 00000000 00000000 00000000
BSD 00 00 0000 000000 0000 0000000000 000000 00000000 000000 000000 "**the 4.3BSD UNIX operating system**"
 0000 "**the 4.4BSD operating system**" 00 00 00000

- [illegible]

4. BSD □□□□ □□□□□□□□

[illegible]

4.1. BSD 00 0000 000000000000 ?

00000000 0000 00; BSD 0000 0000 00000000 00 00000000000000 00000000 0000 BSD 0000000 0 0000000000 00000000
 00000000 000000 00000000000000 000000 00000 00000 00000000 00000000000000 00000000000000 0 000000000000 00000000

4.2. BSD 3-Clause License

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.

BSD 3-Clause License

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.

BSD 3-Clause License

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.

Core Team

FreeBSD, NetBSD, and OpenBSD are part of the BSD family. They are all based on the BSD 3-Clause License. The Core Team is responsible for the development and maintenance of these operating systems.

BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.

1. The BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.
2. BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.
3. The BSD 3-Clause License is a free and open source software license. It is based on the MIT License and the GNU General Public License (GPL). It is a permissive license that allows users to use the software for any purpose, even for commercial purposes, without the need to pay royalties or to disclose the source code.

- [illegible]

1. BSD 3-Clause License: BSD 3-Clause License is a permissive license that allows users to use, modify, and distribute the software for any purpose, even commercially, without the need to provide source code or attribution.

- [illegible]

4.3. BSD'□ □□□□□□

[illegible]

BSD 授權條款 內容請參閱 此處

- [illegible]

BSD license is a family of licenses that are used by BSD/OS and Mac OS X.

- 4.4 BSD license is a family of licenses that are used by BSD/OS and Mac OS X.
- BSD license is a family of licenses that are used by BSD/OS and Mac OS X.

4.4. BSD License (GNU) License and the GNU General Public License

BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X.

4.5. BSD License and the GNU General Public License

BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X.

BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X.

4.6. BSD License and the GNU General Public License

BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X.

BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X. BSD license is a family of licenses that are used by BSD/OS and Mac OS X.

- BSD license is a family of licenses that are used by BSD/OS and Mac OS X.
- BSD license is a family of licenses that are used by BSD/OS and Mac OS X.
- BSD license is a family of licenses that are used by BSD/OS and Mac OS X.
- BSD license is a family of licenses that are used by BSD/OS and Mac OS X.

- 000000000000 00000000 BSD'00 0000000 000000 0000 00000000 000000 0000 00 0000 0000000000 0000000000 00000000 0000000 000000 BSD'0 0000000000 0000000 00000000000 000000 000000

4.7. BSD 000000000000 000000 0 000000000000

BSDi 0000000 BSD/OS 00000000000 00000 00000 00000000 0000000000 00000 FreeBSD 0000000000 00000 00000000 00000000

0000000 FreeBSD, NetBSD 0 OpenBSD'0 00000000000 0000000000 000000 0000000 00000 0000000000000 0000000000 00000000000 00000 00000 0000000 00000