


M2331K/M2333K
Disk Drives
Customer Engineering Manual



REVISION RECORD		
Edition	Date Published	Revised contents
01	Jan., 1985	
01A	May, 1985	1st Page Changes
01B	October, 1985	Editing Changes
01C	April, 1986	Editing Changes
01D	October, 1986	Editing Changes
02A	APRIL 87	EDITING CHANGES
Specification No.: B03P-4760-0111A		

Comments concerning this manual to one of the following addresses:

FUJITSU LIMITED
International Marketing
Marunouchi 1-6-1, Chiyoda-ku, Tokyo 100 JAPAN
TEL: 03-216-3211
FAX: 03-213-7174, 03-216-9353
TLX: J22833
Cable: "FUJITSULIMITED TOKYO"

FUJITSU AMERICA INC.
3055 Orchard Drive, San Jose, California 95134-2017, U.S.A.
TEL: 408-432-1300
FAX: 408-432-1318
TLX: 230-176207
TWX: 910-338-2193

FUJITSU EUROPE LIMITED
54 Jermyn Street, London SW1Y 6NQ, ENGLAND
TEL: 1-408-0043
FAX: 1-629-9826
TLX: 263871 FT ERP G

FUJITSU ELECTRONIK GmbH
Sonnen Straße 29, D-8000 München 2, F.R. GERMANY
TEL: 89-592891 ~ 4
FAX: 89-592895
TLX: 41-5213994

FUJITSU NORDIC AB
Kungsgatan 44, 111 35 Stockholm, SWEDEN
TEL: 8-231125
FAX: 8-106865
TLX: 54-13411

FUJITSU ITALIA S.p.A.
Via Lazzaroni, 4, 20124 Milano, ITALIA
TEL: 2-607-3601
FAX: 2-688-6637
TLX: 350142 FUJITLY I

FUJITSU AUSTRALIA LIMITED
41 McLaren Street, North Sydney, N.S.W. 2060, AUSTRALIA
TEL: 2-922-1822
FAX: 2-922-2653
TLX: 71-25233

The contents of this manual is subject to change without prior notice.

All Rights Reserved,
Copyright © 1987 FUJITSU LIMITED

LIST OF EFFECTIVE PAGES

PAGE	REV	PAGE	REC	PAGE	REC	PAGE	REV	PAGE	REV	PAGE	REV
Cover	—	1-24	01A	3-39	01C	4-44	01A	4-95	01	5-10	01A
Blank	—	1-25	01	3-40	01A	4-45	01	4-96	01	5-11	01
i	01D	1-26	01A	3-41	02A	4-46	01	4-97	01	5-12	01A
Blank	02A	S-2	01	3-42	02A	4-47	01	4-98	01	5-13	01A
iii	01D	Blank	—	3-43	01A	4-48	01	4-99	01	5-14	01A
iv	01D	2-1	02A	3-44	01A	4-49	01	4-100	01	5-15	01A
v	01D	2-2	01	S-4	01	4-50	01	4-101	01	5-16	01A
Blank	—	2-3	01B	Blank	—	4-51	01	4-102	01	5-17	01
vii	01C	2-4	02A	4-1	02A	4-52	01	4-103	01	5-18	01
viii	01C	2-5	01A	4-2	01A	4-53	01	4-104	01	5-19	01A
ix	01C	2-6	01C	4-3	02A	4-54	01	4-105	01	5-20	01A
x	02A	S-3	01	4-4	01	4-55	01	4-106	01	5-21	01
xi	01C	Blank	—	4-5	01A	4-56	01	4-107	01	5-22	02A
xii	01C	3-1	01A	4-6	01	4-57	01A	4-108	01	5-23	01A
xiii	01C	3-2	01	4-7	01	4-58	01	4-109	01	5-24	01A
xiv	01C	3-3	02A	4-8	01	4-59	01	4-110	01	5-25	01A
xv	01C	3-4	01	4-9	01	4-60	02A	4-111	02A	5-26	01A
xvi	01C	3-5	02A	4-10	01	4-61	01	4-112	02A	5-27	01A
xvii	01C	3-6	01C	4-11	01	4-62	01	4-113	01	5-28	01A
xviii	01C	3-7	01C	4-12	02A	4-63	01	4-114	02A	5-29	01A
xix	02A	3-8	01C	4-13	02A	4-64	01	4-115	02A	5-30	01
xx	01C	3-9	01	4-14	01C	4-65	01A	4-116	01	5-31	01A
xi	01C	3-10	01B	4-15	02A	4-66	01	4-117	01	5-32	01A
xii	01C	3-11	01B	4-16	01	4-67	01	4-118	01	5-33	01A
xiii	01C	3-12	01A	4-17	01	4-68	01	4-119	01	5-34	02A
Blank	—	3-13	01A	4-18	01	4-69	01	4-120	01	5-35	01A
S-1	01	3-14	01A	4-19	01	4-70	01	4-121	01	5-36	01A
Blank	—	3-15	02A	4-20	01	4-71	01	4-122	01	5-37	01A
1-1	02A	3-16	01	4-21	02A	4-72	01	4-123	01	5-38	01A
1-2	01C	3-17	01	4-22	01A	4-73	01	4-124	01	5-39	01A
1-3	02A	3-18	01	4-23	01A	4-74	01	4-125	01	5-40	01A
1-4	01	3-19	01A	4-24	01	4-75	01	4-126	01	S-6	01
1-5	02A	3-20	01	4-25	01A	4-76	01	4-127	01	Blank	—
1-6	02A	3-21	01A	4-26	01A	4-77	01	4-128	01	6-1	01A
1-7	01A	3-22	01	4-27	01	4-78	01	4-129	01	6-2	02A
1-8	01	3-23	01	4-28	01A	4-79	01	4-130	01	6-3	02A
1-9	01	3-24	01	4-29	01A	4-80	02A	4-131	01	6-4	02A
1-10	01A	3-25	01	4-30	01	4-81	01	4-132	01	6-5	02A
1-11	02A	3-26	02A	4-31	01	4-82	01	4-133	01	6-6	02A
1-12	02A	3-27	01	4-32	01A	4-83	01	4-134	01	6-7	01
1-13	01B	3-28	01	4-33	01A	4-84	01	S-5	01	6-8	02A
1-14	01B	3-29	01	4-34	02A	4-85	01	Blank	—	6-9	02A
1-15	01C	3-30	02A	4-35	02A	4-86	01	5-1	01	6-10	02A
1-16	01C	3-31	01C	4-36	01A	4-87	01	5-2	01C	6-11	02A
1-17	01A	3-32	01	4-37	01	4-88	01	5-3	02A	6-12	01
1-18	01A	3-33	01	4-38	01	4-89	01	5-4	02A	6-13	01
1-19	01A	3-34	01A	4-39	01	4-90	01	5-5	02A	6-14	01
1-20	01	3-35	01	4-40	01	4-91	01	5-6	01C	6-15	01
1-21	01A	3-36	02A	4-41	01	4-92	01	5-7	02A	6-16	02A
1-22	01A	3-37	01A	4-42	01A	4-93	01	5-8	01A	6-17	02A
1-23	02A	3-38	01C	4-43	01A	4-94	01	5-9	01A	6-18	02A

LIST OF EFFECTIVE PAGES

PAGE	REV	PAGE	REV	PAGE	REV	PAGE	REV
6-19	02A	10-10	01	10-61	01	Blank	—
6-20	02A	10-11	01	10-62	01	S-B	01D
6-21	02A	10-12	01	10-63	01	B-1	01D
6-22	01A	10-13	01	10-64	01	B-2	01D
6-23	01A	10-14	01	10-65	01	B-3	01D
6-24	01A	10-15	01	10-66	01	B-4	01D
6-25	02A	10-16	01	10-67	01	B-5	01D
6-26	02A	10-17	01	Blank	—	B-6	01D
6-27	02A	10-18	01	10-68	01	B-7	01D
6-28	02A	10-19	01	Blank	—	B-8	01D
6-29	02A	10-20	01	10-69	01	B-9	01D
6-30	02A	10-21	01	Blank	—	B-10	01D
6-31	02A	10-22	01	10-70	01	B-11	01D
Blank	—	10-23	01	Blank	—	B-12	01D
S-7	01	10-24	01	10-71	01	B-13	01D
Blank	—	10-25	01	10-72	01	B-14	01D
7-1	02A	10-26	01	10-73	01	B-15	01D
Blank	—	10-27	01	10-74	01	B-16	01D
S-8	01	10-28	01	10-75	01	B-17	01D
Blank	—	10-29	01	10-76	01	B-18	01D
8-1	01A	10-30	01	10-77	01	Com	—
8-2	01A	10-31	01	10-78	01	Reply	—
8-3	01	10-32	01	10-79	01	Cover	—
8-4	01	10-33	01	10-80	01		
8-5	01	10-34	01	10-81	01		
8-6	01	10-35	01	10-82	01		
8-7	01	10-36	01	10-83	01		
8-8	01	10-37	01	Blank	—		
8-9	01	10-38	01	S-A	01		
8-10	01	10-39	01	Blank	—		
8-11	01	10-40	01	A-1	01D		
8-12	01A	10-41	01	A-2	01D		
S-9	01	10-42	01	A-3	01D		
Blank	—	10-43	01	A-4	01D		
9-1	01A	10-44	01	A-5	01D		
9-2	01A	10-45	01	A-6	01D		
9-3	01	10-46	01	A-7	01D		
9-4	02A	10-47	01	A-8	01D		
9-5	01	10-48	01	A-9	01D		
9-6	01	10-49	01	A-10	01D		
S-10	01	10-50	01	A-11	01D		
Blank	—	10-51	01	A-12	01D		
10-2	01	10-52	01	A-13	01D		
Blank	—	10-53	01	A-14	01D		
10-3	01	10-54	01	A-15	01D		
10-4	01	10-55	01	A-16	01D		
10-5	01	10-56	01	A-17	01D		
10-6	01	10-57	01	A-18	01D		
10-7	01	10-58	01	A-19	01D		
10-8	01	10-59	01	Blank	—		
10-9	01	10-60	01	A-21	01D		

Preface

This manual explains how to operate, handle, and maintain the M2381K/M2333K disk drives.

The information is provided in 12 sections:

SECTION 1	GENERAL DESCRIPTION
SECTION 2	OPERATION
SECTION 3	INSTALLATION
SECTION 4	THEORY OF OPERATION
SECTION 5	TROUBLESHOOTING GUIDE
SECTION 6	MAINTENANCE
SECTION 7	SPARE PARTS LIST
SECTION 8	IC DETAIL
SECTION 9	PARTS LIST
SECTION 10	SCHEMATICS
APPENDIX A	SINGLE POWER SUPPLY
APPENDIX B	DUAL POWER SUPPLY

Table of Contents

	Page
1. GENERAL DESCRIPTION	1-1
1.1 GENERAL DESCRIPTION	1-1
1.1.1 General Description	1-1
1.1.2 Features	1-1
1.2 SPECIFICATIONS	1-2
1.2.1 Unit Specifications	1-2
1.2.2 Physical Specifications	1-2
1.2.3 Power Requirements	1-2
1.2.3.1 UL/CSA/TUV	1-3
1.2.4 Data Recording Specifications	1-5
1.2.5 Reliability	1-6
1.2.6 Data Integrity	1-6
1.3 CONFIGURATION	1-10
1.3.1 Fundamental Unit Configuration	1-10
1.3.2 Options	1-12
2. OPERATION	2-1
2.1 GENERAL DESCRIPTION	2-1
2.2 POWERING UP/DOWN	2-1
2.3 CONTROL AND INDICATORS	2-1
2.3.1 Operator Panel (option)	2-1
2.3.2 PCB Assembly	2-2
2.4 DUAL CHANNEL PCB ASSEMBLY (OPTION)	2-5
2.5 POWER SUPPLY	2-6
2.5.1 Main Line Switch	2-6
2.5.2 Indicators (LEDs)	2-6
2.5.3 Device Alarm	2-6
3. INSTALLATION	3-1
3.1 GENERAL DESCRIPTION	3-1
3.2 UNPACKING	3-1
3.3 VISUAL INSPECTION	3-1
3.4 INSTALLATION	3-1
3.4.1 Mounting Dimensions	3-1
3.4.2 Service Area	3-5
3.4.3 Securing the Unit	3-6

3.4.4	Cooling*	3-10
3.5	MOUNTING OF OPTIONS	3-12
3.5.1	Mounting the Fan Unit	3-12
3.5.2	Mounting the Panel Unit	3-14
3.5.3	Installation Mounting Tray	3-15
3.5.4	Mounting the Dual Channel Option	3-28
3.6	CABLING	3-30
3.6.1	Connectors On Unit Side	3-30
3.6.2	Power Cable Connection	3-30
3.6.3	Interface Cabling	3-32
3.6.4	System Grounding	3-34
3.7	MODE SELECT SETTING	3-36
3.7.1	Disk Addressing	3-37
3.7.2	Tag 4/5 Enable	3-38
3.7.3	File Protect	3-38
3.7.4	Device Type (Optional)	3-39
3.7.5	ON-Side Switch (for vertical mount)	3-39
3.7.6	Sector Counting	3-40
3.8	SHIPPING	3-42
3.9	STORAGE AND REPACKING	3-42
4.	THEORY OF OPERATION	4-1
4.1	GENERAL DESCRIPTION	4-1
4.2	MECHANICAL ASSEMBLIES	4-1
4.2.1	Disk Enclosure	4-1
4.2.2	Air Circulation in DE	4-1
4.2.3	Spindle Drive Motor	4-2
4.2.4	Actuator Arm Assembly	4-2
4.3	MAGNETIC HEADS AND RECORDING MEDIA	4-4
4.3.1	Magnetic Heads	4-4
4.3.2	Recording Media (Magnetic Disk)	4-5
4.3.3	Servo Track Format	4-5
4.3.4	Data Surface Format	4-12
4.3.5	Head and Surface Configuration	4-12
4.4	FORMAT	4-13
4.4.1	Description	4-13
4.4.2	Fixed Sector Format	4-14

4.4.3	Description of Format Parameters	4-15
4.5	INTERFACE	4-16
4.5.1	Introduction	4-16
4.5.2	Interface Cabling	4-17
4.5.3	Type and Name of Signal Lines	4-18
4.5.4	Description of Signal Lines	4-19
4.5.5	Timing	4-26
4.5.6	Read/Write Timing	4-33
4.5.7	Interface Transmission	4-36
4.5.8	Connectors and Cables	4-40
4.5.9	Connector Pin Assignment	4-41
4.6	ELECTRICAL CIRCUIT FUNCTION	4-42
4.6.1	Start/Stop Control	4-42
4.6.2	DC Motor Control	4-51
4.6.3	Unit Selection	4-57
4.6.4	Seek Control Logic Function	4-65
4.6.5	Servo Circuit Function	4-80
4.6.6	Index/Sector/Guard Band Generate Function	4-105
4.6.7	Head Selection	4-111
4.6.8	Read/Write Function	4-113
4.6.9	VFO	4-123
5.	TROUBLESHOOTING GUIDE	5-1
5.1	INTRODUCTION	5-1
5.2	ERROR STATUS	5-1
5.3	FAULT ISOLATION LIST	5-3
5.4	TROUBLESHOOTING SYMBOL	5-6
5.5	TROUBLESHOOTING FLOW CHART	5-6
6.	MAINTENANCE	6-1
6.1	INTRODUCTION	6-1
6.2	GENERAL PRECAUTIONS	6-1
6.2.1	PowerOn/Off	6-1
6.2.2	Parts Replacement	6-1
6.2.3	Dual Channel Switches	6-1
6.2.4	Other	6-1
6.3	MAINTENANCE TOOLS AND EQUIPMENT	6-1
6.4	PREVENTIVE MAINTENANCE	6-1

6.5	PCB ASSEMBLY REPLACEMENT	6-1
6.5.1	PCB Assembly Arrangement	6-1
6.5.2	KGFM PCB Assembly Replacement Procedure	6-2
6.5.3	KGKM/CZOM PCB Assy. Replacement Procedure	6-3
6.5.4	TVQM PCB Assembly Replacement	6-5
6.6	PCB CHECK AND AJUSTMENT	6-6
6.6.1	Test Point Arrangement on PCB	6-6
6.6.2	PCB Adjustment after PCB Replacement	6-25
6.6.3	Electrical Measurement	6-27
7.	SPARE PARTS LIST	7-1
7.1	SPARE PARTS LIST	7-1
8.	IC DETAILS	8-1
8.1	INTRODUCTION	8-1
8.2	LOGIC CONVENTIONS AND SYMBOLOGY	8-1
8.2.1	TTL Logic	8-1
8.2.2	ECL Logic	8-2
8.2.3	Logic Symbology	8-3
8.3	INTERCHANGEABILITY GUIDE	8-4
8.3.1	TTL IC Interchangeability	8-4
8.3.2	ECL IC Interchangeability	8-6
8.3.3	Linear IC Interchangeability	8-6
8.3.4	FUJITSU Proprietary IC	8-6
8.4	FUJITSU PROPRIETARY IC DETAIL	8-7
9.	PARTS LIST	9-1
10.	SCHEMATICS	10-1
APPENDIX A		
A.1	GENERAL DESCRIPTION	A-1
A.1.1	General	A-1
A.1.2	Specifications	A-1
A.1.3	Outer View	A-3
A.2	OPERATION	A-3
A.2.1	General	A-3
A.2.2	Main Line Switch (SW1)	A-3
A.2.3	Alarm Lamp	A-3
A.3	INSTALLATION	A-4

A.3.1	Unpacking	A-4
A.3.2	Mounting	A-4
A.3.3	Fuse Exchange	A-4
A.3.4	Clearance for Cooling	A-4
A.3.5	Input AC	A-4
A.3.6	Output Voltage	A-4
A.4	THEORY OF OPERATION	A-7
A.4.1	General	A-7
A.4.2	AC Input	A-9
A.4.3	Voltage Regulation	A-9
A.4.4	Over-voltage Protection Circuit	A-9
A.4.5	Over-current Protection Circuit	A-9
A.4.6	Alarm	A-10
A.4.7	Device Alarm Circuit	A-10
A.4.8	Transformer Voltages	A-12
A.5	TROUBLESHOOTING	A-12
A.6	MAINTENANCE	A-13
A.6.1	General	A-13
A.6.2	General Precautions	A-13
A.6.3	Spare Parts Replacement	A-14
A.6.4	Input Voltage Selection	A-17
A.7	SPARE PARTS LIST	A-18
A.8	SCHEMATICS	A-19
 APPENDIX B		
B.1	GENERAL DESCRIPTION	B-1
B.1.1	General	B-1
B.1.2	Specifications	B-1
B.1.3	Outer View	B-3
B.2	OPERATION	B-3
B.2.1	General	B-3
B.2.2	Main Line Switch (NFB1)	B-3
B.2.3	Alarm Lamp	B-3
B.3	INSTALLATION	B-4
B.3.1	Unpacking	B-4
B.3.2	Mounting	B-4
B.3.3	Clearance for Cooling	B-4

B.3.4	Input AC	B-4
B.3.5	Output Voltages	B-4
B.4	THEORY OF OPERATION	B-7
B.4.1	General	B-7
B.4.2	AC Input	B-9
B.4.3	Voltage Regulation	B-9
B.4.4	Over-voltage Protection Circuit	B-9
B.4.5	Over-current Protection Circuit	B-9
B.4.6	Alarm	B-10
B.4.7	Device Alarm Circuit	B-10
B.5	TROUBLESHOOTING	B-11
B.6	MAINTENANCE	B-12
B.6.1	General	B-12
B.6.2	General Precautions	B-12
B.6.3	Spare Parts Replacement	B-13
B.6.4	Input Voltage Select	B-15
B.7	SPARE PARTS LIST	B-16
B.8	SCHEMATICS	B-17

Illustrations

FIGURE		Page
1-2-1	+ 24V DC Load Current on Power Up Sequence	1-3
1-2-2	Total + 24V DC Load Current (Ready)	1-4
1-2-3	Positioning Time Profile	1-5
1-2-4	Media Defect Format 1	1-8
1-2-5	Skip Displaced Format	1-9
1-3-1	Fundamental Configuration	1-10
1-3-2	Block Diagram	1-11
1-3-3	Fan Unit	1-14
1-3-4	Optional Fan Unit Alarm	1-15
1-3-5 (a)	Power Supply Unit: B14L-5105-0178A.....	1-15
1-3-5 (b)	Power Supply Unit: B14L-5105-0178A#A2	1-16
1-3-6	Panel Unit	1-17
1-3-7	Mounting Dimensions of Panel Unit	1-18
1-3-8	19" Rack Mount Installation	1-19
1-3-9	Mounting-Tray and Brackets	1-20
1-3-10	A-Cables for Daisy-Chain	1-21
1-3-11	Power Cable B660-0625-T327A	1-22
1-3-12	Power Cable B660-1995-T041A	1-22
1-3-13	Cable B660-0625-T328A, T355A (Fan unit – Power Supply Unit)	1-22
1-3-14	Cable B660-0625-T329A (Dual Channel PCB Assy. – Power Supply Unit)	1-23
1-3-15	Cable B660-1995-T003A (E501A Panel Unit – Drive Unit Connecting)	1-23
1-3-16	Dual Channel Option (E401A)	1-24
1-3-17	Dual Channel Option (E402A)	1-25
1-3-18	Dual Channel PCB Assembly Connector Location	1-26
2-3-1	Operator Panel (Optional)	2-1
2-3-2	Fault Display Location on KGFM PCB	2-2
2-4-1	Dual Channel PCB Assembly	2-5
2-5-1	Front View of Power Supply	2-6
3-2-1	External View of Carton	3-2
3-4-1	Mounting Direction	3-3

3-4-2	Mounting Dimensions of the Unit	3-4
3-4-3	Maintenance Access on Unit	3-5
3-4-4	Securing the Unit (Example 1)	3-6
3-4-5	Securing the Unit (Example 2)	3-7
3-4-6	Form of the Stopper	3-8
3-4-7	Dimensions of the Screw Holes	3-9
3-4-8	Recommended Air Flow Posture	3-10
3-4-9	Examples of Installation Cooling	3-11
3-5-1	Mounting the Fan Unit	3-13
3-5-2	Mounting the Panel Unit	3-14
3-5-3	Installation in the 19-inch Rack	3-15
3-5-4	Bracket Assembly	3-16
3-5-5	Bracket Assembly Mounting on the 19-inch Rack	3-17
3-5-6	Mounting Tray to the Outer Rails	3-18
3-5-7	Rubber Cushion Mounting	3-19
3-5-8	Bracket Mounting	3-20
3-5-9	Stopper Support	3-21
3-5-10	Mounting the Unit	3-22
3-5-11	Mounting the Panel Unit	3-23
3-5-12	Power Supply Unit Installation	3-24
3-5-13	Dual Channel Option Installation 1	3-25
3-5-14	Dual Channel Option Installation 2	3-25
3-5-15	Dual Channel Frame Mount	3-26
3-5-16	Dual Channel Cabling	3-26
3-5-17	Dual Channel Top Cover Fixing	3-27
3-5-18	Dual Channel Interface Cables Holding	3-27
3-5-19	Mounting the Dual Channel Option	3-29
3-6-1	Mounting Positions of Connectors	3-30
3-6-2	Pin Assignment and Voltages	3-31
3-6-3	Power Cable (Specification: B660-1995-T041A)	3-31
3-6-4	System Interface Cabling	3-33
3-6-5	Interface Cabling	3-33
3-6-6	Cable Termination	3-34
3-6-7	SG Terminal	3-35
3-6-8	FG/SG Connection	3-36
3-7-1	Mode Select Switch Location	3-37

3-7-2	Disk Addressing	3-37
3-7-3	Tag 4/5 Enable	3-38
3-7-4	FileProtect	3-38
3-7-5	Device Type	3-39
3-7-6	On-Side	3-39
4-2-1	Air Circulation Inside DE	4-1
4-2-2	Spindle Drive Motor	4-2
4-2-3	Actuator Arm Assembly	4-3
4-3-1	Read/Write Head	4-4
4-3-2	Tapered Flat Slider	4-4
4-3-3	Servo Track Configuration	4-6
4-3-4	Normal Bit Pattern	4-8
4-3-5	Index Bit Pattern	4-9
4-3-6	Dual-Phase Composite Servo Signal	4-11
4-3-7	M2331K Surface Configuration	4-12
4-3-8	M2331K Surface Configuration	4-13
4-4-1	Fixed Sector Format	4-14
4-5-1	Interface Cabling	4-17
4-5-2	“A” Cable Signals	4-18
4-5-3	“B” Cable Signals	4-18
4-5-4	Storage Addressing M2331K	4-20
4-5-5	Storage Addressing M2333K	4-20
4-5-6	Unit Select Timing	4-26
4-5-7	Priority Select Timing	4-27
4-5-8	Direct Seek Timing	4-28
4-5-9	Same Cylinder Address	4-28
4-5-10	Tag 1 to Tag 2 Timing	4-29
4-5-11	Offset Plus/Minus Timing	4-29
4-5-12	Fault Clear Timing	4-30
4-5-13	RTZ Timing	4-30
4-5-14	Channel Ready Timing	4-31
4-5-15	Tag 4/5 Timing	4-31
4-5-16	Index and Sector Timing	4-32
4-5-17	Write Data and Write Clock Timing	4-32

4-5-18	1F Read Clock and Read Data Timing	4-33
4-5-19	Format Writing	4-33
4-5-20	Write Data Timing	4-34
4-5-21	Read Data Timing	4-34
4-5-22	Write-To-Read Recovery Timing	4-35
4-5-23	Head Select Transient	4-35
4-5-24	1F Write Clock in Reading	4-36
4-5-25	Driver Logic Diagram (SN75110)	4-37
4-5-26	Receiver Logic Diagram (SN75107/75108)	4-37
4-5-27	Balanced Transmission of "A" Cable	4-38
4-5-28	Balanced Transmission "B" Cable	4-39
4-6-1	Start/Stop Control Block Diagram	4-44
4-6-2	Power-up Sequence Control Block Diagram	4-45
4-6-3	Power-up Sequence Flow Chart (Sheet 1 of 4)	4-46
4-6-3	Power-up Sequence Flow Chart (Sheet 2 of 4)	4-47
4-6-3	Power-up Sequence Flow Chart (Sheet 3 of 4)	4-48
4-6-3	Power-up Sequence Flow Chart (Sheet 4 of 4)	4-49
4-6-4	Power-up Sequence Timing Chart	4-50
4-6-5	DC Motor Control Block Diagram (Sheet 1 of 2)	4-52
4-6-5	DC Motor Control Block Diagram (Sheet 2 of 2)	4-53
4-6-6	Power Up DC Motor Control	4-55
4-6-7	DC Motor Accelerate/Inertia Mode Control	4-56
4-6-8	Functional Block Diagram of Dual Channel	4-59
4-6-9	Functional Block Diagram of Select/Reserve	4-60
4-6-10	Select/Reserve Flow Chart (Sheet 1 of 3)	4-61
4-6-10	Select/Reserve Flow Chart (Sheet 2 of 3)	4-62
4-6-10	Select/Reserve Flow Chart (Sheet 3 of 3)	4-63
4-6-11	Select/Reserve Timing Chart	4-64
4-6-12	Seek Control Logic Block Diagram	4-67
4-6-13	Go To Zero Flow Chart (Sheet 1 of 3)	4-69
4-6-13	Go To Zero Flow Chart (Sheet 2 of 3)	4-70
4-6-13	Go To Zero Flow Chart (Sheet 3 of 3)	4-71
4-6-14	Initial Seek Timing Chart	4-72
4-6-15	Return To Zero Timing Chart	4-74
4-6-16	Direct Seek Flow Chart (Sheet 1 of 3)	4-76
4-6-16	Direct Seek Flow Chart (Sheet 2 of 3)	4-77
4-6-16	Direct Seek Flow Chart (Sheet 3 of 3)	4-78

4-6-17	Direct Seek Timing Chart	4-79
4-6-18	Position Sensing Block Diagram (Sheet 1 of 2)	4-81
4-6-18	Position Sensing Block Diagram (Sheet 2 of 2)	4-82
4-6-19	PLO and Peak Hold Timing Chart	4-84
4-6-20	Servo Signal to Position Signal Conversion	4-85
4-6-21	Servo Control Block Diagram (Sheet 1 of 2)	4-87
4-6-21	Servo Control Block Diagram (Sheet 2 of 2)	4-88
4-6-22	Position Detect Timing Chart	4-89
4-6-23	Velocity Generator Timing Chart	4-90
4-6-24	Fine Position Generator Timing Chart	4-92
4-6-25	Direct Seek Target Velocity Generator	4-94
4-6-26	GTZ Target Velocity Generator	4-95
4-6-27	Clamp Position Timing Chart	4-97
4-6-28	Direct Seek Signal Flow (Sheet 1 of 2)	4-99
4-6-28	Direct Seek Signal Flow (Sheet 2 of 2)	4-100
4-6-29	GTZ Signal Flow (Sheet 1 of 2)	4-101
4-6-29	GTZ Signal Flow (Sheet 2 of 2)	4-102
4-6-30	Linear Mode Signal Flow (Sheet 1 of 2)	4-103
4-6-30	Linear Mode Signal Flow (Sheet 2 of 2)	4-104
4-6-31	Index/Guard Band Patterns Detect Block Diagram	4-106
4-6-32	Index Detect Timing Chart	4-107
4-6-33	Guard Band Pulse Detect Timing Chart	4-109
4-6-34	Sector Generator Block Diagram	4-110
4-6-35	Sector Generator Timing Chart	4-110
4-6-36	Head Selection Block Diagram	4-112
4-6-37	Data Write	4-113
4-6-38	Data Read	4-114
4-6-39	2-7 Coding	4-114
4-6-40	Write Operation Block Diagram	4-116
4-6-41	2-7 Coding and Write Compensation Block Diagram	4-118
4-6-42	Write Compensation Timing Chart	4-119
4-6-43	Read Write Bus Switch	4-120
4-6-44	AGC Squelch Function	4-121
4-6-45	Read Operation Block Diagram	4-122
4-6-46	VFO Block Diagram	4-124
4-6-47	VFO Timing Chart	4-126

4-6-48	Data Window Timing Chart	4-127
4-6-49	VFO Control Logic Block Diagram	4-129
4-6-50	Initial VFO Control Timing Chart	4-130
4-6-51	VFO Control Timing Chart	4-132
4-6-52	2-7 Decoder Block Diagram	4-134
5-5-1	Alarm Flow Chart (Sheet 1 of 2)	5-7
5-5-1	Alarm Flow Chart (Sheet 2 of 2)	5-8
5-5-2	Not Selected Flow Chart	5-9
5-5-3	Not Power Ready Flow Chart	5-10
5-5-4	Power-up Sequence Check Flow Chart (Sheet 1 of 6)	5-11
5-5-4	Power-up Sequence Check Flow Chart (Sheet 2 of 6)	5-12
5-5-4	Power-up Sequence Check Flow Chart (Sheet 3 of 6)	5-13
5-5-4	Power-up Sequence Check Flow Chart (Sheet 4 of 6)	5-14
5-5-4	Power-up Sequence Check Flow Chart (Sheet 5 of 6)	5-15
5-5-4	Power-up Sequence Check Flow Chart (Sheet 6 of 6)	5-16
5-5-5	Device Check Flow Chart (Sheet 1 of 6)	5-17
5-5-5	Device Check Flow Chart (Sheet 2 of 6)	5-18
5-5-5	Device Check Flow Chart (Sheet 3 of 6)	5-19
5-5-5	Device Check Flow Chart (Sheet 4 of 6)	5-20
5-5-5	Device Check Flow Chart (Sheet 5 of 6)	5-21
5-5-5	Device Check Flow Chart (Sheet 6 of 6)	5-22
5-5-6	Seek Error Flow Chart (Sheet 1 of 7)	5-23
5-5-6	Seek Error Flow Chart (Sheet 2 of 7)	5-24
5-5-6	Seek Error Flow Chart (Sheet 3 of 7)	5-25
5-5-6	Seek Error Flow Chart (Sheet 4 of 7)	5-26
5-5-6	Seek Error Flow Chart (Sheet 5 of 7)	5-27
5-5-6	Seek Error Flow Chart (Sheet 6 of 7)	5-28
5-5-6	Seek Error Flow Chart (Sheet 7 of 7)	5-29
5-5-7	Read Error Flow Chart (Sheet 2 of 6)	5-31
5-5-7	Read Error Flow Chart (Sheet 3 of 6)	5-32
5-5-7	Read Error Flow Chart (Sheet 4 of 6)	5-33
5-5-7	Read Error Flow Chart (Sheet 5 of 6)	5-34
5-5-7	Read Error Flow Chart (Sheet 6 of 6)	5-35
5-5-8	Dual Channel Malfunction Flow Chart (Sheet 1 of 5)	5-36
5-5-8	Dual Channel Malfunction Flow Chart (Sheet 2 of 5)	5-37
5-5-8	Dual Channel Malfunction Flow Chart (Sheet 3 of 5)	5-38

5-5-8	Dual Channel Malfunction Flow Chart (Sheet 4 of 5)	5-39
5-5-8	Dual Channel Malfunction Flow Chart (Sheet 5 of 5)	5-40
6-5-1	PCB Assy. Arrangement	6-2
6-5-2	KGFM PCB Assembly Replacement	6-3
6-5-3	KGKM/CZOM PCB Replacement	6-4
6-5-4	TIXM Connection	6-5
6-5-5	TVQM PCB Assembly Replacement	6-6
6-6-1	KGFM PCB Assembly Test Points	6-7
6-6-2	CZOM PCB Assembly Test Points Arrangement	6-12
6-6-3	KGKM PCB Assembly Test Points	6-17
6-6-4	XCGM PCB Assembly Test Points	6-22
6-6-5	Position Signal Gain Adjustment	6-25
6-6-6	Positioning Time Adjustment	6-26
6-6-7	Read Output Measurement	6-27
6-6-8	PLO Free-run Frequency Adjustment	6-28
6-6-9	Delayed Data One-shot Adjustment	6-29
6-6-10	Reference Pulse Adjustment	6-29
6-6-11	Servo Pulse Window Adjustment	6-30
6-6-12	PLO Single-slot Adjustment	6-30
6-6-13	DAC Output Adjustment	6-31
8-2-1	Low Power Schottky IC Level	8-1
8-2-2	TTL Schottky IC Level	8-2
8-2-3	ECL Logic Level	8-3
8-4-1	B500 LSI Package	8-11
8-4-2	MB15238C Block Diagram	8-12
9-1	M2331K/M2333K Micro Disk Drive	9-1
9-2	Frame Unit (1/2)	9-3
9-2	Frame Unit (2/2)	9-5
A.1.1	Outer View	A-3
A.3.1	Power Supply Front and Rear View	A-5
A.3.3	Clearance for Cooling	A-5
A.4.1	Power Supply Bock Diagram	A-8
A.4.2	Block Diagram and Waveform	A-9
A.4.3	Input/Output Voltage of Transformers	A-11
A.6.1	Fuse Replacement	A-14

A.6.2	Fan Replacement	A-16
A.6.3	Input Voltage Select	A-17
B.1.1	Outer View	B-3
B.3.1	Power Supply Front and Rear View	B-5
B.4.1	Power Supply Block Diagram	B-8
B.4.2	Block Diagram and Waveform	B-9
B.6.1	Fan Replacement	B-14
B.6.2	Input Voltage Select	B-15

Tables

	TABLE Page
1-2-1 Basic Specifications	1-2
1-2-2 Physical Specifications	1-2
1-2-3 DC Power Requirement	1-2
1-2-4 Data Recording Specifications	1-5
1-3-1 Options	1-12
1-3-2 Specifications of Fan Units	1-13
1-3-3 Dual Channel Option	1-24
2-3-1 Fault Indicator	2-3
3-4-1 Thermal Check Point	3-10
3-7-1 Disk Addressing	3-37
3-7-2 Tag 4/5 Enable	3-38
3-7-3 File Protect	3-38
3-7-4 Device Type	3-39
3-7-5 On-Side Switch	3-30
3-7-6 Sector Counting Keys	3-40
3-7-7 Sector Selection	3-42
4-3-1 Index, IGB2, IGB1, and OGB Patterns	4-12
4-5-1 Tag/Bus Lines	4-19
4-5-2 Status Lines Determined by Tag 4/5	4-21
4-5-3 Fault/Seek Error Status	4-24
4-5-4 Device Type Code	4-24
4-5-5 SN75110 Function Table	4-37
4-5-6 SN75107/75108 Function Table	4-37
4-5-7 "A" Cable Connectors	4-40
4-5-8 "B" Cable Connectors	4-40
4-5-9 Cable	4-40
4-5-10 "A" Cable Pin Assignment	4-41
4-5-11 "B" Cable Pin Assignment	4-41
4-6-1 Seek Malfunctions	4-80
4-6-2 Translation Between NRZ and 2-7 Codes	4-115
4-6-3 Write Compensation Truth Table	4-117
5-2-1 Error Status	5-1

5-2-2	Fault Indicator Definition	5-2
5-3-1	Fault Isolation List	5-3
5-4-1	Symbol of Flow Chart	5-6
6-3-1	Maintenance Tools and Equipment	6-1
6-6-1	KGFM Test Points	6-8
6-6-2	KGFM Check Terminals	6-9
6-6-3	KGFM Potentiometer Function	6-11
6-6-4	KGFM Switch Function	6-11
6-6-5	CZOM Test Point	6-14
6-6-6	CZOM Potentiometer Function	6-16
6-6-7	Switch Function	6-16
6-6-8	Test Points	6-18
6-6-9	KGKM Switch Functions	6-21
6-6-10	XCGM Test Points	6-23
6-6-12	XCGM Switch Functions	6-24
6-6-13	Adjustment After PCA Replacement	6-25
7-1	Spare Parts List	7-1
8-3-1	TTL Interchangeability	8-4
8-3-2	ECL Interchangeability	8-6
8-3-3	Linear IC Interchangeability	8-6
8-3-4	FUJITSU Proprietary IC List	8-6
8-4-1	MB15238C Pin Assignment	8-11
9-1	M2331K/M2333K Micro Disk Drive	9-2
9-2	Frame Unit (Basic)	9-4
9-2	Frame Unit (Option)	9-6
A1.1.	Power Supply Specifications	A-2
A.3.1	Connection Diagram	A-6
A.7.1	Spare Parts List	A-18
B.1.1	Power Supply Specifications	B-2
B.3.1	Connection Diagram	B-6
B.7.1	Spare Parts List	B-16

Section 1
General Description

1. GENERAL DESCRIPTION

1.1 GENERAL DESCRIPTION

1.1.1 General Description

This manual describes the Fujitsu 8-inch rigid disk drives M2331K/M2333K. These units contain non-removable disks in a sealed module. A rotary actuator using a closed loop servo performs head positioning.

These drives have floppy disk drive dimensions and can be mounted horizontally two drives wide in a 19-inch rack (with 3 pitch) or mounted vertically in a system cabinet.

The contact start/stop (CSS) type heads and media are of the whitney technology type. These units feature high performance, high reliability and low cost.

The maximum unformatted storage capacities of the M2331K and M2333K units are 168MB and 337MB, respectively.

The M2331K and M2333K utilize the modified SMD interface, thereby allowing the drives to be added to an existing disk configuration.

By standardizing on the SMD interface, development time for controllers and software will be substantially reduced. Fixed sector format can be used with the M2331K and M2333K.

To power the drives only DC voltages of +24, +5 and -12 volts are required. This allows for international use. Total nominal power consumption is less than 160 watts.

1.1.2 Features

(1) High reliability

- (a) Whitney type technology contact-start/stop (CSS) heads and media are used.
- (b) Each head has an LSI circuit on its arm to amplify the small signal thereby reducing read errors by increasing the signal to noise ratio.
- (c) The heads, media and positioning mechanism are sealed in a closed-loop air filtration system.
- (d) The electrical components located within the sealed disk area are minimized.

(2) Maintainability

No scheduled maintenance is required.

The use of a completely sealed DE, a belt-eliminating built-in DC spindle motor, as well as highly reliable printed circuit assemblies, the necessity of maintenance is greatly reduced.

(3) Compact, Lightweight

This unit can be mounted, two drives across in a standard 19-inch rack. The dimensions are almost floppy disk drive compatible. The weight of the unit is approximately 31 pounds (14 kg). Mounting equipment for the 19-inch rack can be provided as an option.

(4) Vertical/horizontal Mount Capability

These units are available to horizontal-mount and vertical mount.

(5) Low accoustical noise level and low vibration allow for installation in an office environment.

(6) Uses only DC voltages. No internal changes are necessary for changes in frequency or power.

1.2 SPECIFICATIONS

1.2.1 Unit Specifications

The basic specifications of the disk drive are as follows:

Table 1-2-1 Basic Specifications

Model	Specification	Storage capacity
M2331K	B03B-4765-B001A	168M bytes
M2333K	B03B-4765-B003A	337M bytes

1.2.2 Physical Specifications

Table 1-2-2 Physical Specifications

Item	Conditions	Specifications
Dimension	Height	127mm (5.0")
	Width	216mm (8.5")
	Depth	380mm (15.0")
Weight *		14 kg (31 lbs)
Temperature	Operating	5°C to 40°C (41°F to 104°F)
	Non-operating	-40°C to 60°C (-40°F to 140°F)
	Gradient	Less than ±15°C/hour
Humidity	Operating	20% to 80% RH
	Non-operating	5% to 95% RH (Non-condensation)
Vibration resistance	Operating	Less than 0.2G (3 to 60 Hz) (2 minutes in both ways x 30-cycle sine wave)
		<2.06, 10 ms
	Non-operating	Less than 0.4G (3 to 60 Hz) (2 minutes in both ways x 30-cycle sine wave)
	Transporting and storing	Less than 15G (10 ms) (non-cyclic)
Altitude	Operating	Less than 3,000m (10,000 feet)
	Non-operating	Less than 12,000m (40,000 feet)
Dust		Less than 0.168 mg/m ³ (Stearic acid standard)

* Optional units are excluded.

1.2.3 Power Requirements

The M2331K and M2333K requires +5V, -12V and +24V DC voltages from an optional power supply or system power supply. Each load current required by the drive is shown in Table 1-2-3.

Table 1-2-3 DC Power Requirement

DC Voltage	Load Current (Basic)	Load Current (With Dual Port)
+5V ± 5%	4.5A	5.5A
-12V ± 5%	3.5A	4.5A
+24V ± 10%	4.0 Arms (Effective, typical - after Ready) 7.7 Ao-p (Maximum) 5.5 Arms (POW ON; Effective typical)	

Note: The D. C. return lines must be made electrically common AT the Power Supply when using other than the optional Fujitsu Power Supply. Failure to commonize these lines will result in premature failure of the spindle motor circuit.

The load currents of +5V DC and -12V DC will be stable regardless of operation being performed within the disk drive, however, the load current of +24V DC will be varied during a power up sequence or DC motor acceleration and/or seek operation.

The +24V DC load current profile during power up sequence is shown in Figure 1-2-1.




Figure 1-2-1 +24V DC Load Current on Power Up Sequence

The +24 DC load current profile during the repeated acceleration/inertia modes of DC motor and/or seek operation after Ready status is shown in Figure 1-2-2.

1.2.3.1 U.L./CSA/TUV

The M233XK disk drive is a U.L. recognized, CSA listed, and TUV approved component.

The appropriate file numbers follow:

U.L. 478 file #E62049 Vol. 3, Sec. 7

CSA 22.2 file #LR51352-3

TUV - Mark License No.: R 50129

- Report No.: E 51220

- Test Requirements: DIN IEC 380/VDE 0806/8.81




Figure 1-2-2 Total +24V DC Load Current (Ready)

1.2.4 Data Recording Specifications

Data recording specifications are presented in Table 1-2-4.

Table 1-2-4 Data Recording Specifications

Item	Specifications	
	M2331K	M2333K
Storage capacity (unformatted)	168,550,400 bytes	337,100,800 bytes
Number of cylinders	823	823
Tracks per cylinder	5	10
Cylinder capacity	204,800 bytes	409,600 bytes
Track capacity	40,960 bytes	
Average rotational latency	8.3 ms	
Positioning time: Track to track	5 ms	
Average	20 ms	
Maximum	40 ms	
Rotational speed	3,600 rpm \pm 1%	
Transfer rate	2.458 MB/sec	
Encoding method	RLL (2/7)	
Interface data	NRZ	
Recording density	19,734 BPI (13156 CPI)	
Track density	683 TPI	
Start/Stop time	<50/ <40 sec	
Interface	Modified SMD (HSMD)	
Number of sectors	128 (maximum)	




Figure 1-2-3 Positioning Time Profile

1.2.5 Reliability

(1) Mean Time between Failure (MTBF)

The MTBF is defined as follows:

$$\text{MTBF} = \frac{\text{Estimated Operating Hours}}{\text{Number of Equipment Failures}}$$

The MTBF shall exceed 30,000 hours (design value). Estimated operating hours should not include any maintenance time. Equipment failures means any stoppage or substandard performance of the equipment because of equipment malfunction, excluding that caused by operator error, cable failure, or other failure not due to the equipment. To establish a meaningful MTBF, operating hours must be greater than 6,000 hours and shall include field performance data from all field sites.

For the purpose of this specification, equipment failures are defined as those failures necessitating repair or replacement on an unscheduled basis.

(2) Mean Time to Repair (MTTR)

The mean time to repair shall not exceed 0.5 hour. It is defined as the time for an adequately trained and competent service technician to diagnose and correct a malfunction.

(3) Preventive Maintenance Time

No scheduled maintenance is required.

(4) Service Life

The M2331K/M2333K drive is designed to provide a useful life of five (5) years before factory overhaul or replacement is required.

(5) DC Power Loss

Data integrity is assured in the event of a power loss (data is not assured during write operation).

1.2.6 Data Integrity

The following error rates assume that the M2331K/M2333K is being operated within specification. Errors caused by media defects or equipment failures are excluded.

(1) Read Errors

Prior to determination of a read error rate, the data shall have been verified as written correctly and all media defects flagged.

a. Recoverable Error Rate

A recoverable read error is one which can be read correctly within fifteen retries when reading on track, and should not exceed ten per 10^{11} bits.

b. Unrecoverable Error Rate

An unrecoverable read error is one which cannot be read correctly within sixteen retries and should not exceed ten per 10^{14} bits.

(2) Positioning Error Rate

The positioning error which can be corrected within one retry should not exceed ten per 10^8 seeks.

(3) Media Defects

A media defect is defined as a repetitive read error that occurs on a properly adjusted drive within specific operating conditions.

Valid data must not be written over known media defects, therefore, sector/track deallocation or skip displacement techniques must be utilized.

a. Media Defect Characteristics

(a) The maximum number of defects per drive is as follows:

M2331K (168MB): 300

M2333K (337MB): 600

(b) The maximum number of defective tracks per drive is as follows:

M2331K (168MB): 16

M2333K (337MB): 32

A defective track is defined as a track having any of the following:

1. Two to four defects.
2. Defective logging areas

Note: No track shall have more than four defects.

b. Media defect free areas are defined as follows:

1. Cylinder 0, Head 0 through 2
2. Any error in logging area to extent defined in the Media Defect Format

(4) Media Defect Information

All drive will have a Media Defect List which will list the following information.


1. Cylinder Address
2. Head Address
3. Position (bytes from Index ± 1 byte)
4. Length (bits ± 1 bit)

The above information will be listed by hexadecimal code. The maximum media defect length at a defect is 64 bytes (512 bits).

(5) Media Defect Format


The drive will be formatted at the factory with a standard Media Defect Format. The format consists of one part. The format is a hard-sectored format and is normally included in the first 56 bytes following Index signal, as shown in Figure 1-2-4 Format 1. The format rules are as follows:

1. A track which has more than one defect is defined and flagged as a defective track. The first four media defects are logged.
2. If the beginning of a defect is located between Byte 10 to Byte 55 (HA1) after Index, 60 bytes of zeros are added to gap 1 (90 bytes total). In this case, if any part of a defect is located between Byte 60 and Byte 115 (HA1), the track is flagged as defective. Refer to Figure 1-2-5 Format 2.
3. If the track is defined as a defective track according to above-mentioned Rules 1 or 2, the high order bit of the first cylinder address byte is set to 1. Remaining information may or may not be valid.



- Note 1) Position (POS) of defect is in bytes after Index ±1 byte.
- 2) Length (LEN) of defect is in bits ±1 bit.
- 3) Unused defect locations are all zeros.

Figure 1-2-4 Media Defect Format 1



Note 1. If a defect is with in this area, the track is deemed a defective.

Figure 1-2-5 Skip Displaced Format

1.3 CONFIGURATION

1.3.1 Fundamental Unit Configuration

Figure 1-3-1 shows the fundamental configuration of the unit; Figure 1-3-2 shows the block diagram.




Figure 1-3-1 Fundamental Configuration




Figure 1-3-2 Block Diagram

1.3.2 Options

Optional items are presented in Table 1-3-1.

Table 1-3-1 Options

Item No.	Component name	Specification (Drawing No.)	Remarks
1-3	Fan unit	B03B-4740-E005A	+ 24V DC
2-1	Power supply unit	B14L-5105-0178A#A2	
2-2	Dual power supply unit	B14L-5105-0187A#1	<ul style="list-style-type: none"> · 100/115/120/220/240V AC. · With connectors for feeding power to fan units and dual channel printed board unit.
3-1	Cable	B660-1065-T006A	Interface cable (A) 60P flat cable
3-2	Cable	B660-1065-T008A	Interface cable (B) 26P flat cable
3-3	Cable	B660-1865-T020A	Interface cable (A) for 2 units daisy chain
4-1	Panel unit	B03B-4590-E501A	Flat key type control panel board
5-1	Mounting tray	B21L-1810-0002A	For mounting two units in 19-inch rack with 3 pitches (inside frame), and the front panel has the windows for operating the panel unit.
6-1	Dual Channel	B03B-4760-E401A	To be mounted on optional PSU.
6-2			
7-2	Power cable	B660-1995-T041A	Drive unit and DC (+ 24V) Fan unit-power supply unit connecting Cable.
8-1	Cable	B660-0625-T328A	E002A fan unit — power supply unit connecting
9-1	Cable	B660-1995-T003A	E501A panel unit — drive unit connecting
10-1	Cable	B660-0625-T329A	Dual channel PCB assy. — Power supply unit connecting

Note: Items in the above table are optional and not fundamental components of this unit. These items must be ordered separately conforming to the above specifications as occasion demands.

(1) Fan Unit

The M2331K/M2333K requires some means of cooling, since there is no internal blower motor. For this purpose, optional fan units are available in the event that adequate cooling is not provided within the mounting cabinet. This fan unit is directly mountable onto the rear of the device using the existing screws and taps.


The DC fan unit (B03B-4740-E005A) may be used with the optional power supply unit.
 Order power cable specification: B660-1995-T041A.

The Table 1-3-2 shows the specifications of fan unit.
 The Figure 1-3-3 shows the mounting status of the fan unit

Table 1-3-2 Specifications of fan units

	B03B-4740-E005A
Rated voltage	DC 24V
Frequency	—
Ready current	0.5 A or less
50 Hz	
60 Hz	
Starting current	0.72 A or less
50 Hz	
60 Hz	
Consumption	15W or less
50 Hz	
60 Hz	
Phase/Pole	—
Environmental condition	Same as left
Thermal alarm	Blow-value detecting method alarm
Motor protection	—
Weight	1 kg or less

Note: Values of voltage and current show in case of no-load state.



*1: The overall length after mounting the fan unit is 430 mm (380 mm + 50 mm).

*2: Fan alarm specification

Type of contact point: Normal open
 Contact capacity: 0.5A DC max.
 200V DC max.
 * However, I (A) x E (V) < 10W DC

Consumption: 4.2W (at 100V AC or 24V-DC)

Response time: 5 - 300 sec.

Circuit: See Figure 1-3-4

Pin No.	B03B-4740-E005A
1	
2	
3	+24V Return
4	+ 24V DC
5	ALARM (*2)
6	ALARM (*2)

Figure 1-3-3 Fan Unit




Figure 1-3-4 Optional Fan Unit Alarm

(2) Power Supply Unit

A power supply unit may either be mounted horizontally behind the disk drive or may be mounted vertically. Figure 1-3-5 shows the details of I/O terminals and the external dimensions of the power supply unit.

Specification: B14L-5105-0178A#A2





Figure 1-3-5 (a) Power Supply Unit: B14L-5105-0178A



- TRM1: AC power input and alarm sending.
 - TRM2: FG-SG coupling terminal. (Normally open)
 - CN31: Drive unit power feeding connector
(for cable B660-0625-T327A (Option))
 - CN32: Device Alarm connector
(for cable B660-0625-T328A/T355A (Option))
 - CN33: Dual channel PCB unit power feeding connector
(for cable B660-0625-T329A (Option))
- AC input voltage selection from 100/115/120V AC to 220/240V AC is connector selectable.
 Safety: IEC380, UL/CSA

Figure 1-3-5 (b) Power Supply Unit: B14L-5105-0178A#A2

- TRM1: AC power input and alarm sending.
- TRM2: FG-SG coupling terminal. (Normally open)
- CN31: Drive unit power feeding connector
(for cable B660-0625-T327A (Option))
- CN32: Fan unit power feeding connector
(for cable B660-0625-T328A/T355A (Option))
- CN33: Dual channel PCB unit power feeding connector
(for cable B660-0625-T329A (Option))

AC input voltage selection from 100/115/120V AC to 220/240V AC is switch selectable.

Regardless of AC input voltage, AC output voltage from CN2 (AC fan unit power supplying connector) is kept 115V $\begin{matrix} +15\% \\ -24\% \end{matrix}$ AC.

(3) Panel Unit

The panel unit includes function lights which indicate power on, ready, write protect, check, and also includes a write protect switch and a check clear switch.

Figure 1-3-6 shows the mounting dimensions and mounting status of panel unit B03B-4590-E501A.




Figure 1-3-6 Panel Unit




Figure 1-3-7 Mounting of Optional Panel Unit

(4) 19" Rack Mount Installation

A mounting-tray with brackets is available to install two drives, side by side in a 19" rack, three pitches. It can also accommodate the optional fan units and/or power supply units for each of the two drives.





Figure 1-3-8 19" Rack Mount Installation

The mounting-tray (inner frame) guided by brackets (outer frame) can be drawn out forward. (Travel distance is approximately 24").

The 19" rack mounting method is illustrated in Figure 1-3-8. Figure 1-3-9 shows the appearance when the units are mounted using the mounting-tray and brackets.



Note: Mounting-tray (0001A) cannot accommodate the drive unit with Panel unit. In that case, 0002-type must be specified.

Figure 1-3-9 Mounting-Tray and Brackets


(5) Cables

The interface cable (A) may be up to 30 m long (to the final unit in case of daisy chain mode).


The interface cable (B) may be up to 15 m long.

The (A) cables for daisy-chain connection shown at items 3-3 to 3-9 in Table 1-3-1 are of the forms as shown in Figure 1-3-10. Cable length "L" (specifiable by "#L") refers to the corresponding sections of the following drawings:


- For B660-1865-T020A




- For B660-1865-T030A



- For B660-1865-T040A



- For B660-1865-T080A



- The connectors at both ends are of close-end, while the intermediate connectors are of through-end.

Figure 1-3-10 A-Cables for Daisy-Chain




Figure 1-3-11 Power Cable B660-0625-T327A





Figure 1-3-12 Power Cable B660-1995-T041A



**Figure 1-3-13 Cable B660-0625-T328A, T355A
(A.C. Fan unit → Power supply unit)**




Figure 1-3-14 Cable B660-0625-T329A
 (Dual Channel PCB assy.→Power supply unit)




Figure 1-3-15 Cable B660-1995-T003A
 (E501A Panel unit→Drive unit connecting)

Operator Panel Connection

The KGFM PCB allows for connection of an optional control panel. At location B30 on this PCB, there is a 14 pin DIP socket for the control panel connection. Following is pin-out for this DIP socket. The socket is located toward the front of the drive by the CN4 connector.

<u>PIN NUMBER</u>	<u>SIGNAL MNEMONIC</u>	<u>DEFINITION</u>
1	+5V	+5 Volt
2	*FPTK	File Protect Switch
3	*CKCLR	Check Clear Switch
4	*LRDY	Ready LED
5	0V	Signal Ground
6	*LUSLD	Unit Selected LED
7	0V	Signal Ground
8	0V	Signal Ground
9	*PWRDY	Power Ready LED
10	*LFPT	File Protect LED
11	*LDVCK	Device Check LED
12	0V	Signal Ground
13	0V	Signal Ground
14	+5V	+5 Volt

*** Indicates a low active signal.

(6) Dual Channel PCB Assembly

This unit can be provided with a dual channel option to add the crosscall function. Versions are available which permit the mounting of this option on the drive or the power supply.

Drive's height is:

- In case of mounting on the unit; 154 mm
- In case of mounting on the power supply;
It is possible to be mounted in the 19-inch rack with 3-pitch by using the optional power supply (B14L-5105-0100A), the mounting-tray (B21L-1810-0001A or 0002A).


The specifications and the rating of dual channel option are shown in Table 1-3-3.

Table 1-3-3 Dual Channel Option

Specifications	B03B-4760-E401A	B03B-4760-E402A
Mounting location	On the power supply	On the unit
Input condition	+5V, 5.5A (Including the basic drive) -12V, 4.5A	


Note: The dual channel option is connected with optional power supply by using the connecting cable.
(See Item 1.3.2.5)

Dimensions after mounting of Dual channel PCB Assembly are shown in Figure 1-3-16 (E401A) or Figure 1-3-17 (E402A).



Note: In case of mounting on the power supply, fix Brackets with screws on the power supply.

Figure 1-3-16 Dual Channel Option (E401A)



(Unit : mm)

Note: In case of mounting on the unit, change the usual unit cover to the cover for this option.

Figure 1-3-17 Dual Channel Option (E402A)

Connector location on the PCB are shown in Figure 1-3-18.




Figure 1-3-18 XCGM Dual Channel PCB Assembly Connector Location

Section 2
Operation

2. OPERATION

2.1 GENERAL DESCRIPTION

Two M233XK Micro Disk Drives can be horizontally mounted in a 19 inch rack with optional mounting tray. The M233XK may also be built into a system cabinet and mounted horizontally, vertically. A mounting tray is available.

The KGFM Printed-Circuit-Board Assembly in the M233XK Micro Disk Drive is equipped with Maintenance Aid LED's and a File Protect switch.

Powering up/down and the functions of the internal indicators (LED) and switches will be described in this section. The functions of the LED's and switches on the optional operator panel will also be described.

2.2 POWERING UP/DOWN

The M233XK Micro Disk Drive is not equipped with a power ON/OFF switch. Powering up/down of the M233XK typically performed by powering up/down the system.

When the disk unit is equipped with an optional power supply, powering up/down may be performed by turning the power switch ON and OFF at the power supply.

2.3 CONTROL AND INDICATORS

2.3.1 Operator Panel (option)

The functions of the LED's and switches or optional operator panel (front panel) is described below.




Fig. 2-3-1 Operator Panel (Optional)

- (1) Power indicator: Red
This LED lights when the power is turned on.
- (2) Ready indicator: Red
This LED indicates that the initial seek has performed or indicates the termination of a Seek or RTZ operation.
- (3) Check indicator: Red
This LED indicates any fault condition.
- (4) Protect indicator: Red
This LED indicates that writing is inhibited.
- (5) Protect (PTCT) switch: White
This key inhibites the write operation.
- (6) Check clear switch: Gray (flat key)
This key resets a Device Check status.

2.3.2 PCB Assembly

The unit contains fault display indicators (LED's) as shown in Figure 2-3-2. these are location on KGFM PCB.




Figure 2-3-2 Fault Display Location on KGFM PCB

- (1) RDY (Ready) indicator: Green
This RDY LED indicates that the initial seek has been performed or indicates the termination of a Seek or RTZ operation.
- (2) FPT (File Protect) indicator: Orange
This LED indicates that writing is inhibited.
- (3) EMG (Emergency Retract) indicator : Red
This LED indicates DC Motor Fault (DMFT) or VCM Heat (VCMHT) condition.
DMFT condition ----- This LED is blinks on and off
VCMHT condition ----- This LED is turned on
- (4) STS1 to 4, STTG1 and STTG2 (Status and Status Tag): Red
The two-bit binary coded Status Tag 1 and 2 LED's have the following conditions.

Status Tag 2	Status Tag 1	Condition
0	0	: Not Ready (Under the power-up sequence)
0	0 ↔ 1	: Not Ready (Power-up Sequence Check)
0	1	: Fault
1	0	: Seek Error
1	1	: Normal Status

The Status Tag 00 has the highest priority and Status Tag 11 has the lowest priority.

Status 1, 2 and 4 LED's are defined by the above Status Tag LED's as shown in Table 2-3-1.

Table 2-3-1 Fault Indicator *

Status	Status Tag		Status Bit			Code (Hex)	Fault or Normal Status	
	2	1	4	2	1		Designation	Condition
Not Ready	0	0	0	0	0	00	State 0	Power-on Reset Sequence.
			0	0	1	01	State 1	+24V Supply Sequence.
			0	1	1	03	State 3	Auto-lock Release Sequence.
			0	1	0	02	State 2	DC Motor Accelerate Sequence.
			1	1	0	06	State 6	Accelerate Complete Sequence.
			1	1	1	07	State 7	Initial Seek Sequence.
			1	0	1	05	State 5	Ready state but this state is not indicated.
Not Ready (Powerup Sequence Check)	0	0 ↓ ↑ 1	0	0	1	0X	State 1	Indicates the condition to power up is not correct.
			0	1	1	0X	State 3	Indicates the actuator lock is not released.
			0	1	0	0X	State 2	Indicates the rotational speed is not to 94% (nominal) within the specified time.
			1	1	0	0X	State 6	Indicates the acceleration mode is not terminated within the specified time.
			1	1	1	0X	State 7	Indicates the initial seek is not terminated within the specified time or is terminated incompletely.
			1	0	1	0X	State 5	Indicates an abnormal current flows to winding of VCM or DC motor.

NOTE: See Table 5.2.2 page 2-3.

Table 2-3-1 Fault Indicator (Continued)

Status	Status Tag		Status Bit			Code (Hex)	Fault or Normal Status	
	2	1	4	2	1		Designation	Condition
Fault	0	1	0	0	1	09	Control Check 1	Indicates a read/write command is issued during a busy condition.
			0	1	0	0A	Control Check 2	Indicates a write command is issued during a fault/check condition.
			0	1	1	0B	Write off-track	Indicates an off-track condition occurs during a write operation.
			1	0	0	0C	Write Unsafe	Indicates a write operation cannot be performed due to a write circuit fault.
			1	0	1	0D	Write Protected	Indicates a write command is issued during File-protected status.
			1	1	0	0E	Read/Write Multi	Indicates multiple heads are selected during a read or write operation.
			1	1	1	0F	Emergency	Indicates over-load current flows on VCM or DC Motor.
Seek Error	1	0	0	0	1	11	RTZ Time-out	Indicates an RTZ operation is not terminated within the specified time.
			0	1	0	12	Seek Time-out	Indicates a Seek operation is not terminated within the specified time.
			0	1	1	13	Over-shoot	Indicates the head Over-shoots the target cylinder during settling time, or the head moves out during track following sequence in linear mode.
			1	0	0	14	Seek Guard Band	Indicates the guard band is detected during a seek operation.
			1	0	1	15	Linear Mode Guard Band	Indicates the guard band is detected during linear mode.
			1	1	0	16	RTZ Outer Guard Band	Indicates the outer guard band is detected during RTZ operation.
			1	1	1	17	Illegal Cylinder	Indicates an illegal cylinder address (> 822) is issued by the controller.
Normal Status	1	1	0	0	1	19	Selected	Indicates the drive is selected by the controller.
			0	1	0	1A	Tag 4/5 Enabled	Indicates the optional tag 4/5 function is enabled by the key on the drive.
			1	0	0	1C	On Side Mode	Indicates the on-side mode is set to active by the switch on the drive.

* This table can be used in conjunction with Section 5 "Troubleshooting".

2.4 Dual Channel PCB Assembly (Option)
 Dual channel PCB assembly is shown in Figure 2-4-1.




Figure 2-4-1 Dual Channel PCB Assembly

- (1) CHASLD LED (green)
 Indicates that this unit is Selected by the Channel-A controller.
- (2) CHARSV LED (orange)
 Indicates that this unit is Reserved by the Channel-A controller.
- (3) CHBSLD LED (green)
 Indicates that this unit is Selected by the Channel-B controller.
- (4) CHBRSV LED (orange)
 Indicates that this unit is Reserved by the Channel-B controller.

- (5) CH-A Switch
 DIS (Disable A): Disconnects the unit from the Channel-A controller and disables it from sending and receiving all interface signals.
 NORM (Normal A): Connects the unit to the Channel-A controller and enables it to send and receive interface signals.
- (6) CH-B Switch
 DIS (Disable B): Disconnects the unit from the Channel-B controller and disables it to send and receive all interface signals.
 NORM (Normal B): Connects the unit to the Channel-B controller and enables it to send and receive interface signals.
- (7) RLTM Switch
 RLTM ON: When in "Release Timer On", Reserved and Priority Select are released 500 ms (nominal) after the unit is deselected.
 Note: Reserved and Priority Select can also be released by the Release Command (TAG 3, BUS 9).
 RLTM OFF: When in "Release Timer Off", the Reserved condition is released from the controller by the Release Command (TAG 3, BUS 9).

2.5 POWER SUPPLY

The optional power supply can be provided with the M233XK. The front view of the power supply is shown in Figure 2-5-1.

2.5.1 Main Line Switch

This switch controls application of site AC power to the power supply. Turning on the switch applies power to an optional fan unit and DC Power to the disk drive.

2.5.2 Indicators (LEDs)

(1) Power On LED

The Power On LED indicates that AC input is applied to the power supply.

(2) Power Alarm LED

The power alarm indicates the following malfunction has occurred on the power supply:

- +5 VDC: Over-current, Over-voltage and Non-voltage
- -12 VDC: Over-current and Non-voltage
- +24 VDC: Over-current and Non-voltage
- Over heat within the power supply

2.5.3 Device Alarm

The Device Alarm indicates that the thermal switch has been closed on the optional fan.




Figure 2-5-1 Front View of Power Supply

Section 3
Installation

3. INSTALLATION

3.1 GENERAL DESCRIPTION

This section describes unpacking, installation, and cabling of the M233XK when shipped separately, and shipping precautions when the unit is delivered as a system.

3.2 UNPACKING

The M233XK is wrapped in a polyethylene bag, surrounded by cushions, and packed in a carton. An exterior view of the carton is shown in Figure 3-2-1.

- (1) Store and open the carton on a flat surface. Ensure that the top of the box, indicated by a "This Side Up" signs, is oriented correctly, and take out options.

Note: Don't store on the disk drive in the upside-down position.

- (2) Take out the top cushion.

- (3) Pull the M233XK out of the box by grasping its base.

Move the unit slowly and carefully, to prevent unnecessary shock.

- (4) Store packing material for possible future use.

Note: When the difference in the storage (or shipping) environment and the unpacking environment exceeds 20°C (36°F), the carton should be allowed to stand at the unpacking site for more than 3 hours prior to unpacking to avoid condensation.

<p>Caution: This is a delicate instrument. When unpacking, don't place the M233XK directly on a bare floor or hard surface to avoid handling damage due to shock. Place it on a suitable cushioning material.</p>

3.3 VISUAL INSPECTION

After unpacking, check the following.

- (1) There should be no cracks, rust or other damage that mars appearance and integrity.
- (2) All parts should be firmly fixed, there should be no loose screws, etc.
- (3) The attachments and options should be as ordered.

3.4 INSTALLATION

This unit may be mounted in a 19-inch rack or built into a system cabinet.

If mounting the M233XK in a standard 19-inch rack, the mounting tray and its brackets are provided (as options). When the M233XK is built into a system cabinet, it can be mounted horizontally or vertically. (Refer to Figure 3-4-1.)

3.4.1 Mounting Dimensions

Figure 3-4-2 shows the M233XK dimensions and the structure of its frame.






Figure 3-2-1 External View of Carton



(a) HORIZONTAL MOUNTING



(b) VERTICAL MOUNTING (on side)

NOTE:

This drive maybe mounted in the following orientations only:

1. Horizontally (a) — PCA boards up.
2. Vertically (b) — On the left side of the unit as viewed from the fan end of the drive.

Any position other than these is not acceptable and may cause unreliable drive operation.

Figure 3-4-1 Mounting direction





Figure 3-4-2 Mounting Dimensions of the Unit

3.4.2 Service Area

Maintenance, securing for transportation, cable connection, are accessed as shown below.

When determining the service area and where to install the locker, make sure that there is enough room for maintenance work.



- P side: Maintenance operation on PCB (KGFM, CZOM/KGKM)
- Q side: Maintenance operation on PCB (TVQM)
Cable connections
Securing the unit. (Refer to 3.4.4)
- R side: Securing the unit. (Refer to 3.4.4)
Operating the panel unit (Optional)

Figure 3-4-3 Maintenance Access on the Unit

3.4.3 Securing the Unit

When installing the unit, it is important that it does not contact any other hard parts, such as the mounting plate, when operating as well as non-operating (both storage and shipping)

For this purpose, the unit is provided with screw holes on Q side and S side (refer to Figure 3-4-3).

The holes are used to secure the unit to the mounting frame during shipment. Examples of securing the unit are shown in Figure 3-4-4 and Figure 3-4-5.





Figure 3-4-4 Securing the Unit (Example 1)



* Maintain this gap so there is no contact with the drive unit in case of shock or vibration.

Figure 3-4-5 Securing the Unit (Example 2)

A more effective use of these holes is to attach some elastic materials as stoppers. The stopper acts as a travel limiter, keeping a suitable clearance. The stopper protects not only the device but also rubber shock isolators from damage. Figure 3-4-6 shows recommended form of the stopper. This stopper is effective when operating as well as non-operating, and it is unnecessary to remove after shipping.

The screw hole dimensions on the unit are shown in Figure 3-4-7.






Figure 3-4-6 Form of the Stopper

(1) R side



(2) Q side



(3) Q side
(with Fan Unit)

Pitch
A-B: 380mm
A-C: 415mm




Figure 3-4-7 Dimensions of the Screw Holes

3.4.4 Cooling*

This unit requires some means of cooling, since there is no internal blower motor.

Figure 3-4-8 shows the recommended air flow posture.




Figure 3-4-8 Recommended Air Flow Posture

* For this purpose, an optional fan unit is available. This fan unit removes the generated heat most effectively. (Refer to 1.3.2.1)

The cooling condition can be confirmed by taking the surface temperature of some ICs and heat sinks.

The following IC's surface temperature must be kept under the temperature listed on the Table 3-4-1.

Table 3-4-1 Thermal Check Point

Part No.	On Board	Maximum surface Temperature (Tc)
M189	KGFM PCB	85° C
M10	"	85° C
M59	CZOM PCB	85° C
Q46	"	85° C
Heat Sinc (Pwr tr.)	TVQM PCB	76° C
Aluminum base (Bottom side)	DE	65° C


* Random seeking

* Even on max. environment temperature (40 C)

Note: Please refer to section 10 for check point location.


Figure 3-4-9 shows some examples of cooling installation.

(a) Using optional fan unit



(b) Without optional fan unit

We recommend that the installation frame is shaped like a duct with the cooling air flow path as follows:



* Air flow rate of more than 1.2m³/min (42 CFM) through the duct must be maintained.

Figure 3-4-9 Examples of Installation Cooling

3.5 MOUNTING OF OPTIONS

3.5.1 Mounting the fan unit

The optional fan unit can be mounted or replaced in the field. See Subsection 1.3.2.1 for the specifications, shape, and connector pin assignments of the fan unit. The mounting procedures of an optional fan are as follows:

- (1) Remove the protection cover of the power amplifier PC board (TVQM) at the rear of the equipment. (The screws are used to attach the fan. The cover is not used when the fan unit is used.)
- (2) Mount the fan unit and attach it with the screws from the protection cover.
- (4) Place fan cover over the fan and interface cables securing with 2 screws.
- (5) Connect the power supply cable to the fan unit. Refer to Figure 3-5-1.





Figure 3-5-1 Mounting the Fan Unit

3.5.2 Mounting the Panel Unit

Figure 3-5-2 shows panel unit mounting diagrams.




Note: To prevent the connection cable from slackening under the panel unit or on the equipment PC board, bend the cable at the rear of the panel unit as shown in the figure above.

Figure 3-5-2 Mounting the Panel Unit

3.5.3 Installation Mounting Tray

Two disk drive units can be installed side by side, in 3 pitches (131mm) of height, in a 19-inch rack using the optional mounting tray as shown in Figure 3-5-3.



Note: Refer to Section 1-3-2-4.

Figure 3-5-3 Installation in the 19-inch Rack

(1) Installation Mounting Tray in the 19-inch Rack

First, mount the bracket assembly on the 19 inch rack as follows. The bracket assembly consists of a pair of right and left slide guides (outer rails).


- ① Loosen 3 screws which hold the bracket in the back, so that it moves back and forth. (See Figure 3-5-4.)

The installation frame can be mounted in the 19 inch rack with a depth of mounting pitch ranging from 531 mm to 777 mm by adjusting the brackets. When mounting the installation frame in the rack with a depth of 622 mm to 777 mm, secure the brackets as shown in Figure 3-5-4 (a).

For racks other than the above, secure the brackets as shown in Figure 3-5-4, (b). The brackets are symmetrical, so a pair can be used for either (a) or (b).

- ② Remove tapped plates and hold them on the 19-inch rack post as shown in Figure 3-5-5, (a).
- ③ Install left and right outer rails (bracket assembly) in the 19-inch rack. Tighten the bracket mounting screws after adjusting bracket location to fit it to the depth of the mounting pitch. (See Figure 3-5-5, (b).)

- ④ Mount the outer rails using tapped plates with the bracket U-slots (in the back and front) pressed against the tapped plate fixing screws. (See Figure 3-5-5, (c).)



Note: The above figure ((a) and (b)) shows only the right side guide (see from the front). The brackets in (a) and (b) are symmetrical to each other.

Figure 3-5-4 Bracket Assembly




Figure 3-5-5 Bracket Assembly Mounting on the 19-inch Rack

- ⑤ Insert the mounting tray (inner rail) and check its movement. If it does not slide freely, loosen the tapped plate holding screws and adjust outer rail locations for their relative width.
Confirm that the inner rail stops against the stopper when it is pulled out. (The installation frame can be pulled out approximately 595 mm.)
- ⑥ Insert the mounting tray and fix it to the outer rails at the front left and right. (See Figure 3-5-6).
- ⑦ Mount the front panel.




Figure 3-5-6 Mounting Tray to the Outer Rails

(2) Each Unit Installation on the Mounting Tray

- a. Fan unit installation
Disk drive units installed on the Mounting Tray must have a fan unit. Refer to Section 3.5.1.
- b. Disk drive unit (with fan) installation
 - ① Mount the rubber stoppers, attached to the Mounting Tray, using taps in the front and back of the drive unit as shown in Figure 3-5-7.






Figure 3-5-7 Rubber Cushion Mounting


- ② Attach the mounting brackets using taps (M4) for shock absorbing mounts after setting the mounting brackets to disk drive unit location. Note that the front and back brackets are different. Refer to Figure 3-5-8.
- ③ Remove the cushion stoppers from the Mounting Tray. (4 per installation frame (See Figure 3-5-9.)
- ④ Set the disk drive on the Mounting Tray. The disk drive unit can temporarily ride on the front and back beams of the installation frame (inner rail) without manual support using the mounting brackets and 4 cushion supports in the front and back. (See Figure 3-5-10.) Therefore, even one person can install the drive unit on the Mounting Tray either removed or on the rack (pulled-out).
In this state, attach each shock absorbing mount (For the inside shock absorbing mount section, attach the mounting brackets already attached on the shock absorbing mounts.) See Figure 3-5-10.



(a) Mounting in the front of the drive unit

(b) Mounting in the back of the drive unit

Figure 3-5-8 Bracket Mounting



* The figure shows the right drive unit (seen from the front). The stopper supports of the left drive unit and the back (fan side) are the same.

Figure 3-5-9 Stopper Support




Figure 3-5-10 Mounting the Unit

- ⑤ Mount the Stopper supports that were removed in procedure (C), so that clearances around the stopper including those in its front and back are 1.5 mm. See Figure 3-5-9.
- ⑥ If the panel unit is required, mount it. See Item (3).
- ⑦ Mount the front panel.

c. Mounting the panel unit

The panel unit (optional) is mounted as shown in Section 3.5.2. When the panel unit is used in the Mounting Tray, mount it as shown in the following figure.

When the panel unit is mounted, use the Mounting Tray (B030-1810-0001A) as the inner rail. (Refer to Section 1.3.2.4.) This type of Mounting Tray has a blank panel on one side. When installing 2 drive units, this blank panel is not used. When installing 1 drive unit, mount this blank panel in the unused window.

- Notes: 1. The protection cover on the installation frame edge protects cables from damage. Mount it together with the panel unit as shown in the following figure.
2. For cable forming, see Figure 3-5-2.





Figure 3-5-11 Mounting the Panel Unit

d. Power supply unit installation

The power supply unit is mounted at the back of the Mounting Tray (inner rail) using 4 screws. Even after the inner rail is mounted on the 19-inch rack, the power supply unit can be installed if sufficient space is left.



Note: Refer to Section 1.3.2.5 for optimum cable lengths when the optional power supply unit is installed.

Figure 3-5-12 Power Supply Unit Installation

e. Dual channel option installation

The dual channel option can be mounted on the power supply unit. (Tap locations for mounting are shown in Figure 1-3-5.)

- ① Mount the bracket (2a) on the rail (1a) using screws SBD M3x5. The left and right brackets and rails are symmetrically mounted.
- ② Mount the spring (3a) on the rail (1a) using screws SBD M2x5. The left and right brackets and rails are symmetrically mounted.
- ③ Mount the rails (1a) on the power supply unit using screws SSA M4x8.
- ④ Mount the guide (4a) at the back (operating section) of the power supply unit using screws SBD M4x8.
- ⑤ Mount the dual channel PC board on the frame (6a) using screws SBD M3x5. (See Figure 3-5-14.)




Figure 3-5-13 Dual Channel Option Installation 1




Figure 3-5-14 Dual Channel Option Installation 2

- ⑥ Pressing PC board unit (PC board and frame assembly) (12a) downward, insert it until the springs deflect slightly. The PC board unit frame is automatically latched at lugs of the brackets (2a) and locked. (See Figure 3-5-15.)




Figure 3-5-15 Dual Channel Frame Mount

- ⑦ Connect CN25 on the PC board and CN33 on the power supply unit with the connection cable (B660-0625-T329A). (See Figure 3-5-16.)
- ⑧ Connect interface cables (8a and 9a) between the drive unit (KGFM) and the dual channel PC board.
- ⑨ Connect the A-channel cable B to the PC board, and pull the cable out behind the power supply unit.
- ⑩ Remove the dual channel PC board from the rails and connect the A-channel cable A to the drive unit (KGFM), and pull the cable out under the dual channel PC board and behind the power supply unit.
- ⑪ Connect B-channel cables A and B to the back of the PC board (CN21 and CN22) and pull them out behind the power supply unit.




Figure 3-5-16 Dual Channel Cabling

- ⑫ Attach the cover (11a) on the frame (6a) using screws SBD M3x5.




Figure 3-5-17 Dual Channel Top Cover Fixing

- ⑬ Form the A- and B-channel interface cables along the guide (4a) and hold them with the cable retainer (13a).




Figure 3-5-18 Dual Channel Interface Cables Holding

* Part number of the dual channel option is B03B-4760-E401A.

3.5.4 Mounting the Dual Channel Option

The procedure for mounting the dual channel option on the power supply (procedure B03B-4760-E401A) was previously described in Subsection 3.5.3.2. This subsection describes the procedure for mounting the option on the drive unit (procedure B03B-4760-E402A).

- ① Mount the dual channel PCB on frame as shown in Figure 3-5-14.
- ② Connect the drive unit (KGFM) to the PC board via the cable as shown in Figure 3-5-16.
- ③ Insert cover between frame and the equipment from the front of the equipment, and fix cover.
- ④ Fix the frame with PCB with two screws (SBD M3 x 5).
- ⑤ Connect A-channel cable B (CN23).
- ⑥ Attach cover 3b in the frame and fix with screw (SBD M4 x 6).
- ⑦ Connect all other interface cable to channels A and B.
- ⑧ When mounting the optional fan unit to the drive unit, fix the interface cable with the attached cable clamp.




Figure 3-5-19 Mounting the Dual Channel Option

3.6 CABLING

3.6.1 Connectors On Unit Side

Figure 3-6-1 shows the mounting positions of the interface connectors on the drive side.




Figure 3-6-1 Mounting Positions of Connectors

Cables include an interface (A) cable 60P, an interface (B) cable 26P, and a power cable.


Refer to Section 3.6.2 for additional information on the power cable.

3.6.2 Power Cable Connection

The M233XK uses only DC power. Connector specification for the unit, recommended specifications for the cable, and pin assignment and voltages follows.

- (1) Specification on the unit side
Header C63L-0820-0008 (2420-07A-G manufactured by Molex Japan Co., Ltd.)
(7P) x 2 pieces
- (2) Recommended specifications on the cable side
 - Housing C63L-0820-0007 (5239-07 manufactured by Molex Japan Co., Ltd.)
(7P) x 2 pieces
 - Contact C63L-0820-0002 (2478-GS manufactured by Molex Japan Co., Ltd.)
(12 pieces)
 - Key C63L-0820-0001 (2560-1 manufactured by Molex Japan Co., Ltd.)
(2 pieces)

(3) Pin assignment and voltages
Refer to Figure 3-6-2.



(CN10)

1	0 V	(-12 V RTN)
2	(Key)	
3	0 V	(-12 V RTN)
4	-12 V	
5	-12 V	
6	0 V	(+5 V RTN)
7	0 V	(+5 V RTN)

(CN9)

1	+5 V	
2	+5 V	
3	0 V	(+24 V RTN)
4	0 V	(+24 V RTN)
5	+24 V	
6	(Key)	
7	+24 V	

- Note: 1 Use AWG18 as the cable material.
2 The cable length must be less than 1.5m.
3 All "0V" must be connected together at power supply outputs.

Figure 3-6-2 Pin Assignment and Voltages

If the power supply (option: B14L-5105-0178A#A2) is used, the following power cable is provided. (refer to Figure 3-6-3)
Specification: B660-1995-T041A (with DC Fan Unit)




Figure 3-6-3 Power Cable B660-1995-T041A

3.6.3 Interface Cabling


Interface cables include cable (A) (60P) for control signals and cable (B) (26P) for data signals.

(1) Cabling


Cables are connected with the system in the star (radial) mode or the daisy-chain mode, as shown in Figure 3-6-4. For the star mode, the line terminator for cable (A) is necessary for every device. For the daisy chain mode only the last device requires a line terminator.

The unit side of cables (A) and (B) use right angled connectors which have no malinsertion preventive keys. Insert the cable to match the triangular marks on the connectors, (at the number one) shown in Figure 3-6-5. Then lock them from both sides with the locking lever.

If an optional fan unit is used, fix cables (A) and (B) at the upper section of the fan unit, (as shown in Figure 3-5-18) using the fan cover/strain relief.



a) Star-chain cabling



b) Daisy-chain cabling

Figure 3-6-4 System Interface Cabling




Figure 3-6-5 Interface Cabling

(2) Cable Termination

In the daisy-chain configuration, (A) cable signals must be terminated at the last disk drive with four IC module-resistors packs as shown in Figure 3-6-6. The four IC module resistors packs are installed in all disk drives; therefore they must be removed from the disk drives on which the line termination is unnecessary.




Figure 3-6-6 Cable Termination

3.6.4 System Grounding

- (1) This drive unit is uniformly grounded at the signal ground (SG) connector. If FG and SG connection is required on the system, use the SG tap at the back of the unit, shown in Figure 3-6-7. The optional AC fan unit (B03B-4740-E002A) is grounded at the FG (Frame ground) connector, the SG (Signal ground) is separated from the FG (Frame ground) with insulating bushings. When using the optional D.C. Fan unit, both the fan and the drive chassis are at Signal Ground (SG). A grounding cable may be connected as shown in Figure 3-6-8, if it is required.
- (2) The FG and SG terminals are provided with the optional power supply unit. Connecting or disconnecting FG and SG on the power supply unit can be performed according to system power distribution and system ground requirements.




Figure 3-6-7 SG Terminal





Figure 3-6-8 FG/SG Connection

3.7 MODE SELECT SETTING

When the M233X Micro Disk Drive is installed in the system, the customer must set switch packs 1 through 3 according to system requirements; these switches determine, Disk Logical Unit Number, Tag 4/5 Enable, File Protect and Sector Counting. Switch pack 1 through Switch pack 3 are located on the KGFM PCB Assembly, as shown in Figure 3-7-1.



Note: SW1 consists of 10 keys, and SW2/3 are 7 keys respectively.

Figure 3-7-1 Mode Select Switch Location

3.7.1 Disk Addressing

Disk Logical Unit Number 0 to 7 is selected by SW1 at location E3 on the KGFM PCB assembly. Set the desired disk address with the first three keys on SW1 using the binary code as shown in Table 3-7-1.

Table 3-7-1 Disk Addressing

Disk Address	Key 1 2^1	Key 2 2^2	Key 3 2^3
0	OFF	OFF	OFF
1	ON	OFF	OFF
2	OFF	ON	OFF
3	ON	ON	OFF
4	OFF	OFF	ON
5	ON	OFF	ON
6	OFF	ON	ON
7	ON	ON	ON




Figure 3-7-2 Disk Addressing

3.7.2 Tag 4/5 Enable

The M233X provides optional Tag 4 and Tag 5 functions. The customer may disable or enable these optional functions using Key 8 on SW1 at location E3 on the KGFM PCB assembly. Refer to Figure 3-7-3. Disabling the Tag 4 and Tag 5 functions inhibits the receivers of Tag 4 and Tag 5 receivers on the interface.

Table 3-7-2 Tag 4/5 Enable

Tag 4/5	Key 8
Disable	OFF
Enable	ON




Figure 3-7-3 Tag 4/5 Enable

3.7.3 File Protect

When the customer desires to inhibit the write operation, the File Protect key may be set to the On position, using Key 9 on SW1 at location E3 on KGFM PCB assembly. Refer to Figure 3-7-4.

Table 3-7-3 File Protect

File Protect	Key 9
Enable writing	OFF
Disable writing	ON





Figure 3-7-4 File Protect

3.7.4 Device Type (optional)

The device type, M2331K or M2333K, can be selected by setting key 4, 5, 6 and 7 on SW1.

Table 3-7-4 Device Type

Device Type	Key 4	Key 5	Key 6	Key 7
M2331	OFF	OFF	ON	ON
M2333	OFF	ON	ON	ON



Note: Tag 4/5 feature must be enabled to obtain device type status.

Remember: Key 7 must be always "ON".

Figure 3-7-5 Device Type

3.7.5 ON-Side Switch (for vertical mounting)

When the drive is installed in the On-Side position, (Vertical mount) Key 10 SW1 must be in the 'ON' position. When unit is horizontally mounted, Key 10 must be 'OFF'.

Table 3-7-5 On-Side Switch

Device Type	Key 10
Normal position	OFF
ON-Side position	ON





Figure 3-7-6 On-Side

In addition, when mounting a drive with a CZOM PCB with a revision level below 28H on its side, short plugs (S4, S5, S6), located on the CZOM PCB, must be set. If your unit contains a CZOM above REV 28H or a KGKM PCA, no jumper changes are required.



In normal (horizontal) installation, S4, S5, and S6 must be open as in the above figure.

Note: S4, S5, S6 location is shown on Page 6-12, Figure 6-6-2.

3.7.6 Sector Counting

Sector count configuration switches SW2 and SW3 are located at A25 and A23 respectively on the KGFM PCB assembly. Each key of SW2 and SW3 represents the binary powers of the Byte Clock as shown in Table 3-7-6.

Table 3-7-6 Sector Counting Keys

SW2 Key No.	Value	SW3 Key No.	Value
1	2	1	256
2	4	2	512
3	8	3	1024
4	16	4	2048
5	32	5	4096
6	64	6	8192
7	128	7	16384

SW2 and SW3 keys must be set according to the desired even number of bytes per sector. Knowing that the number of bytes possible on a track equals 40,960, any sectoring requirement from 1 to 128 sectors per track can be configured using the following formulas:

(1) Calculation based on Sectors/Track

$$1) \frac{40,960}{\text{Number of sectors}} = \text{Number of bytes per sector}$$

- 2) If the above calculation results in a remainder, truncate the remainder and add one or two the integer portion of "number of bytes per sector" to get even number.

EXAMPLE
(Calculations for 9 Sectors)

$$\frac{40,960}{9} = 4,551$$

$$4,551 + 1 = 4,552$$

EXAMPLE
(Calculations for 9 Sectors)

- 3) Configure SW2 and SW3 to "number of bytes per sector" less two to allow for sector counter reset clock.

$$4,552 - 2 = 4,550$$

$$4,550 = 4,096 + 256 + 128 + 64 + 4 + 2$$

Keys must be "ON": Key # $\underbrace{5 \quad 1}_{\text{SW3}} \quad \underbrace{7 \quad 6 \quad 2 \quad 1}_{\text{SW2}}$

- 4) To determine how many bytes (if any) the last sector of each track will be short, multiply "number of bytes per sector" by "number of sectors" and subtract 40,960.

$$4,552 \times 9 = 40,968$$

$$\underline{-40,960}$$

Last sector short 8 bytes

(2) Calculation based on Bytes/Sector

Example: 584 Bytes/Sector

- 1) Calculate the value to be set. = $16,384 - (\text{Byte/Sector})$
 (Particular Value)
 = $16,384 - 584$
 = 15,800

- 2) Selected keys must be in the OFF position referring to Table 3-7-6 after the following calculation.

$$\text{ex } 15,800 = 8,192 + 4,096 + 2,048 + 1,024 + 256 + 128 + 32 + 16 + 8$$

Keys must be "OFF": $\underbrace{6 \quad 5 \quad 4 \quad 3 \quad 1}_{\text{SW2}} \quad \underbrace{7 \quad 5 \quad 4 \quad 3}_{\text{SW3}}$

NOTE: SW3 key 7 must be 'OFF' except when 2 sectors/track is used.

- 3) Calculate the Sectors/Track

$$\begin{aligned} \text{Sectors/Track} &= \frac{\text{Bytes/Track}}{\text{Bytes/Sector}} \\ &= \frac{40,960}{584} \\ &= 70,137 \end{aligned}$$

- 4) If the above calculation results in a remainder, truncate the remainder. The integer portion means actual sectors per track.

$$\text{Actual Sectors/Track} = 70$$

- 5) Calculate the number of the last sector (remainder).

$$\begin{aligned} \text{Last Sector Length} &= 40,960 - (\text{Bytes/Sector}) \times (\text{Sectors/Track}) \\ &= 40,960 - 584 \times 70 \\ &= 80 \end{aligned}$$

3.8 SHIPPING

Perform the following operations when the M233XK is to be shipped mounted in a 19-inch rack.

(1) **Secure the unit:**

We recommend attaching an elastic material to the mounting-frame side near the rubber shock-isolator, so that excessive force is not applied to the isolators.

Refer to 3.4.4 for securing the unit.

(2) **This process is required so that the shock applied to the unit during shipment does not exceed 5G.**

3.9 STORAGE AND REPACKING

When reshipping the unit, pack it in the original carton.

When the environmental conditions are severe and the unit is to be stored for an extended period of time, it should be packed in its box.

Units can be stacked three cartons high.

When storing unpacked units, avoid locations that are dusty or subject to extreme environmental changes or shock and vibration.

Table 3-7-7 Sector Selection - to be continued

Sector	SW2							SW3							Byte/ Sector	Last Sector Shorter
	1	2	3	4	5	6	7	1	2	3	4	5	6	7		
1															40,960	0
2	1	1	1	1	1	1	1	1	1	1	1	0	0	1	20,480	0
3	0	1	0	1	0	1	0	1	0	1	0	1	1	0	13,654	-2
4	1	1	1	1	1	1	1	1	1	1	0	0	1	0	10,240	0
5	1	1	1	1	1	1	1	1	1	1	1	1	0	0	8,192	0
6	1	0	1	0	1	0	1	0	1	0	1	1	0	0	6,828	-8
7	1	0	1	1	0	1	1	0	1	1	0	1	0	0	5,852	-4
8	1	1	1	1	1	1	1	1	1	0	0	1	0	0	5,120	0
9	1	1	0	0	0	1	1	1	0	0	0	1	0	0	4,552	-8
10	1	1	1	1	1	1	1	1	1	1	1	0	0	0	4,096	0
11	1	0	1	0	0	0	1	0	1	1	1	0	0	0	3,724	-4
12	0	1	0	1	0	1	0	1	0	1	1	0	0	0	3,414	-8
13	1	1	1	0	0	1	0	0	0	1	1	0	0	0	3,152	-16
14	0	1	1	0	1	1	0	1	1	0	1	0	0	0	2,926	-4
15	1	0	1	0	1	0	1	0	1	0	1	0	0	0	2,732	-20
16	1	1	1	1	1	1	1	1	0	0	1	0	0	0	2,560	0
17	0	0	1	0	1	1	0	1	0	0	1	0	0	0	2,410	-10
18	1	0	0	0	1	1	1	0	0	0	1	0	0	0	2,276	-8
19	1	0	1	0	1	1	0	0	0	0	1	0	0	0	2,156	-4
20	1	1	1	1	1	1	1	1	1	1	0	0	0	0	2,048	0
21	1	1	1	1	0	0	1	1	1	1	0	0	0	0	1,952	-32
22	0	1	0	0	0	1	0	1	1	1	0	0	0	0	1,862	-4
23	0	1	0	1	1	1	1	0	1	1	0	0	0	0	1,782	-26
24	1	0	1	0	1	0	1	0	1	1	0	0	0	0	1,708	-32
25	1	1	0	0	1	1	0	0	1	1	0	0	0	0	1,640	-40
26	1	1	0	0	1	0	0	0	1	1	0	0	0	0	1,576	-16
27	0	1	1	0	1	1	1	1	0	1	0	0	0	0	1,518	-26
28	1	1	0	1	1	0	1	1	0	1	0	0	0	0	1,646	-32
29	0	1	0	0	0	0	1	1	0	1	0	0	0	0	1,414	-46
30	0	1	0	1	0	1	0	1	0	1	0	0	0	0	1,366	-20
31	0	0	1	0	1	0	0	1	0	1	0	0	0	0	1,322	-22
32	1	1	1	1	1	1	1	0	0	1	0	0	0	0	1,280	0
33	0	0	1	1	0	1	1	0	0	1	0	0	0	0	1,242	-26
34	0	1	0	1	1	0	1	0	0	1	0	0	0	0	1,206	-44
35	1	0	0	1	0	0	1	0	0	1	0	0	0	0	1,172	-60
36	0	0	0	1	1	1	0	0	0	1	0	0	0	0	1,138	-8
37	1	0	0	1	0	1	0	0	0	1	0	0	0	0	1,108	-36
38	0	1	0	1	1	0	0	0	0	1	0	0	0	0	1,078	-4
39	1	0	1	1	0	0	0	0	0	1	0	0	0	0	1,052	-64
40	1	1	1	1	1	1	1	1	1	0	0	0	0	0	1,024	0
41	1	1	0	0	1	1	1	1	1	0	0	0	0	0	1,000	-40
42	1	1	1	0	0	1	1	1	1	0	0	0	0	0	976	-32
43	0	0	1	1	1	0	1	1	1	0	0	0	0	0	954	-62
44	1	0	0	0	1	0	1	1	1	0	0	0	0	0	932	-48
45	1	1	1	0	0	0	1	1	1	0	0	0	0	0	912	-80
46	1	0	1	1	1	1	0	1	1	0	0	0	0	0	892	-72
47	1	1	0	0	1	1	0	1	1	0	0	0	0	0	872	-24
48	0	1	0	1	0	1	0	1	1	0	0	0	0	0	854	-32
49	1	0	0	0	0	1	0	1	1	0	0	0	0	0	836	-4

Table 3-7-7 continued

Sector	SW2							SW3							Byte/ Sector	Last Sector Shorter
	1	2	3	4	5	6	7	1	2	3	4	5	6	7		
50	1	0	0	1	1	0	0	1	1	0	0	0	0	0	820	-40
51	1	0	0	0	1	0	0	1	1	0	0	0	0	0	804	-32
52	1	0	0	1	0	0	0	1	1	0	0	0	0	0	788	-16
53	0	1	0	0	0	0	0	1	1	0	0	0	0	0	774	-62
54	1	1	0	1	1	1	1	0	1	0	0	0	0	0	760	-80
55	0	0	1	0	1	1	1	0	1	0	0	0	0	0	746	-70
56	1	0	1	1	0	1	1	0	1	0	0	0	0	0	732	-32
57	1	1	1	0	0	1	1	0	1	0	0	0	0	0	720	-80
58	1	0	0	0	0	1	1	0	1	0	0	0	0	0	708	-104
59	1	1	0	1	1	0	1	0	1	0	0	0	0	0	696	-104
60	1	0	1	0	1	0	1	0	1	0	0	0	0	0	684	-80
61	1	1	1	1	0	0	1	0	1	0	0	0	0	0	672	-32
62	0	1	0	1	0	0	1	0	1	0	0	0	0	0	662	-84
63	1	0	1	0	0	0	1	0	1	0	0	0	0	0	652	-116
64	1	1	1	1	1	1	0	0	1	0	0	0	0	0	640	0
65	1	1	0	1	1	1	0	0	1	0	0	0	0	0	632	-120
66	0	1	1	0	1	1	0	0	1	0	0	0	0	0	622	-96
67	1	0	0	0	1	1	0	0	1	0	0	0	0	0	612	-44
68	1	0	1	1	0	1	0	0	1	0	0	0	0	0	604	-112
69	0	0	0	1	0	1	0	0	1	0	0	0	0	0	594	-26
70	0	0	1	0	0	1	0	0	1	0	0	0	0	0	586	-60
71	0	0	0	0	0	1	0	0	1	0	0	0	0	0	578	-78
72	0	0	1	1	1	0	0	0	1	0	0	0	0	0	570	-80
80	1	1	1	1	1	1	1	1	0	0	0	0	0	0	512	0
128	1	1	1	1	1	0	0	1	0	0	0	0	0	0	320	0

- Notes: 1. "1" indicates that the key is set to ON side.
 2. "0" indicates that the key is set to OFF side.
 3. The last sector is equal or shorter than nominal sector.

Section 4
Theory of Operation

4. THEORY OF OPERATION

4.1 GENERAL DESCRIPTION

The operation of the M233XK is divided into three parts. The first part (Section 4.2) describes the mechanical assemblies of the unit. The second part (Section 4.3 and 4.4) describes the magnetic heads and magnetic disks. The third part (Section 4.5 and 4.6) describes the interface, servo circuit, R/W control, and other electronic controls.

4.2 MECHANICAL ASSEMBLIES

4.2.1 Disk Enclosure

The Disk Enclosure (DE) is a completely sealed unit containing the disks, spindle, actuator, and heads.

The DE is sealed at the factory and must not be opened in the field.


4.2.2 Air Circulation in DE

As the Contact stop/start (CSS) head used in this disk unit has a very low flying height, head crashes can be caused by microscopic foreign particles. To keep the inside of the DE clean, the enclosure is completely sealed and clean air is supplied through two filters. A breather filter is used for external air intake, while a re-circulation filter keeps the air inside the DE clean. Refer to Figure 4.2.1.

The breather filter is used for the following purposes:

- Prevention of negative pressure in the vicinity of the spindle when the disk begins to rotate.
- Prevention of dust intake when the air in the DE contracts due to a temperature difference between the DE and its environment.

The re-circulation filter, attached to the closed loop duct in the DE, is used to keep the air free of foreign particles. When a pressure difference is caused in the DE by the rotation of the spindle, the air in the DE circulates through the closed loop. Because it continually passes through this filter, the air is always kept clean. These two filters can remove 99.97% of the dust particles ($0.3\mu\text{m}$ min.).



M2331K contains 3 disks in DE
M2333K contains 6 disks in DE

Figure 4-2-1 Air Circulation Inside DE

4.2.3 Spindle Drive Motor

The spindle/drive motor is an integral part of the chassis. It consists of seven major components: Shaft, Hub, Bearings, Stator, Rotor, Antistatic Brush, and Speed Sensor. Refer to Figure 4.2.2. The motor shaft is fixed within the motor housing by upper and lower bearings which are sealed to prevent contamination of the disk platter environment. The stator is fixed to the outer radius of the cast motor housing. The hub is fixed to the top of the motor shaft. The rotor and disk platters are fixed to the hub. The antistatic brush contacts the bottom of the motor shaft and dissipates any electrostatic noise to the chassis. Hall-effect sensors detect hub movement. The signal produced by this sensor is compared with an oscillator clock on the PCB in order to maintain the normal RPM rotational speed of 3,600 RPM, the special range.




Figure 4-2-2 Spindle Drive Motor

4.2.4 Actuator Arm Assembly

A low-power-consumption, rotary-type actuator is used to move the data heads and servo head along a circular arc to the specified cylinder. A moving coil is attached to the other end of the actuator arm and moves freely between fixed permanent magnets without contact. When current is applied to the coil, the coil and magnets interface and the actuator moves around the pivot. Refer to Figure 4.2.3.

The actuator performs the following types of motion, which are controlled by a servo feed-back current from the servo head.

- (1) **Seek**
Heads are moved to the specified cylinder while counting track-crossing signals.
- (2) **On Cylinder**
Heads follow the specified tracks. The servo system prevents mispositioning due to disturbances such as shock, vibration, or temperature changes.

The servo head is located on the top surface of the third disk, where servo information is pre-written at the factory.

This servo information is used as a control signal for the actuator; that is, it provides track-crossing signals during a seek operation, track-following signals during On Cylinder operation, and timing information such as index and servo clock.

The heads are in contact with the disk surfaces during start and stop (CSS) at a fixed position called the landing zone. This zone is on the innermost area of the disk, separate from the recording zone. A spring force holds or fixes the actuator at this position. If no current is applied to the moving coil, the heads are fixed at the landing zone to prevent CSS in the recording zones.

Once the disks attain the required rotational speed, an initial seek function occurs. Current then flows in the coil and the heads are released from the landing zone and moved to Cylinder 0.




Figure 4-2-3 Actuator Arm Assembly

4.3 MAGNETIC HEADS AND RECORDING MEDIA

4.3.1 Magnetic Heads

To accomplish high density recording, Contact Start/Stop (CSS) flying heads are employed. The heads fly on the surface air flow generated by the rotating disk. The CSS system differs from the conventional ramp-load system in that the heads are always over the recording media and rest on the disk surface when the disk is not rotating.

Since, the head and disk make contact, the wear caused by this contact must be minimized. Therefore, the CSS heads are lightly loaded and surface pressure is reduced by using a tapered flat slider such as that shown in Figure 4-3-2. The slider has three rails. The air intake end of the slider is tapered to obtain lift from the air flowing over the disk surface. Read and write are performed by a ferrite core at the rear of the head, the minimum flying height position.




Figure 4-3-1 Read/Write Head




Figure 4-3-2 Tapered Flat Slider

4.3.2 Recording Media (Magnetic Disk)

The data recording media are aluminum disks approximately 210 mm (8¼ inches) in diameter and approximately 2 mm (75 mil) thick, coated with a magnetic material. Since the M233XK employs CSS heads, to prevent wear the surface is coated with a special material. Up to six disks can be installed for a maximum storage capacity of 337 MB. The top surface of the third disk is for the servo area, on which the positioning data and clock signals are recorded.

4.3.3 Servo Track Format

(1) Servo track configuration

The servo area is used to store the unique data patterns which generate the Track Positioning, Index, Guard Band, and Clock signals. This data is recorded on the disk before the unit is shipped from the factory.

The servo area consists of a combination of ODD1, ODD2, EVEN1 and EVEN2 tracks. The physical placement of servo tracks is shown in Figure 4-3-3. The servo tracks are divided into the following five parts:

- a. **Dead Space (DS or Landing Zone)**
Dead Space is used for head contact during start and stop. DS consists of five DC-erased tracks and is recognized as Head Unloaded through the servo circuit.
- b. **Inner Guard Band 2 (IGB2)**
Inner Guard Band 2 is used for speed control during RTZ or Initial seek sequence. IGB2 consists of six EVEN1–EVEN2 tracks, six ODD1–EVEN2 tracks, six ODD1 – ODD2 tracks and six EVEN1 – ODD2 tracks (24 tracks total).
- c. **Inner Guard Band 1 (IGB1)**
Inner Guard Band 1 is located between IGB2 and Cylinder 0, and is used for speed control during RTZ or Initial Seek sequence. IGB1 consists of four EVEN1–EVEN2 tracks, four ODD1–EVEN2 tracks, four ODD1–ODD2 tracks and four EVEN1–ODD2 tracks (16 tracks total).
- d. **Servo Band**
Servo Band is used for tracking to determine the center of each cylinder. The Servo Band consists of 207 EVEN1 – EVEN2 tracks, 206 ODD1 – EVEN2 tracks, 206 ODD1 – ODD2 tracks, and 207 EVEN1 – ODD2 tracks (826 track total). However, 1-½ inner tracks of Cylinder 0 and 1-½ outer tracks of Cylinder 822 are not utilized for corresponding data tracks.
- e. **Outer Guard Band (OGB)**
The Outer guard Band is used to recognize that the head has passed through the servo zone in an outward direction. OGB consists of three EVEN1 – EVEN2 tracks, three ODD1 – EVEN2 tracks, three ODD1 – ODD2 tracks and three EVEN1 – ODD2 track minimum (12 tracks minimum total).




Figure 4-3-3 Servo Track Configuration

(2) Servo pattern

The servo signal is a unique "Dual-phase composite servo signal" which creates a high-performance positioning system. It is used to achieve angular positioning (location with reference to the circumference of the disk) and radial positioning (location with reference to the radius of the disk).

Angular positioning is determined by a series of sync bits which are written on each track. Through a combination of Index Bit and Normal Bit; the "sync pattern" is developed. A series of unique sync patterns is written at the factory and used in the identification of specific disk regions. Refer to Figure 4-3-4 and Figure 4-3-5. Index mark, OGB, IGB1, and IGB2 patterns are described in paragraph 4.3.3 (3).




Figure 4-3-4 Normal Bit Pattern




Figure 4-3-5 Index Bit Pattern

Radial positioning information is provided by writing ODD1–EVEN2, ODD1–ODD2, EVEN1–ODD2, and EVEN1–EVEN2 patterns, in that order, on the servo surface.

During head movement, the servo circuit detects the amplitude changes between ODD1 and EVEN1 peaks (phase 1), and between ODD2 and EVEN2 peaks (phase 2), and then converts them into two position signals (phase 1: Normal, phase 2: Quadrature) through the position sensing.

After head movement, the servo head, which has double the core width of the data head, settles on the border of two types of servo patterns controlled by the two least-significant bits of the target cylinder address. The servo circuit then makes the ODD1 (or ODD2) peak equal to the EVEN1 (or EVEN 2) peak by positioning the servo head on the center of the servo track. Refer to Figure 4-3-6.

B03P-4760-0111A...01




Figure 4-3-6 Dual-Phase Composite Servo Signal

(3) Index, IGB2, IGB1 and OGB patterns

Index, IGB2, IGB1, and OGB patterns are detected by decoding the combination of Index bits and Normal bits. Each of the patterns are shown in Table 4-3-1.

Table 4-3-1 Index, IGB2, IGB1, and OGB Patterns

Signal	Pattern	Pattern interval
Index	01011	40,960 B (5,120-sync)
IGB2	01110	512 B (64-sync)
IGB1	01010	512 B (64-sync)
OGB	10011	512 B (64-sync)

Note: 0 – Normal bit
1 – Missing bit

4.3.4 Data Surface Format

The data surface consists of all the disk surfaces except the servo surface and is composed of three basic parts as follows:

(1) Landing Zone (LZ)

The Landing Zone is included in the area described as Behind Home (BH), but is specifically the area the heads contact during start and stop sequence. The Landing Zone corresponds to Dead Space (DS) on the servo surface.

(2) Behind Home (BH)


Behind Home (BH) is the transition area on both sides of the data tracks. It corresponds to IGB2, IGB1, or OGB on the servo surface.

(3) Data Track

The data track area consists of 823 cylinders for data recording, with Cylinder 0 being the inner-most track and Cylinder 822 being the outer-most track.

4.3.5 Head and Surface Configuration

The head and surface configuration for the M2331K and M2333K are given in Figures 4-3-7 and 4-3-8, respectively.



Spindle Hub

Figure 4-3-7 M2331K Surface Configuration




Figure 4-3-8 M2333K Surface Configuration

4.4 FORMAT

4.4.1 Description


A "sector" is an area assigned an address on the disk. Each sector consists of an Address Area (AA) to confirm that the correct sector has been read, and a Data Area (DA) on which the actual data is recorded.

Index and sector pulses are used by the controller to find the beginning of the track and sector. Sector format is determined by the controller. Fixed Sector format can be used with the M233XK.

The recommended Fixed Sector format is as follows.

4.4.2 Fixed Sector Format

Refer to Figure 4-4-1.



Example: 128 Sectors/Track

$$\begin{aligned} \text{Data Area} &= \frac{\text{Total Bytes/Track}}{\text{Sector/Track}} - (\text{Gap loss} + \text{Check Bytes}) \\ &= \frac{40,960}{128} - (49 + \text{GAP3}) = 256 \text{ Bytes} \end{aligned}$$

In case of 256 Bytes data length, Gap 3 is 15 Bytes

$$\text{Track Efficiency} = \frac{256 \text{ B} \times 128 \text{ sector}}{49,960} \times 100 = 80\%$$

- Notes:
- 1) This format is an example only and may be structured to suit individual requirements.
 - 2) The Sync Byte Sent on the B-Cable is recommended to be a "19" (Hex) pattern.
 - 3) Data patterns for Gap 1, VFO Sync., Write Splice, EOR Pad and Gap 3 are all "0".
 - 4) Fixed sectors per track may be any number from 1 through 128 and can be selected by setting the configuration switches on the PCB (KGFM).

Figure 4-4-1 Fixed Sector Format

4.4.3 Description of Format Parameters

(1) Fixed Sector Format

- a. Gap 1
Gap 1 allows for displacement of the head and circuit tolerances under worst case conditions. This gap must be a minimum of 18 bytes.
(VFO Sync)
All "0"'s are written and used to synchronize the data from the disk and the read/write clock from the VFO circuits.
- b. Sync Pattern Byte
The Sync pattern byte represents the start of the address area. It's function is the same as that before the data area, but the address area sync and data area sync byte may be different. The recommended pattern is "19 (Hex)".
- c. Flag Status and Logical Unit Byte
Flag status and logical unit indicates the status of the sector on the disk. Normal record, primary record, or secondary record condition may be indicated. The specifications for this field is a function of the control unit.
- d. Upper Cylinder, Lower Cylinder
Upper/Lower cylinder indicates the cylinder address of the track.
- e. Head Address
Head address indicates the head address of the track.
- f. Sector Address
Sector address indicates the sector address.
- g. CRC (Cyclic Redundancy Check)
CRC is a check byte used to determine whether the data was read correctly.
- h. Write Splice
When the address and data areas are written separately, write splice is the location of the read/write head transitions.
- i. Gap 2 (VFO Sync)
All "0"'s are written and used to synchronize the data from the disk and the read/write clock from the VFO circuits.
- j. Sync Pattern
Sync pattern indicates the beginning of the data area. The recommended pattern is "19(Hex)". Refer to (2) above.
- k. Data Area
Data area is where data is actually recorded.
- l. ECC
Error correction code for the data field.
- m. EOR Pad
EOR pad eliminates the possibility of destroying the end of a record written with a late displacement head.
- n. Gap 3
Gap 3 is a delay allowance for the control unit. It should be written all "0"'s. 11 bytes (min) to allow for write turn-off transient.

4.5 INTERFACE

4.5.1 Introduction

(1) Purpose

This section describes the logical and physical specifications for signal transfer between the M233XK and the control unit.

(2) Application

These specifications are applicable to both the M2331K (168 MB storage) and the M2332K (337 MB storage).

(3) Connection

The external connection (for transmitting and/or receiving interface signals) consists of connectors, "A" and "B" which connect, respectively, to cables "A" and "B". "A" cables may be connected in a daisy-chain configuration. Therefore, a line terminator must be inserted for the "A" connector of the last device. "B" cables are connected in a star configuration. Therefore, the control unit requires "B" cables and connectors to match the number of units to be connected. Refer to Figure 4-5-1.


(4) Time Specification

Timings are specified at the connector position of the M233XK. Accordingly, it is necessary for signal timings to consider both the delay time of the interface cable and the circuits of the disk control unit.

(5) Interface Transmitter/Receiver


Transmitters and receivers (SN75110 and SN75107 or equivalent) are used to provide a terminated, balanced-line transmission system. Refer to Section 4.5.7 (1).

4.5.2 Interface Cabling
Refer to Figure 4-5-1.



Note: indicates line terminator

a) Daisy-Chain Configuration



b) Star-Chain Configuration

Figure 4-5-1 Interface Cabling

- Notes: 1) Line terminators (LTN) are required on the control unit and each unit in a star cable configuration.
- 2) Line terminators are required on the control unit and last drive in a daisy-chain cable configuration.

Figure 4-5-1 Interface Cabling

4.5.3 Type and Name of Signal Lines

- (1) "A" Cable Lines for Balanced Transmission
Refer to Figure 4-5-2.




Figure 4-5-2 "A" Cable Signals

- (2) "B" Cable Lines for Balanced-line Transmission
Refer to Figure 4-5-3.




Figure 4-5-3 "B" Cable Signals

4.5.4 Description of Signal Lines

(1) "A" Cable Input Signals

a. Unit Select Tag

This signal gates Unit Select 1, 2, and 4 to select the desired disk. Refer to timing of Unit Select 1, 2, and 4 (Figure 4-5-6).

b. Unit Select 1, 2, and 4

These three signals are binary-coded to select the desired disk and are validated by the leading edge of Unit Select Tag. The logical disk number (0 through 7) is selectable by means of a switch located on the PCB card.

c. Tag 1 to 3 and Bus 0 to 9

Refer to Table 4-5-1 which shows the relationship of Tag 1, 2, and 3 and Bus 0 to 9.

Table 4-5-1 Tag/Bus Lines

Bus	Tag 1	Tag 2	Tag 3	Unit Select Tag *2
	Cylinder Address	Head Address	Control Select	
0	1	1	Write Gate	—
1	2	2	Read Gate	—
2	4	4	Servo Offset Plus	—
3	8	8	Servo Offset Minus	—
4	16	—	Fault Clear	—
5	32	—	—	—
6	64	—	RTZ	—
7	128	—	—	—
8	256	—	—	—
9	512	—	Release *1	Priority Select *1

Note 1: Dual Channel Only.

2: Validates (or gates) the Unit Select 1, 2, and 4 lines in addition to the dual channel priority select line.

d. Cylinder Address (Tag 1)

Cylinder address is set with Tag 1 and bus lines (Bus 0 to 9) on the M233XK interface. However, throughout Tag 1, the bus lines must be stable. Refer to Figures 4-5-8 and 4-5-9.

The M233XK must indicate On Cylinder Status prior to Tag 1.

e. Head Address (Tag 2)

The head address is set by Tag 2 and Bus 0 to 3 on the unit. However, throughout Tag 2, Bus 0 to 3 must be stable. Refer to Figure 4-5-10.

Note: Cylinder address and Head address information for the M233XK is shown in Figures 4-5-4 and Figure 4-5-5.

(a) M2331K




Figure 4-5-4 Storage Addressing M2331K

(b) M2333K




Figure 4-5-5 Storage Addressing M2333K

f. Control Select

Bus lines 0 to 9 specified by Tag 3 have a different meaning in each bit. All signals are defined as control signals.

(a) Write Gate (Bus 0)

Write Gate signal enables the write operation on the specified track. This signal is validated under the following conditions:

- i. Unit Ready — True
- ii. On Cylinder — True
- iii. Seek End — True
- iv. Seek Error — False
- v. Fault — False
- vi. Channel Ready — True
- vii. File Protect — False
- viii. Offset — False

If Write Gate is turned on in cases other than the above-mentioned conditions, Fault occurs and writing is inhibited. Refer to the definition of a Fault.

(b) Read Gate (Bus 1)

Read gate signal is used to read data from the specified track/record. Refer to the definition of Read Gate, Read Data and 1F Read Clock in Figure 4-5-18 and Figure 4-5-21.

(c) Servo Offset Plus (Bus 2)

When Servo Offset Plus signal is true on the unit, the head is offset 3.0 μm from nominal On Cylinder position away from the spindle. Refer to Figure 4-5-11. When going false, Servo Offset Plus requires a 4ms delay before writing.

(d) Servo Offset Minus (Bus 3)

When Servo Offset Minus signal is true on the unit, the head is offset 3.0 μm from nominal On Cylinder position towards the spindle. Refer to Figure 4-5-11. When going false, Servo Offset Minus requires a 4ms delay before writing.

(e) Fault Clear (Bus 4)

Fault Clear signal resets the Fault status; however, if any source of a fault still exist (refer to Fault), this status is not cleared.

(f) RTZ (Return to Zero) (Bus 6)

No matter where the access heads are located on the media, they are returned to cylinder zero and head zero by the RTZ signal. This signal also clears the Seek Error flip-flop.

(g) Release (Bus 9) [Dual Channel Only]

The Release command releases Channel Reserve and Unconditional Reserve in the drive, making alternate channel access possible after selection by the other channel ceases.

If the customer desires the Release Timer feature using the Release Time switch on the optional Dual Channel PCB assembly, release will occur 500 ms (nominal) after the deselection of the drive. Refer to Figure 4-5-7.

g. Channel Ready

The Channel ready signal is used to prevent loss of information or damage to the file caused by random interface disturbance when the control unit power is lost. This signal must be stable when the control unit is available, and must be disabled before logic levels decay at the interface lines when a power failure of the control unit occurs. Refer to Figure 4-5-14.

h. Tag 4 and Tag 5 (selectable)

When Tag 4 goes true, the unit issues Sector Address Status signals on the Status 0 to 7 lines.

When Tag 5 goes true, the unit issues Device Check Status signals on the Status 0 to 7 lines.

When both Tag 4 and Tag 5 are true, the Device Type Code will be issued in BCD on the status 0 to 7 lines. Refer to Table 4-5-2 and Figure 4-5-15.

i. Pick and Hold

Pick and Hold are not used in M233XK Micro Disk Drive.

j. **Priority Select (Dual Channel Only)**

When the control unit issues Unit Select Tag and Bus Bit 9 with a specified disk address, the disk drive will be unconditionally selected and absolutely reserved by the channel issuing the command, providing both channels are enabled and a priority select condition does not exist on the opposite channel. Once the drive is unconditionally reserved by a Priority Select command, the respective channel has exclusive access to the drive. The opposite channel can access it only after Release command has been issued by the selected channel. Refer to Figure 4-5-7. When a dual port drive is unconditionally reserved, all interface signal are inhibited on the other channel, including unit selected and Busy signals.

(2) **"A" Cable Output Signals**

(1) Status 0 to 7

The status 0 to 7 lines contain status information determined by a combinations of Tag 4 and Tag 5 signals. Information available on status lines 0 to 7 with the various combinations of Tag 4 and 5 signals is specified in Table 4-5-2.

Table 4-5-2 Status Lines Determined by Tag 4/5

Tag 4	False	True	False	True
Tag 5	False	False	True	True
Status	Unit Status	Sector Count* Status	Fault/Seek Error* Status	Device Type*
0	Unit Ready	Sector Address 1	Fault 1	Device Type 1
1	On Cylinder	" 2	" 2	" 2
2	Seek Error	" 4	" 4	" 4
3	Fault	" 8	Seek Error 1	" 8
4	File Protected	" 16	" 2	" 16
5	—	" 32	" 4	" 32
6	INX	64	VCMHT	64
7	Sector	128	DMFT	128

* Note: These status signals are available if Tag 4/5 function is enabled.
When Tag 4/5 switch is set to Disable, only Unit Status is available.

(a) **Unit Status**

i **Unit Ready**

When Unit Ready signal is true, and the unit is selected, this signal indicates the unit is up to speed, and no fault condition exists within the unit.

ii **On Cylinder**

On cylinder line indicates that the heads are located on the specified cylinder (track).

iii **Seek Error**

Seek Error signal indicates that a seek error has occurred. In this case, the On Cylinder signal does not always go true. The Seek Error is cleared by issuing RTZ command. Seek Error occurs in the condition described in (c) Fault/Seek Error Status.

iv Fault

Fault signal indicates that a fault condition exists in the unit, and details of this signal describes in (c) Fault/Seek Error Status.

The fault status is cleared by a fault clear on tag 3 and bus 4; or by an active fault clear on the operator panel (if operator panel is employed.)

Fault Status turns on the check lamp on the operator panel as well as Fault Indicator LEDs on PCB assembly.

v File Protected

File Protected signal indicates that the selected M233XK is in a write-protected status. The File Protect function is enabled by the following switches:

a. File Protect Switch on the operator panel (option)

b. File Protect Switch on the PCB assembly.

Attempting to write while protected will cause a Fault (Read/Write Check 3) to be issued to the control unit.

(b) Sector Address 1 to 128 (Status Lines 0 to 7)

Eight bits of binary-coded Sector Address indicate the current sector address in the unit. They are transferred from the Sector Counter, reset by the trailing edge of Index, and clocked by the trailing edge of Sector. Sector Address (Status Lines 0 to 7) is issued to the control unit by activating Tag 4.

Refer to Figure 4-5-16 for timing of Sector Address (Status lines 0 to 7).

(c) Fault/Seek Error

Three-bit binary coded Status 0 to 2 indicate the seven types of Fault, and also three-bit binary coded Status 3 to 7 indicate the seven types of Seek Error as shown in Table 4-5-3.

Table 4-5-3 Fault/Seek Error Status

Status	Status Bit								Fault/Seek Error	
	7	6	5	4	3	2	1	0	Designation	Condition
Fault	x	x	x	x	x	0	0	1	Control Check 1	Indicates a read/write command is issued during busy condition.
	x	x	x	x	x	0	1	0	Control Check 2	Indicates a write command is issued during a fault/check condition.
	x	x	x	x	x	0	1	1	Write Off-track	Indicates a write command is issued during off-track condition.
	x	x	x	x	x	1	0	0	Write Unsafe	Indicates a write operation cannot be performed by write circuit fault.
	x	x	x	x	x	1	0	1	Write Protected	Indicates a write command is issued File-protected status.
	x	x	x	x	x	1	1	0	Read/Write Multi	Indicates a multiple head is selected during read or write operation.
	x	x	x	x	x	1	1	1	Emergency	Indicates an emergency fault occurs on VCM or DC Motor.
Seek Error	x	x	0	0	1	x	x	x	RTZ Time-Out	Indicates an RTZ operation is not terminated within the specified time.
	x	x	0	1	0	x	x	x	Seek Time-Out	Indicates a Seek operation is not terminated within the specified time.
	x	x	0	1	1	x	x	x	Over-Shoot	Indicates the head over-shoots the target cylinder during setting time, or the head moves out during track following sequence in linear mode.
	x	x	1	0	0	x	x	x	Seek Guard Band	Indicates the guard band is detected during seek operation.
	x	x	1	0	1	x	x	x	Linear Mode Guard Bank	Indicates the guard band is detected during linear mode.
	x	x	1	1	0	x	x	x	RTZ Outer Guard Band	Indicates the guard band is detected during RTZ mode.
	x	x	1	1	1	x	x	x	Illegal Cylinder	Indicates an illegal cylinder address (> 822) is issued by the controller.

(d) Device Type 1 to 128 (Status lines 0 to 7)
 Enabling Tag 4 and Tag 5 lines causes Device Type Status to be issued to the control unit as Status 0 to 7 signals. Binary-coded Device Type signals are specified as show in Table 4-5-4.

Table 4-5-4 Device Type Code

	Status 7	Status 6	Status 5	Status 4	Status 3	Status 2	Status 1	Status 0	
	2 ⁷	2 ⁶	2 ⁵	2 ⁴	2 ³	2 ²	2 ¹	2 ⁰	
M2331	0	0	1	0	1	1	0	0	168MB
M2333	0	0	1	0	1	1	1	0	337MB

Notes: 0—False; 1—True

b. Index

The Index signal occurs once per revolution and is used for reference in read/write operation to indicate the beginning of a track. Refer to Figure 4-5-16 for the timing of Index and Sector.

c. Sector

The Sector Mark, a 1-½ pulse which occurs 1 to 128 times per track, is derived from the Index signal and Byte Clock of the servo surface. The number of bytes per track is selected by DIP switches. Refer to 3.7.6.

d. Busy (Dual Channel Only)

If the drive is already selected and/or reserved, a Busy signal will be issued to the "A" cable and the Unit Selected signal will be issued to the "B" cable of the channel attempting the select function. The Busy signal will remain until the Unit Select Tag is negated or the drive is no longer busy. Unit Selected signal should be used to enable Busy in the control unit. Refer to Figure 4-5-6.

(3) "B" Cable Input Signals

a. Write Data

This line carries NRZ data which is to be written on the disk surface and must be synchronized with Write Clock. Refer to Figure 4-5-17.

b. Write Clock

Write Clock is a return signal of 1F Write Clock issued from the unit. Refer to Figure 4-5-17.

(4) "B" Cable Output Signals

a. 1F Write Clock

This signal is used by the control unit to synchronize Write Data Clock. 1F Write Clock is available during Unit Ready Status except during read operations. However, a fluctuation of 48 bits ± 3 bits could occur in the last 6 bytes of Invalid Data. Refer to Figure 4-5-17.

b. Read Data

This line transmits the recovered data in the form of NRZ data synchronized with 1F Read Clock. Refer to Figure 4-5-18.

c. 1F Read Clock

This line transmits 1F Read Clock. The Read Data is synchronized with 1F Read Clock. Refer to Figure 4-5-18. This line is valid only during a read operation.

d. Unit Selected

When the three unit select signals (gated by the Unit Select Tag) and the logical address of the unit compare, the status signals are issued from the MDD. The Unit Selected signal activates the drivers/receivers on A-cable.

e. Seek End

Seek End signal indicates that a Seek, RTZ or Offset operation has terminated. This signal may be used as an interrupt to the control unit.

In dual channel mode, the Seek End signal sent the unselected channel will normally be constant-true. However, if while the drive is selected on a channel, and the opposite channel receives a select command, and then the selected channel resets the Select and Reserve latches on the drive, the Seek End signal sent to the Waiting channel will go false for 30 μs.


f. Index/Sector

Exactly the same as A Cable Signals.

4.5.5 Timing

Polarities are defined in positive logic. The shaded area is undefined.


(1) Unit Selection



Note: * 1—Dual Channel only.

Figure 4-5-6 Unit Select Timing


(2) Priority Select Timing (sample)
Refer to Figure 4.5.7.



- Notes: 1) LUN: Logical Unit Number (Unit Select 1, 2 and 4).
2) UCRSV: Unconditionally Reserved (Priority Selected).
3) Sample Sequence is as follows;
CHB Selected → CHA Priority Select → CHB Priority Select → CHA Release → CHB Select

Figure 4-5-7 Priority Select Timing

(3) Direct Seek Timing (Tag 1)
 Refer to Figure 4-5-8.



Note: Cylinder Address must be less than 822.

Figure 4-5-8 Direct Seek Timing

(4) Same Cylinder Address
 Refer to Figure 4-5-9.




Figure 4-5-9 Same Cylinder Address

(5) Tag 1 to Tag 2 Timing
Refer to Figure 4-5-10.




Figure 4-5-10 Tag 1 to Tag 2 Timing

(6) Offset Timing
Refer to Figure 4-5-11.




Figure 4-5-11 Offset Plus/Minus Timing

(7) Fault Clear Timing
Refer to Figure 4-5-12.





Figure 4-5-12 Fault Clear Timing

(8) RTZ Timing
Refer to Figure 4-5-13.



Note: On Cylinder is not always set if a Seek Error occurs.

Figure 4-5-13 RTZ Timing

(9) Channel Ready Timing
Refer to Figure 4-5-14.




Figure 4-5-14 Channel Ready Timing

(10) Tag 4/5 and Status 0 to 7 (optional) Timing
Refer to Figure 4.5.15.




Figure 4-5-15 Tag 4/5 Timing

(11) Index/Sector Timing
Refer to Figure 4-5-16.





Figure 4-5-16 Index and Sector Timing

(12) 1F Write Clock, Write Data/Write Clock Timing
Refer to Figure 4-5-17.



$T_w = TF/2 (25.4 \text{ ms} \pm .5 \text{ ns})$

$TF = 50.8 \text{ ns} \pm 1 \text{ ns}$

$T_{db} = 2 \text{ bits max.}$


$T_{da} = 0 \pm 10 \text{ ns}$

- Notes:
1. Write Data and Write Clock timing shall be specified at the output connector of the control unit.
 2. The permissible value of $TF=50.8 \text{ ns} \pm 1 \text{ ns}$ is about 2%, which includes the rotational speed tolerance, 1% and the servo jitter, $\pm 1\%$.
 3. NRZ Write Data issued from the control unit is write-compensated and then 2/7-modulated for writing on the disk surface.

Figure 4-5-17 Write Data and Write Clock Timing

(13) Read Clock/Read Data Timing

Refer to Figure 4-5-18.



$T_w = T_F/2 (25.4 \pm .5 \text{ ns})$

- Notes: 1. 1F Read Clock and Read Data timing shall be specified at the output connector of the disk unit.
 2. Read Data signal should be clocked at the positive-going edge of 1F Read Clock on the control unit and the high speed IC (ex. Schottky type) should be used for the clocking circuit (ex. Ser/Des circuit, ECC/CRC circuit) in the control unit.

Figure 4-5-18 1F Read Clock and Read Data Timing

4.5.6 Read/Write Timing

(1) Format Write

Refer to Figure 4-5-19.




Figure 4-5-19 Format Write Timing

(2) Data Write
Refer to Figure 4-5-20.





Figure 4-5-20 Write Data Timing

(3) Data Read
Refer to Figure 4-5-21.



- Notes: 1. The invalid data in the above figure is inhibited in the unit; therefore, it may be disregarded in the control unit.
2. The timing for switching to 1F Read Clock should be performed after the invalid data. In this case, a phase adjustment is required for 1 or 2 bits.

Figure 4-5-21 Read Data Timing

(4) Write-To-Read Recovery Time

Refer to Figure 4-5-22. When head selection has been stabilized, the recovery time before Read Gate can be enabled after Write Gate goes false is 5.3 μs minimum.




Figure 4-5-22 Write-To-Read Recovery Time

(5) Head Select Transient

Refer to Figure 4-5-23. There is a 5 μs delay within the disk drive due to circuit characteristics between the deselection of one head and the selection of another head.




Figure 4-5-23 Head Select Transient

(6) 1F Write Clock in Reading

In the read operation, the 1F Write Clock signal fluctuates slightly within the Lock-To-Data or Lock-To-PLO signal (internal signal of Variable Frequency Oscillator circuit), as shown in Figure 4-5-24.




Figure 4-5-24 1F Write Clock in Reading

4.5.7 Interface Transmission

(1) Driver and Receiver

Transmitters and receivers of SN75110 and SN75107 or equivalent are used to provide a terminated, balanced-line transmission. The Driver is SN75110 or equivalent, and the Receiver is SN75107/SN75108 or equivalent.

a. Driver

Refer to Figure 4-5-25 and Table 4-5-5.




Figure 4-5-25 Driver Logic Diagram (SN75110)

Table 4-5-5 SN75110 Function Table

Logic Inputs		Inhibit Input		Outputs	
A	B	C	D	Y	Z
X	X	L	X	OFF	OFF
X	X	X	L	OFF	OFF
*L	X	H	H	ON	OFF
X	L	H	H	ON	OFF
H	H	H	H	OFF	ON

Note: H—High Level, L—Low Level, X—Irrelevant.

b. Receiver

Refer to Figure 4-5-26 and Table 4-5-6.






Figure 4-5-26 Receiver Logic Diagram (SN75107/75108)

Table 4-5-6 SN75107/75108 Function Table

Differential Inputs	Strobes		Output Y
	G	S	
$A-B \geq 25 \text{ mV}$	X	X	H
$-25 \text{ mV} < A-B < 25 \text{ mV}$	X	L	H
	L	X	H
	H	H	Indeterminate
$A-B \leq -25 \text{ mV}$	X	L	H
	L	X	H
	H	H	L

Note: H—High Level; L—Low Level; X—Irrelevant.



(2) "A" Cable (Control Cable) Transmission
 Refer to Figure 4-5-27.



- Notes.**
1. Line terminators are located on the unit and the controller. R1 to R4: $56 \Omega \pm 5 \%$, 1/10W.
 2. A line terminator is located on the terminator assembly of the last unit in the daisy chain configuration.
 3. The maximum cable length is 30 meters.


Figure 4-5-27 Balanced Transmission of "A" Cable

(3) "B" Cable (Data Cable) Transmission
Refer to Figure 4-5-28.



a) Balanced Transmission of "B" cable

- Note:**
1. Cable shall be flat with characteristic impedance of 100 ± 10 ohms.
 2. Line terminators are located on the receivers at the drive or control unit. R1 and R2 are $82 \text{ ohms} \pm 5\%$, 1/10W.
 3. R3 and R4 (470 ohms) are located on the receiver side. $470 \Omega \pm 5\%$, 1/10W. But to improve the reliability of the transmission at the high transfer rate (over 2 MB/S), the resistors R3 and R4 of the clock (WCLK, IFWCLK, IFRCLK) and Data (WDAT, RDAT) Lines on the control unit and disk Drive should be eliminated.
 4. A bias network should be used to prevent disturbance conditions by power failure at the control unit end of Unit Selected and Seek End signals as in b).



b) Bias Network to Prevent Power Failure Disturbance

Figure 4-5-28 Balanced Transmission "B" Cable

(4) Channel Ready Driver

The Channel Ready signal must be issued so that data is protected during a power failure of the control unit. Relay logic and passive terminations sometimes aid this requirement. If SN75110A drivers are used to drive the Channel Ready signal from the control unit, dual drivers should be connected in parallel, and no 56 ohm termination to ground should be used at the control unit.

4.5.8 Connectors and Cables

(1) Connectors

- a. "A" Cable connectors (60 positions)

Refer to Table 4-5-7.

Table 4-5-7 "A" Cable Connectors

Connector	Fujitsu Specification	
Drive Side	FCN-702P060-AU/M	(Wire Wrapping)
	FCN-704P060-AU/M	(Straight)
	FCN-705P060-AU/M	(Right Angle)
Cable Side	FCN-707J060-AU/B	(Closed End)
	FCN-707J060-AU/O	(Through End)

- b. "B" Cable connectors (26 positions)

Refer to Table 4-5-8.

Table 4-5-8 "B" Cable Connectors

Connector	Fujitsu Specification	
Drive Side	FCN-702P026-AU/M	(Wire Wrapping)
	FCN-704P026-AU/M	(Straight)
	FCN-705P026-AU/M	(Right Angle)
Cable Side	FCN-707J026-AU/B	(Closed End)
	FCN-707J026-AU/O	(Through End)

(2) Cable

Refer to Table 4-5-9.

Table 4-5-9 Cable

Cable	Specification
A	455-248-60 Spectra Strip Zo = 100 ohms ± 10 ohms 28 AWG, 7 strands
B	174-26 Ansley / 3476-26 3M Zo = 100 ohms ± 10 ohms / Zo = 130 ohms ± 15 ohms 28 AWG, 7 strands / 28 AWG, 7 strands

4.5.9 Connector Pin Assignment

(1) "A" Cable Connector 60 Pin

Refer to Table 4-5-10.

Table 4-5-10 "A" Cable Pin Assignment

Pin	Function	Pin	Function
1	Tag 1 L	31	Tag 1 H
2	Tag 2 L	32	Tag 2 H
3	Tag 3 L	33	Tag 3 H
4	Bus 0 L	34	Bus 0 H
5	Bus 1 L	35	Bus 1 H
6	Bus 2 L	36	Bus 2 H
7	Bus 3 L	37	Bus 3 H
8	Bus 4 L	38	Bus 4 H
9	Bus 5 L	39	Bus 5 H
10	Bus 6 L	40	Bus 6 H
11	Bus 7 L	41	Bus 7 H
12	Bus 8 L	42	Bus 8 H
13	Bus 9 L	43	Bus 9 H
14	Channel 1 Ready L	44	Channel Ready H
15	Status 3 L	45	Status 3 H
16	Status 2 L	46	Status 2 H
17	Status 1 L	47	Status 1 H
18	Index L	48	Index H
19	Status 0 L	49	Status 0 H
20	Status 5 L	50	Status 5 H
21	Busy L (Dual Channel Only)	51	Busy H (Dual Channel Only)
22	Unit Select Tag L	52	Unit Select Tag H
23	Unit Select 1 L	53	Unit Select 1 H
24	Unit Select 2 L	54	Unit Select 2 H
25	Sector L	55	Sector H
26	Unit Select 4 L	56	Unit Select 4 H
27	Tag 5 L (Selectable)	57	Tag 5 H (Selectable)
28	Status 4 L	58	Status 4 H
29	(Pick): Not used	59	(Hold): Not used
30	Tag 4 L (Selectable)	60	Tag 4 H (Selectable)

(2) "B" Cable Connector 26 Pin

Refer to Table 4-5-11.

Table 4-5-11 "B" Cable Pin Assignment

Pin	Function	Pin	Function
1	GND	14	1F Write Clock H
2	1F Write Clock L	15	GND
3	Read Data L	16	Read Data H
4	GND	17	1F Read Clock H
5	1F Read Clock L	18	GND
6	Write Clock L	19	Write Clock H
7	GND	20	Write Data H
8	Write Data L	21	GND
9	Unit Selected H	22	Unit Selected L
10	Seek End L	23	Seek End H
11	GND	24	Index H
12	Index L	25	GND
13	Sector L	26	Sector H

4.6 ELECTRICAL CIRCUIT FUNCTION

4.6.1 Start/Stop Control

DC powers of +5V, -12V and +24V are applied to the drive from the optional power supply unit or system power. +12V required for servo circuit is regulated from +24V on TVQM PCB assembly.

The DC voltage monitor circuit (which monitors +5V, -12V, +24V and internal +12V) issues Power Ready (PWRDY) signal through the delay circuit when these voltages are within the specified range.

When +5V is supplied to the drive, the Crystal Oscillator circuit issues a 15,728,640 Hz clock signal, this clock signal is divided by eight and converted into Control Clock 1 (CTCL1) at 1,966,080 Hz frequency which controls DC Motor Control circuit function. Then the CTCL1 signal is divided by thirty-two (32) and converted into Oscillator Clock (OSCLK) at 61,440 Hz (16.3 μ s interval) which controls Power-up Sequence Control circuit function.

Disabling of PWRDY signal resets all registers and latches on the drive, and also resets three latches in the Power-up Sequence Control circuit, that is, Start Sequence Latch 1, 2 and 4 (SSL1, 2 and 4) signals which result in State 0.

The PWRDY signal is applied to a delay circuit (45 μ s) and consequently Delayed Power Ready (DPWRDY) signal is issued to the Power-up Sequence Latch circuit. The leading edge of DPWRDY signal sets SSL1 latch and State 1.

One hundred thirty milliseconds after enabling state 1, Emergency Retract (EMRT) signal is reset, and relays RL1 and RL2 are activated on the TVQM PCB assembly. The contacts r l11 to r l13 of RL1 connect the DC Motor Power-amplifier, however, is not activated by disabling the later-mentioned ACDME signal at this state. The contact R l14 of RL1 applies +5V to the solenoid of auto-lock, the auto-lock, however, is not released at this state.

however, is not released at this state.

The contact r l21 of RL2 applies +24V power to the VCM power amplifier.

One second after resetting EMRT signal, the circuit checks whether Accelerate DC Motor (ACDM) signal which must be set at State 0 is true or false. If ACDM is true at this state, SSL2 latch is set and then the state moves to State 3. If not true, the Sequence inhibit (SQINH) latch is set.

One second after enabling State 3, Lock Release (LKRLS) signal is set and holds for two seconds. The LKRLS signal activates relay RL3 then +24V power is supplied to the autolock solenoid which releases the actuator loc of VCM. One second after releasing the actuator lock, the circuit checks whether the current flows through the solenoid coil or not. If correct, SSL1 latch is reset and the sets State 2. If not, SQINH latch is set.

One hundred-thirty milliseconds after enabling State 2, Accelerate DC Motor Enable (ACDME) and Compress Active (COMPACT) which enables the acceleration at DC motor is set and the Spindle begins rotating with the aid of "Compress" action enabled by COMPACT signal which holds for 270 milliseconds. During the Compress action, current flows through the VCM coil and the heads are compressed toward center of the spindle on the landing zone. DC motor is accelerated according to the phase of Speed Sensor outputs (three Hall-effect elements), which is then converted into a Set Speed (STSPD) signal once per revolution. When the rotational speed is up to 3,366 rpm (-6%), Speed Good (SPGD) signal is issued. Going-true of SPGD signal during State 2 sets the SSL4 latch, and the state moves to State 6. If the rotational speed is not up to 3,366 rpm within fifty-two seconds, SQINH latch is set.

When the DC motor is further accelerated (up to 3,600 rpm), the DC Motor Control circuit changes to inertia mode from accelerate mode. Simultaneously a

Start Pulse (STARTP) signal is issued, which initiates the internal initial seek sequence. Going-true of STARTP signal during State 6 sets SSL1 latch, and then the state moves to State 7. If STARTP signal does not go true within sixteen seconds, SQINH latch is set.

The internal initial seek is performed in State 7. The detail of initial seek sequence is described in paragraph 4.6.4.1. The completion of the initial seek sequence resets SSL2 latch, and sets State 5. The incompleteness of the initial seek sequence sets SQINH latch.

State 5 indicates that all power-up sequences are completed.

When DC Motor Fault (DMFL) or VCM Heat (VCMHT) malfunction occurs during any state, or a specific malfunction has occurred during each power-up sequence, the SQINH latch and Device Check (DVCK) latch are set on the drive and the condition is frozen at that state. Going-true of SQINH latch sets EMRT signal and all relays are deactivated on TVQM PCB assembly.

When check clear (CKCLR) signal which is issued from the controller or the optional operator panel during SQINH State, SSL1, 2 and 4 are reset; and the Power-up Sequence is initiated again.

The Start/Stop Control block diagram is shown in Figure 4-6-1, Power-up Sequence Control block diagram in Figure 4-6-2, Power-up Sequence flow chart in Figure 4-6-3 and Power-up Sequence timing chart in Figure 4-6-4.




Figure 4-6-1 Start/Stop Control Block Diagram




Figure 4-6-2 Power-up Sequence Control Block Diagram




Figure 4-6-3 Power-up Sequence Flow Chart (Sheet 1 of 4)




Figure 4-6-3 Power-up Sequence Flow Chart (Sheet 2 of 4)




Figure 4-6-3 Power-up Sequence Flow Chart (Sheet 3 of 4)




Figure 4-6-3 Power-up Sequence Flow Chart (Sheet 4 of 4)




Figure 4-6-4 Power-up Sequence Timing Chart

4.6.2 DC Motor Control

The block diagram of DC Motor Control is shown in Figure 4-6-5.

As mentioned in Section 4.6.1 (Start/Stop Control), the ACDME signal initiates the acceleration of the DC Motor according to the phase outputs of the Speed Sensor. During the start-up sequence, the Current Limiter limits the winding-flow current to 4.0A nominal by detecting the voltage level at the bleeder resistor.

When the spindle rotation is initiated by initial stage, the Speed Sensor output is converted into TTL level signals (Phase A, B and C: PHA, PHB and PHC), are then applied to Speed Detect and DC Motor Fault Detect circuits. The PHA, PHB, and PHC signals have two cycles per revolution.

The positive-going edge of PHA signal sets the next latch and the negative-going edge of *PHB signal resets this latch; the latch output signal is then applied to the Clock Synchronize and Divider circuits which generate Set Speed (STSPD) and Timer Clock (TMCLK) signals once per revolution. The TMCLK signal resets the Divide Counter at the leading edge, and is also applied to the Time-out Counter. The STSPD signal is applied to the Speed Detect and Accelerate Latch circuits.




Figure 4-6-5 DC Motor Control Block Diagram (Sheet 1 of 2)




Figure 4-6-5 DC Motor Control Block Diagram (Sheet 2 of 2)

During the power-up sequence, the leading edge of the PWRDY signal sets the Q44 signal which is final stage output of the Divide Counter (Divided by 65536). The Q44 signal inhibits the count-up function of the Divide Counter until the counter is reset by the leading edge of the TMCLK signal, and also is clocked by the leading edge of the STSPD signal. When the Q44 signal goes true, this indicates that the rotational speed is slower than nominal speed. When the rotational speed is within $\pm 6\%$ of nominal speed, the Speed Good (SPGD) signal goes true.

About thirty-five seconds after power on, when the Q44 signal is false at the leading edge of the STSPD signal, DC Motor control mode is changed to inertial mode from accelerate mode. Simultaneously, the STARTP signal, which starts the initial seek sequence, is issued at the first negative going-edge of the ACDM signal. The DC Motor control then repeats the accelerate mode and inertia mode and maintains the rotational speed at 3,600 rpm $\pm 1\%$.

The timing chart of the DC Motor power-up sequence is shown in Figure 4-6-6.

In accelerate mode the ACDM signal is set by the leading edge of the STSPD which clocks the Q44 signal, and the PHA, *PHB and PHC signals are decoded into binary signals. By combining of these decoder outputs, the power amplifier drives the DC Motor windings as shown in Figure 4-6-7.




Figure 4-6-6 Power Up DC Motor Control





Figure 4-6-7 DC Motor Accelerate/Inertia Mode Control

4.6.3 Unit Selection

The Disk Drive must be selected before it will respond to any commands from the control unit. Tag and Bus receivers are not enabled until the unit is selected.

This describes the dual channel functions related to selection. They are as follows:

- Unit address select
- Reserve
- Release
- Priority select (unconditional reserve)
- Disable with a maintenance switch

The functional block diagram of dual port is shown in Figure 4-6-8.

(1) Unit Address Select and Reserve

A unit is selected or reserved in an identical sequence which is initiated by Unit Select Tag (USLTG) and a unit address signal (Unit select 1, 2, 4: USL 1, 2, 4). However, this sequence cannot start when:

- The unit is selected and reserved by the opposite channel.
- The unit is not selected, but reserved by the opposite channel.
- The channel which has attempted to select the unit is disabled by the maintenance switch on the unit or because the unit is placed in the Priority Select state by the opposite channel.

The select/reserve sequence is as follows:

Suppose that the unit is ready to be selected that is, none of the above three conditions exists. A controller sends USLTG and USL 1, 2, 4 to the unit. If the unit address from the channel-A controller agrees with the logical unit number (LUN), the unit sends Unit Selected to the channel-A controller through cable B when Channel-A Compare (CHACMP) is sent to the XCGM printed circuit board. This sequence is the same as with the single-port configuration.

Unless the unit is selected or reserved by channel-B and, as a result, is Busy, CHACMP causes the Channel A Selected signal (CHASLD) to be sent in synchronization with Clock 1 (CLK1) from the oscillator. CHASLD turns on the Channel-A Enable (CHAENB) signal to make the driver/receiver for Channel-A ready for transmission/reception, drive the LED to indicate CHASLD, switch the WDAT/WCLK multiplexer to Channel-A, set Busy to indicate that the unit is selected or reserved by the Channel-A controller, and trigger the Set Reserve (STRSV) one-shot multivibrator to set the reserve latch.

If channel-A and B attempt to select a unit at the same time, CLK1 and CLK2 (clocks with the same frequency and different phases) determine which channel is to access the unit. As a result, Busy is set.

The STRSV one-shot multivibrator output sets the Channel A Reserved (CHARSV) latch about 300 ns after CHASLD. This CHARSV signal turns on the LED on the XCGM printed circuit board, sets BUSY A, and sets Seek End B (SKENDB) to "1" before its transmission to Channel-B. SKEND to Channel-B is kept "1" as long as the unit is reserved by Channel-A.

The unit is kept selected/reserved by Channel-A until Channel-A is disabled by the maintenance switch or until USLTG becomes false. When Channel-B attempts to select the unit, the unit sends BUSYA as a busy signal to Channel-B, and sends also Unit Selected B (USLDB) to indicate that it is selected/reserved by Channel-A.

Even when USLTG from Channel-A goes false after the select/reserve sequence, the unit remains reserved by Channel-A. This reserved state is not reset until a Release command comes from Channel-A, Channel-A is disabled by the main-

tenance switch, Channel-B performs Priority Select, or the power is turned on/off.

If the opposite channel control unit attempts to select a channel while it is selected or reserved by the other channel control unit (i.e. in Busy state), Tried Latch in the dual channel is set. Thus, at the time when the one channel becomes neither selected nor reserved, Seek End goes false for 30 μ s so that the opposite channel, having been waiting, can interrupt.

If the unit is in Disabled state (realized by Priority Select from the opposite channel or by Disable switch) and the other channel attempts to select the unit, no signal response is activated.

The block diagram of the select/reserve circuit is shown in Figure 4-6-9, and the related flowchart and timing chart are shown in Figures 4-6-10 and 4-6-11, respectively.




Figure 4-6-8 Functional Block Diagram of Dual Channel




Figure 4-6-9 Functional Block Diagram of Select/Reserve




Figure 4-6-10 Select/Reserve Flow Chart (Sheet 1 of 3)




Figure 4-6-10 Select/Reserve Flow Chart (Sheet 2 of 3)

(From Sheet 2 of 3)




Figure 4-6-10 Select/Reserve Flow Chart (Sheet 3 of 3)




Figure 4-6-11 Select/Reserve Timing Chart

(2) Release

The release command resets the reserved and priority select (unconditional reserve) states. Release is executed by two functions described in the following. One is a release command from a control unit (Tag 3 Bus bit 9) and the other is Release Timer of the dual channel option.

- a. Release command (Tag 3, Bus bit 9)
Reserve and Priority Select (unconditional reserve) are reset by the leading edge of Tag 3 and Bus Bit 9 sent from the control unit. Thus, it is possible to be accessed from the control unit of the opposite channel.
- b. Release Timer
If the switch on the dual channel is set to the RLTM position. The Release function is enabled by the unit itself. If unit Select Tag signal goes false when the switch is being set to the RLTM position, the Release Timer one-shot (500 ms) is triggered. The Reserve Latch is reset by the trailing edge of the Release Pulse.
If the switch is set the ABSL (Absolute Reserve) side, the one-shot is disabled.

(3) Priority Select (Unconditional Reserve)

Even if a unit is selected or reserved (except unconditional reserve) by a channel, the opposite channel can switch the unit to its channel by issuing a Priority Select (Unit Select Tag, unit address and Bus Bit 9) command.

This command sets the Unconditionally Reserved (UCRSV) latch to inhibit all signals, Select/Reserve is given to the channel and, at the same time, the channel which was previously connected is disconnected. Once it is set in an unconditional reserve state, all signals are disabled to the opposite channel.

The Unconditionally Reserve is released only by the release command given by the channel with exclusive connection.

(4) Disable Switch

During maintenance the interface functions released to channels A and B can be inhibited by using the maintenance switch on the XCGM printed circuit board. This disable function can be done for the two channels separately.

4.6.4 Seek Control Logic Function

The M233X has four types of seek modes: Initial Seek, Return To Zero (RTZ), Direct Seek by Tag 1, and Linear Mode.

- a. Initial Seek Mode
The Initial Seek Mode positions the heads at Cylinder 0 during power-up sequence.
- b. Return To Zero Mode
The Return To Zero (RTZ) mode moves the heads to Cylinder 0, regardless of where they are when the RTZ command is received. Return To Zero mode is essentially equivalent to the Initial Seek mode; therefore, they are both referred to as the Go To Zero (GTZ) mode.
- c. Direct Seek Mode
The Direct Seek mode causes a seek to the cylinder address specified by Bus bit 0 to 9, Tag 1 signals from the control unit.

(4) Linear Mode

Linear mode causes the heads to track the center of the specified cylinder after the seek operation has been completed. An Offset operation is available in the Linear mode.

When a power failure or seek malfunction has occurred on the unit, each seek mode is reset and the heads are returned to the Landing Zone by the retract spring in the actuator assembly.

The Seek Control Logic block diagram is shown in Figure 4-6-12.




Figure 4-6-12 Seek Control Logic Block Diagram

(1) Initial Seek Mode

The Start Pulse (STARTP) is issued to the Seek Control circuit when the spindle rotational speed has reached its nominal value. The STARTP signal sets State 7, Go To Zero Mode (GTZM), Under Sequence (UNSQ), Drive Linear Motor (DRLM), and Forward Drive (FWDD) latches, and resets the Low Speed (LSPD) latch.

At the start of Initial Seek, the heads move toward the outside of the disk (forward) at high speed by enabling FWDD and disabling Low Speed (LSPD).

When the heads have passed through the IGB2 zone and enter the IGB1 zone, the heads are driven toward the outside of the disk at low speed by enabling the FWDD and LSPD signals.

When the heads have passed through IGB1 zone, the Position Drive (PSDR) goes true, which changes the target velocity to the Position signal. When the velocity reaches the capture range, Velocity Equal to Zero (VEQZ) signal goes true which then resets the DRLM and PSDR latches and set the Linear Mode (LNMD) latch. When the LNMD signal goes true, it keeps the heads precisely on the center of Cylinder 0, that is, the first ODD1–EVEN1 and EVEN1–EVEN2 servo track.

The first Index signal under the linear mode triggers the Settling 1 one-shot (STL1:2.0 ms). The trailing edge of the STL1 signal sets the Seek End (SKEND), On Cylinder (ONCYL), and Unit Ready (URDY) latches, and also resets the GTZM, and UNSQ latches.

If the initial seek has not been performed within 4 seconds after STARTP, the Device Check goes true, Not Ready status is true. The Device Check Clear signal under the not ready status, which is commanded from the control unit or the Check Clear key, will cause a retry of the Initial Seek sequence.

The Return To Zero (RTZ) command, with a complete servo-off sequence and during the Ready status, initiates the Initial Seek sequence.

The Go To Zero flow chart is shown in Figure 4-6-13, and the timing chart for Initial Seek is shown in Figure 4-6-14.




Figure 4-6-13 Go To Zero Flow Chart (Sheet 1 of 3)




Figure 4-6-13 Go To Zero Flow Chart (Sheet 2 of 3)




Figure 4-6-13 Go To Zero Flow Chart (Sheet 3 of 3)




Figure 4-6-14 Initial Seek Timing Chart

(2) Return To Zero Mode

The Return To Zero mode is initiated by a Return To Zero (RTZ) command from the control unit during Ready status and linear mode.

The RTZ command sets GTZM, DRLM, and UNSQ latches; resets SKEND, ONCYL, and Seek Error (SKERR) latches; and resets Present Cylinder Address Register (PCAR), Next Cylinder Address Register (NCAR), and Head Address Register (HAR).

At the start of GTZM, the heads move toward the center of the disk (reverse) at high speed by disabling the FWDD and LSPD signals.

When the heads have passed through the Servo Zone and enter the IGB1 zone, they are driven toward the center of the disk at low speed.

When the heads enter the IGB2 zone, they are driven toward the perimeter (forward) at high speed. Upon entering the IGB1 zone again, they are driven forward at low speed.

The subsequent sequence is equivalent to the Initial Seek Mode.

The RTZ timing chart is shown in Figure 4-6-15.



Figure 4-6-15 Return To Zero Timing Chart

(3) Direct Seek Mode

Direct Seek mode is initiated by activating the Tag 1 signal.

The leading edge of Tag 1 sets the bus bits 0 to 9 into the Next Cylinder Address Register (NCAR) when the bus contains an address of less than 822.

When the NCAR output is not equal to the Present Cylinder Address Register (PCAR) output at the trailing edge of the Tag 1 signal (Seek Start : SEKST), a Direct Seek is initiated.

The SEKST signal resets the ONCYL, SKEND, LNMD, latches, and also sets the SEKM, DRLM, UNSQ, and direction latches.

NCAR1 and 2 signals are applied to the Servo Control circuit to determine the phase of target cylinder.

The difference between NCAR and PCAR is equal to the number of cylinders to be moved to the desired address. The difference counter outputs D1 to D256, Clamp Difference (CLDF) and Difference Less Than 31 (DLT31), is sent to the servo control circuit to generate the target velocity.

When the NCAR is greater than PCAR, the forward direction is set, and when the NCAR is less than the PCAR, the reverse direction is set using the FWDD signal.

When the heads start to move to the desired address, the Track Crossing Pulse (TXPL) is sent from the servo circuit to the PCAR counter every time the servo head crosses a cylinder. The PCAR counter is increased by the trailing edge of the TXPL signal in the forward direction, and is decreased in the reverse direction.

When the difference is equal to zero, the Position Drive (PSDR) signal is activated and the velocity follows the position signal. When the VEQZ signal goes true, LNMD latch is set, and DRLM and PSDR latches are reset. The successive ONTR signal triggers the Settling 1 (STL1) one-shot (2.0 ms). The trailing edge of STL1 signal sets the ONCYL and SKEND latches and reset the SEKM and UNSQ latches.

If NCAR is equal to PCAR at the leading edge of Tag 1, a No Motion Seek (NOSEK) signal is activated and triggers Settling 2 (STL2: 5 μ s) one-shot. The ONCYL and SKEND signals are reset by the trailing edge of the TAG1 signal and then ONCYL and SKEND signals go true at the trailing edge of STL2 signal.

If an illegal cylinder address ($CAR > 822$) is issued from the control unit, the trailing edge of the TAG1 signal resets the ONCYL and SKEND signals and then sets the Seek Error (SKERR) and SKEND signals immediately. The LNMD latch is also reset and the heads move to the Landing Zone.

The Direct Seek flow chart is shown in Figure 4-6-16 and the timing chart is shown in Figure 4-6-17.




Figure 4-6-16 Direct Seek Flow Chart (Sheet 1 of 3)




Figure 4-6-16 Direct Seek Flow Chart (Sheet 2 of 3)




Figure 4-6-16 Direct Seek Flow Chart (Sheet 3 of 3)




Figure 4-6-17 Direct Seek Timing Chart

(4) Servo Off Mode

If a seek malfunction shown in Table 4-6-1 occurs in the drive, all servo modes (INSKM, GTZM, SEKM, and LNMD) are reset and the heads move to the Landing Zone by the mechanical force of the retract spring in the actuator assembly.

Table 4-6-1 Seek Malfunctions



ERROR	UNIT STATUS
Initial Seek Time Out	Not Ready
Rotational Speed High or Low	Not Ready
DC voltage fault	Not Ready
Time Out in Any Seek Mode	Seek Error
Over-shoot in Linear Mode	Seek Error
Any Guard Band in Seek Mode	Seek Error
OGB in Go To Zero Mode	Seek Error
Any Guard Band in Linear Mode	Seek Error
Illegal Cylinder (CY > 822)	Seek Error

4.6.5 Servo Circuit Function

(1) Position Sensing

This section describes the Position Sensing functions from the output of the servo head to generating the position signal. The Position Sensing block diagram is shown in Figure 4-6-18.

The servo data written on the servo surface is read by the servo head, amplified through the Head-Preamplifier (with a nominal gain of 35), and applied to the Automatic Gain Control (AGC) amplifier on CZOM/KGKM. The AGC amplifier keeps the output constant with an AGC voltage from the Summing Amplifier, even if the AGC input varies. The AGC output is applied to a Low Pass Filter (LPF), which attenuates the unused high frequencies, and then is amplified by the Carrier Amplifier. The Carrier Amplifier issues the Servo (SERVO) signal of four-byte interval to the Level Slice and Peak Hold circuits.




B03P-4760-0111A...01

4:81

Figure 4-6-18 Position Sensing Block Diagram (Sheet 1 of 2)

4-82



B03P-4760-0111A...01

Figure 4-6-18 Position Sensing Block Diagram (Sheet 2 of 2)

The SERVO signal is converted into the Servo Slice Output (SVSLT) signal at a TTL level. The SVSLT signal triggers a 100 ns pulse at its trailing edge and the trailing edge of this 100 ns pulse triggers the 320-ns-long Servo Pulse Window (SVPWD) one-shot. The SVPWD signal separates only the Sync Pulse, that is, it separates the Servo Pulse (SVPLS) signal from the SVSLT signal. The SVPLS Signal is applied to the Phase Locked Oscillator (PLO).

The leading edge of the SVPLS Signal triggers PLOSS one-shot (1.5 μ s) and sets the PLO Latch circuit. The PLO Latch is reset by the leading edge of the Count 7 (CT7) signal, which is the output signal of the Timing Counter, and issues the PLO Latch (PLOLT) signal to the Phase Comparator circuit and the Index Guard Bands sense circuit.

The PLOSS and PLOLT signals are applied to the Phase Comparator circuit of PLO. The Phase Comparator issues an Increase (INC) signal when phase-lead has occurred on the VCO output, or a Decrease (DEC) signal when phase-lead has occurred on the VCO output. The INC and DEC signals are applied to the Charge Pump circuit which converts the phase difference into a DC-level signal. The Charge Pump circuit issues a control voltage to the Voltage Controlled Oscillator (VCO) through the Low Pass Filter (LPF). Thus, the PLO circuit synchronizes with the SVPLS signal and generates a one-bit cell clock, that is, the PLO1F signal. The PLO1F signal is applied to the VFO circuit and the Timing Counter circuit.

The Timing Counter circuit divides the PLO1F signal by two into 1/2F signal. The 1/2F signal generates the Gate 1, 2, 3, and 4 (GT1 to GT4) signals Count 15 (CT15) and the CT7 signal, which resets the PLOLT signal.

The Peak Hold circuit holds the peak of the signals (Odd 1, Even 1, Odd 2 and Even 2) enabled by the GT1 to GT4 timing signals. The Peak-hold outputs (Odd 1 peak, Even 1 peak, Odd 2 peak, and Even 2 peak) are applied to the Summing Amplifier and two Differential Amplifier circuits.

The Differential Amplifiers issue the Position Normal (POSN) signal from Odd 1 peak and Even 1 peak signals, and the Position Quadrature (POSQ) signal from Odd 2 peak and Even 2 peak signals. The Summing Amplifier issues the AGC Control Voltage (AGC) signal for the AGC amplifier. When the AGC signal exceeds the reference level, the Head Loaded (HDLD) signal is issued to the seek control circuit. The timing chart for PLO and Peak Hold is shown in Figure 4-6-19. The conversion waveform from Servo signal to dual-phase position signal is shown in Figure 4-6-20, which is valid when the servo head is moving.




Figure 4-6-19 PLO and Peak Hold Timing Chart





Figure 4-6-20 Servo Signal to Position Signal Conversion

(2) Servo Control

The block diagram of the Servo Control circuit after Position Sensing is shown in Figure 4-6-21.

a. Block Description

(a) Position Signal Slice

The dual-phase position signals, POSN and POSQ which are demodulated through Position Sensing circuitry, are applied to a level slice circuit. The Position Signal Slice circuit then issues NGTQ and NQGTZ signals which are applied to Position Decoder, also issues an Off-track (OFTRK) signal which indicates that the servo head positions off from the center of each cylinder by $\pm 9 \mu\text{m}$.

(b) Position Decoder

The Position Decoder circuit issues the two least-significant bits of the current cylinder address, Present Address 2 and 1 (PAR2 and PAR1), which are decoded by the NGTQ and NQGTZ signals. The Position Decoder circuit also issues Select N Non-invert (SNN), Select Q Non-invert (SQN), Select N Invert (SNI), and Select Q Invert (SQI) signals, which control the Velocity Generator circuit and Fine Position Generator circuit.

(c) Track Crossing Pulse Generator

The Track Crossing Pulse Generator circuit issues a $5\text{-}\mu\text{s}$ -wide Track Crossing Pulse (TXPLS), which is generated by PAR2, PAR1, and OFTRK signals, and which is applied to the Present Cylinder Address Register (PCAR). The PCAR counts up the TXPLS signal when Forward Drive (FWDD) signal is true, and counts down when FWDD signal is false.

The timing chart for items (a) through (c) is shown in Figure 4-6-22.

(d) Position Signal Differentiator

The Position Signal Differentiator circuit differentiates the dual-phase position signals, POSN and POSQ, to generate the actual velocity from the linear portion of the position signal.

(e) Velocity Generator

The SQI, SNI, SNN, and SQN signals, which are issued from the Position Decoder circuit, pull out the linear portion of the position signals; the composed signal and Current Sense (CSNS) signal are then converted into the Velocity (VEL) signal.

(f) Absolute Velocity Generator

The Absolute Velocity Generator converts the velocity signal, with polarity, into the Absolute Velocity (ABSVL) signal.

(g) V = 0 Detector

When the Equal signal on the Clamp Gate circuit goes true, and OFTRK signal goes false, and when the velocity is within 1 cm/second, the Velocity Equal to Zero (V = 0) signal is issued to the Seek Control circuit and then the Seek mode is changed to Linear mode by terminating Seek operation.

The timing chart of the Velocity Generator is shown in Figure 4-6-23.




Figure 4-6-21 Servo Control Block Diagram (Sheet 1 of 2)




Figure 4-6-21 Servo Control Block Diagram (Sheet 2 of 2)




Figure 4-6-22 Position Detect Timing Chart




Figure 4-6-23 Velocity Generator Timing Chart

B03P-4760-0111A...01

(h) Fine Position Generator

The Fine Position Generator circuit pulls out the linear portion, that is, the Fine Position (FNPOS) signal from the POSN and POSQ signals controlled by SQI, SNI, SNN, and SQN signals. The FNPOS signal is applied to the Smoother, On Track Detector, and Clamp Position Detector circuits.

(i) Smoother Generator

The Smoother Generator circuit polarizes the FNPOS (the polarity of signal which is in accord with the head movement direction) and issues the Smoother (SMTH) signal. The SMTH signal makes the DA signal smooth through the Function Generator circuit (see item (l), below). When the difference between NCAR and PCAR, however, is greater than 512 during Direct Seek mode, or GTZ mode is activated then the SMTH signal is deactivated.

(j) On Track Detector

The On Track Detector senses the servo head positions on the center of each cylinder within $\pm 5 \mu\text{m}$ and issues an On Track (ONTRK) signal to seek control and fault detect logics.

The timing chart of Fine Position Generator is shown in Figure 4-6-24.




Figure 4-6-24 Fine Position Generator Timing Chart

(k) DA Converter

The DA Converter DAC circuit generates the target velocity during Direct Seek or GTZ operations. When the Direct Seek operation is performed, the Difference Counter bits D1 to D256 are applied to the DAC at the beginning of the seek operation. When the servo head passes through a cylinder, the TXPLS signal is issued and it decreases the Difference Counter. When the Difference Counter output is equal to or greater than 512, the D1 to D256 signal is clamped to 511 and the DAC output is adjusted to be -7.3V.

When the GTZ operation is performed, GTZ and LSPD signals set a target velocity through the DAC.

When the Offset operation is performed, OFACT and OFRVS signals set the offset voltage to a value equivalent to $\pm 3 \mu\text{m}$ from the center of cylinder. The DAC output, -DA signal, is applied to the Function Generator and Clamp Position circuits.

(l) Function Generator

When the Difference Counter output is less than 511, the Function Generator circuit converts the DAC output into a smooth waveform by adding the SMTH signal. The Function Generator issues a Function (FUNC) signal which is the optimum deceleration curve for positioning time and the deceleration current profile.

When the servo control is changed to deceleration from acceleration, the Function Generator adds the integrated ACCL signal to the FUNC signal to avoid an excessive force to the actuator.

(m) Velocity Error Detector

The Velocity Error Detector circuit issues the Velocity Error (VER) signal, which is applied to the Power Amplifier, after comparing a target velocity (FUNC) signal and actual velocity (VEL) signal. At the termination of Seek operation, the Clamped Position (CLPOS) signal is applied to the Velocity Error Detector instead of the FUNC signal, which is activated by the PSDR signal.

(n) Accelerate Detector

The Accelerate Detector output, that is, the Accelerate (ACCL) signal, is set when the TXPL signal is equal to the DGT512 signal. The ACCL signal is applied to the Function Generator circuit.

The timing chart of the Target Velocity Generator, for a Direct Seek operation, is shown in Figure 4-6-25, and the timing chart for a GTZ operation is shown in Figure 4-6-26.





Figure 4-6-25 Direct Seek Target Velocity Generator




Figure 4-6-26 GTZ Target Velocity Generator

(p) **Clamp Gate**

The Clamp Gate circuit issues Minus Clamp Position (MCLMP), Plus Clamp Position (PCLMP) and Equal (EQUAL) signals through the adder circuit, which compares the two least-significant bits (NCAR2 and 1) of the target cylinder (NCAR2 and NCAR1) with PAR2 and PAR1 signals from the Position Decoder circuit.

(q) **Clamp Position Generator**

The Clamp Position Generator holds the position signal at specified levels when the servo head is positioned within three cylinders of the target cylinder address specified by the two least-significant bits of NCAR and PAR. This extends the area controlled by the servo circuit.

The PCLMP signal sets the Calmped Position Signal (CLPOS) to +2 V, the MCLMP is set to -2 V, and the EQUAL signal enables the FNPOS signal on the CLPOS signal.

The CLPOS signal is applied to the Velocity Error Detector circuit when the PSDR signal goes true at the termination of Seek operation, and is then applied to Low Pass Filter (LPF) when the servo head settles on the specified cylinder.

The timing chart of Clamp Position is shown in Figure 4-6-27.




Figure 4-6-27 Clamp Position Timing Chart

- (r) **Low Pass Filter (LPF)**
The servo circuits form a feed-back loop during track following after a Seek operation using the position signal recovered from the servo head.
The LPF circuit attenuates unused high frequencies.
- (s) **Position Error Detector**
The Position Error Detector pulls out the phase-compensated Position Error (PER) signal required for the feed-back loop during track following.
The PER signal is composed of FNVEL (phase-compensating) signal, and an integrated position signal; improves stiffness and track following characteristics of lower frequencies.
- (t) **Power Drive Multiplexer**
The Power Drive Multiplexer circuit passes through either the VER signal, by activating DRLM signal during Direct seek or GTZ operation, or the PER signal, by activating the LNMD signal during track following sequence.
- (u) **Power Amplifier Driver**
The Power Amplifier Driver circuit drives the last stage of the power amplifier. This circuit controls the base current to the power transistors by comparing the input signal with the feed-back signal from the last-stage transistor current.
- (v) **Power Amplifier**
The Power Amplifier circuit is a current amplifier which drives the coil of the Voice Coil Motor (VCM). Four transistors compose H-type circuit.
- (w) **Current Sense**
The Current Sense circuit detects the VCM coil current through the voltage bleeder resistors. The coil current is amplified by the differential mode, and then the Current Sense (CSNS) signal is issued.
- (x) **VCM Heat Detect**
The VCM Heat Detect circuit senses an abnormal current flowing through the VCM coil or DC Motor windings.
The coil current of the DC Motor windings current is integrated and converted into the VCM Heat Detect (VCMHT) signal.
- b. **Direct Seek Servo Control**
During a Direct Seek with servo control, the servo head is driven high speed, so that the actual velocity pulled out from the position signal through the servo head is equal to the target velocity controlled by the Difference Counter. Whenever the servo head has passed through each cylinder, the target velocity is decreased for optimum speed control. The Direct Seek signal flow is shown in Figure 4-6-28.
- c. **GTZ Servo Control**
Wherever the head is positioned, GTZ Servo Control returns the head to Cylinder 0. The target velocity is given by the specified velocity, that is, high speed is 7 cm/second and low speed is 2 cm/second.
The GTZ signal flow is shown in Figure 4-6-29.
- d. **Linear Mode Servo Control**
When the servo head is positioned within capture distance from the specified cylinder, the Servo Control mode is changed to Linear mode. During Linear mode (track following), the feed-back loop is formed to minimize the Position Error Signal.
When an Offset operation is performed, the offset voltage is applied to the Position Error signal through the DAC.
The Linear mode signal flow is shown in Figure 4-6-30.




Figure 4-6-28 Direct Seek Signal Flow (Sheet 1 of 2)




Figure 4-6-28 Direct Seek Signal Flow (Sheet 2 of 2)




Figure 4-6-29 GTZ Signal Flow (Sheet 1 of 2)




Figure 4-6-29 GTZ Signal Flow (Sheet 2 of 2)





Figure 4-6-30 Linear Mode Signal Flow (Sheet 1 of 2)



Note: "~~~~~" indicates offset signal.

Figure 4-6-30 Linear Mode Signal Flow (Sheet 2 of 2)

4.6.6 Index/Sector/Guard Band Generate Function

(1) Index Detect

As described in the position sensing discussion, the servo signal contains missing Index Bits. The servo pulse (SVPL) is applied to the PLO which outputs a two bit cell clock ($PLO\frac{1}{2}F$).

The PLO latch (PLOLT) signal is set by the leading edge of the SVPL signal and reset by the leading edge of Count 7 (CT7). It is applied to a shift register in the LSI (MB15238) and clocked by the positive-going edge of the CT7 signal.

The shift register outputs are decoded, and then the Index (INX) signal, two Inner Guard Band pulse (IGB2P and IGB1P) signals, and the Outer Guard Band pulse (OGBP) signals are detected by the combination of the decoder outputs. The block diagram of Index and Guard Band pattern detect is shown in Figure 4-6-31. The timing chart of the Index signal processing is shown in Figure 4-6-32.




Figure 4-6-31 Index/Guard Band Patterns Detect Block Diagram




Figure 4-6-32 Index Detect Timing Chart

(2) Guard Band Detect

As described in Section 4.3.3, each guard band has a missing Index bit. When the servo head is located on any guard band track, the servo PLO circuit develops IGB2P, IGB1P, or OGBP and missing detect (MSDT) signals as shown in Figure 4-6-33.

The first pulse of the Guard Band Pulse sets the first flip-flop, and simultaneously the MSDT signal loads 187 (decimal) on the Guard Band Reset counter clocked by the four-byte interval Count 15 (CT15) signal. When the second pulse is applied before the Guard Reset Counter issue the Reset Guard Band (RSTGB) signal, the second pulse sets the second flip-flop; Guard Band signal (IGB2, IGB1 or OGB) is then issued to the seek control logic.

The output of each Guard Band latch is reset by a RSTGB signal, when the servo head is not located over a guard band track and the Guard Band Reset counter counts up to 255 (decimal).

The two stages of the flip-flop prevent the Guard Band signal from improper detection of the Guard Band signals caused by media flaws.




Figure 4-6-33 Guard Band Pulse Detect Timing Chart

(3) Sector Generator

A Sector pulse is not written on the servo surface. The sector pulses are derived from a Byte counter counting 2 Byte clocks, which are generated by the PLO circuit synchronized with servo pulse. One disk revolution has 40,960 Byte clocks, and the sector length is determined by selectable keys on the KGFM PCB.

The Index signal (Four Bytes) from the PLO circuit enables the preset input to the Byte Counter. An example of 256-byte sector length is described as follows; The value loaded into the Byte Counter is specified by turning on SW2 keys one to seven and SW3 key one. The binary value of the keys not turned on (SW3 keys two to seven) equals 65,280. The Index signal causes the Byte counter to be preset to 65,280. The Counter is then clocked by the positive going edge of the 2 Byte Clock (2 BYTCL) signal until it reaches 65,535 (255 byte clocks). Then a carry signal which is used as a new preset enable to the Byte Counter is issued. The carry signal is applied to next flip-flop and then converted into 24-bit pulse of the Sector signal. The block diagram is shown in Figure 4-6-34, and the timing chart is shown in Figure 4-6-35.




Figure 4-6-34 Sector Generator Block Diagram




Figure 4-6-35 Sector Generator Timing Chart

4.6.7 Head Selection

A head must be selected before a read or write operation can be performed. (However, head switching during format write is available.) The head address is set by positive-going edge of Tag 2 signal with Bus bit 0 to 3 at Head Address Register (HAR). The HAR outputs, HAR1, 2, 4 and 8 signals, are applied to the Driver circuit on the CZOM/KGKM PCB.

HA1 and HA2 signals are converted from TTL level to ECL level, and applied to head ICs (HIC). Then HIC selects one read/write pre-amplifier and one head in the decode circuit. At this time, Chip Select (CS) signal corresponding to that HIC must be ON.

HA4 and HA8 signals are converted from TTL level to +6V/0V (0V:ON) level in the CZOM/KGKM PCB. CS0, CS1 and CS2 signals enable HD0 to HD3, H4 to H6 and H7 to H9 signals respectively, and these signal are applied to each HIC.

The DC regulators in the CZOM/KGKM PCB supply +6V DC (V_{CC}) and -4V DC (V_{EE}) to the head ICs within the Disk Enclosure. When the power supply becomes abnormal condition (PWRDY signal becomes OFF), V_{EE} supply stops immediately. The multiple-chip select or head-short condition is detected by an overload current of V_{CC} supply.

The block diagram of head selection is shown in Figure 4-6-36.




Figure 4-6-36 Head Selection Block Diagram

4.6.8 Read/Write Function

(1) Read/Write Basic Principles

When the disk is rotating at a nominal 3,600 rpm, a read or write may be performed. The basic principles of the read/write function are as follows:

a. Data Write

During a write instruction, a 0 or 1 is recorded by reversing the direction of the current flowing in the data head coil. When the direction of the current flowing in the head coil is reversed, the magnetic poles of the head are reversed and the direction of magnetic flux at the gap is reversed. The direction of magnetization of the surface of the disk is then reversed. Each flux reversal means that a "1" or "0" has been recorded on the disk.




Figure 4-6-37 Data Write

b. Data Read

During a read instruction, the transitions recorded on the surface of the disk are detected by the head gap. When magnetized in the same direction continuously, no output is produced. However, when a recorded bit (180-degree flux reversal in the horizontal direction) passes under the head gap, the magnetic flux flowing in the ring and coil is reversed and an output pulse is obtained.




Figure 4-6-38 Data Read

(2) 2-7 Coding

The M233XK uses the 2-7 recording method. Since data is transferred between the controller and the disk drive unit by NRZ transmission, the NRZ data is converted to 2-7 data by an encoder in the drive, then recorded on the magnetic disk. In read operation, the recorded data in 2-7 code is read and converted to NRZ data by a decoder, then transferred to the controller.

The 2-7 code is a code of 4 to 8 bits in length converted from NRZ data of 2 to 8 bits in length according to the specified rule shown in Table 4.6.2. The 2-7 code contains continuous 0s from 2 to 7 between two 1s.

In the 2-7 code, the minimum code bit period is more than $1.5T$ (T indicates the data bit period) for any input data combination.




Figure 4-6-39 2-7 Coding

Table 4-6-2 Translation Between NRZ and 2-7 Codes

NRZ Code words	2-7 Code words
0 1	0 1 0 0
1 0 1	1 0 0 1 0 0
1 1 0 1	0 0 1 0 0 1 0 0
0 0	1 0 0 0
1 0 0	0 0 1 0 0 0
1 1 0 0	0 0 0 0 1 0 0 0
1 1 1	0 0 0 1 0 0

(3) Write Operation

The write circuit block diagram is shown in Figure 4-6-40. The servo data written on the disk are read by the servo head, and the PLO circuit generates 2 bit cell PLO $\frac{1}{2}$ F signal. The PLO $\frac{1}{2}$ F signal is applied to the VFO (variable frequency oscillator).

The VFO is synchronized with the PLO $\frac{1}{2}$ F signal and generates four times the frequency of the PLO $\frac{1}{2}$ F; VFO2F signal. VFO2F signal is applied to the ENCODER circuit; VFO1F is also sent to the control unit as the Read Write Clock signal. The control unit must use this Read Write Clock signal in the case of Write Clock (WCLK) and Write Data (WDAT) generation.

When a write command is issued from the control unit after head selection, the WDAT and WCLK signals are sent to the disk drive, and the WDAT signal is clocked by the positive-going edge of WCLK signal.

The clocked WDAT signal is applied to Encoder circuit, WDAT of NRZ code is converted into Encode Write Data (ENCWD) of 2-7 code, (refer to Table 4-6-2), and circuit is converted into Write Data Pulse (WDP).

When the Write Gate signal goes true, the WDP signal is toggled by a flip-flop and passes through the Read/Write Bus Switch IC. It is then applied to the Head IC (HIC) chips as Data X (DX) and Data Y (DY) signals. The write current is supplied to the selected HIC chip through a Write Current (WC) line.

The block diagram of write operation is shown in Figure 4-6-40.




Figure 4-6-40 Write Operation Block Diagram

(4) Write Compensation

When the bit density (BPI) is high on a disk surface, and a read operation is performed, a peak shift phenomenon appears, which tends to widen the narrow part of the bit spacing because of mutual magnetic interference of the bits. When such a phenomenon appears, reading of the data will deviate from the correct bit spacing, causing errors. The write compensation circuit measures this peak shift beforehand so the data is written by shifting the peak in the opposite direction of the peak shift appearing during the read operation.

The NRZ write data (WDAT) sent from the control unit is clocked by the positive-going edge of the WCLK signal. It is then synchronized with the internal one-bit cell clock (CLKA) which is issued from the sync decision window circuit, comparing the phase difference between *WCLK and VFO2F by enabling the Write Enable (WENB) signal.

The NRZ data synchronized with the internal clock is applied to 2-7 encoder circuit. The output of the 2-7 encoder circuit is applied to six-bit shift register. Each output of the six-bit shift register is applied to a write compensation circuit and then converted into 2-7 data pulse train with write compensation according to the truth table (as shown in Table 4-6-3). The preshift timing of write compensation is defined by Early (EY), on-Time (OT) and Late (LT) signals.

The block diagram and timing chart are given in Figure 4-6-41 and Figure 4-6-42.

Table 4-6-3 Write Compensation Truth Table

REGISTER STATUS			WRITE COMP			2-7
ENCWD	ESR2	ESR5	EY	OT	LT	DT
1	1	1	0	1	0	1
0	1	1	1	0	0	1
0	1	0	0	1	0	1
1	1	0	0	0	1	1
*	0	*	*	*	*	0

Note: EY: Early Pulse
OT: On-Time Pulse
LT: Late Pulse
DT: Data Pulse




Figure 4-6-41 2-7 Coding and Write Compensation Block Diagram




Figure 4-6-42 Write Compensation Timing Chart

(5) Read Operation

A read operation is initiated by enabling Tag 3 and Bus 1 (Read Gate: RG). The analog read circuitry is enabled by disabling Write Enable (WENB).

The DX, DY HIC (Head IC) outputs are applied to the Read/Write Bus Switch IC (MB4316), amplified, and then sent to LPF (Low Pass Filter) circuit as shown in Figure 4-6-43.




Figure 4-6-43 Read Write Bus Switch

The LPF attenuates the high-frequency noise; its output is then applied to the Automatic Gain Control (AGC) circuit.

The AGC circuit develops the control voltage to the AGC amplifier and holds AGC output amplitude (200 mVp-p) at a constant level. The output of the AGC amplifier is amplified to 2.0 Vp-p, and sent to the Pulse Shaper circuit.

After going false at WENB, the read circuit is activated; however, a read-transient which is caused by the DC unbalance of the read pre-amplifier will occur. The profile of read after write transient from is shown in Figure 4-6-44.




Figure 4-6-44 AGC Squelch Function

The AGC output signal is applied to Pulse Shaper which is the analog-to-digital convertor circuit.

The block diagram is shown in Figure 4-6-45.

The output of Pulse Shaper which is Raw Data (RAWDT), is sent to the VFO circuit.




Figure 4-6-45 Read Operation Block Diagram

4.6.9 VFO

(1) VFO and Data Separator

The Variable Frequency Oscillator (VFO) circuit synchronizes with a $PLO\frac{1}{2}F$ signal from the servo track during Not-Read operation and with the Raw Data (RAWDT) signal, from the data track, during a read operation. The block diagram of the VFO and Data Separator circuits is shown in Figure 4-6-46.

The VFO are composed of the following circuit.

- VFO Input Multiplexer
- Time-Margin Measurement (TMG) One-Short
- Reference One-Shot
- Phase-compare Latch
- Phase Comparator and Charge Pump
- Low-Pass Filter and Buffer
- Voltage-Controlled Oscillator (VCO)




Figure 4-6-46 VFO Block Diagram

- a. **VFO Input Multiplexer**
 The VFO input multiplexer controls the VFO input. During an initial seek operation or a RTZ operation, this circuit inhibits an input of data into the VFO circuit by enabling the Filter Squelch (FLT SQ) signal. This causes the VCO to oscillate at a free-running frequency. After an initial seek operation or a RTZ operation, the VFO Input multiplexer controls the transmission of the $PLO\frac{1}{2}F$ or RAWDT signals into the VFO circuit.
 During a non-read operation, the $PLO\frac{1}{2}F$ signal is applied to the VFO circuits by the enabling of the Servo Mode (SVMD) signal. During a read operation, the RAWDT signal is applied to the VFO circuits by disabling the SVMD signal. The VFO input multiplexer output, Data Input 1 (DTIN1), is applied to the TMG One-shot circuit.
- b. **TMG One-shot**
 The TMG One-shot circuit issues a Data Input 2 (DTIN2) signal to the Phase Comparator, and Reference One Shot circuit. It also issues Delayed Data (DLDT) signal to the Data Window circuit. The timing relation between DTIN2 and DLDT signals adjusted by potentiometer RV2 determines the read margin. (Refer to Figure 4-6-48)
- c. **Reference One-shot**
 The leading edge of the DTIN2 signal triggers the Reference One-shot, which issues a 8 ns Reference Pulse (REFP) signal to the Phase Comparator Charge Pump circuit.
- d. **Phase Compare Latch**
 The leading edge of the DTIN2 signal sets the Phase Compare Latch and the negative-going edge of $-2F$ Clock ($-2F$ CLK) resets it. The Phase-Compare Latch issues a Phase-Compare Latch Output (PCLO) signal to the Phase Comparator Charge Pump circuit.
- e. **Phase Comparator and Charge Pump**
 The Phase Comparator Charge Pump circuit issues a Decrease frequency (DEC) signal when the VFO input phase is lagging, and an Increase frequency (INC) signal when the VFO input phase is leading, comparing the phases between DTIN2 signal and PCLO signal.
 The INC or DEC signal drives the constant-current circuit to charge or discharge the filter circuit (LPF and Buffer).
- f. **LPF and Buffer**
 The charge pump output is applied to a Low Pass Filter (LPF) and converted into DC voltage to control the VCO. During an initial seek operation or RTZ operation, the FLT SQ signal clamps the charge pump output to 0V to recalibrate the VFO function.
 During an initial data read operation, a VFO Fast-Sync (VFOFS) signal is issued to the VFO circuit which increases the loop gain of the VFO circuit to widen the pull-in range, and to shorten the pull-in time for synchronization to the RAWDT signal. At termination of the data read operation, the same function is activated for synchronization with the $PLO\frac{1}{2}F$ signal.
 The LPF and Buffer output is applied to two stages of an emitter-follower circuit. It controls the VCO frequency as a Control Voltage (Vc) signal.
- g. **Voltage Controlled Oscillator**
 The VCO issues ECL level output. Refer to Table 8.3.3.




Figure 4-6-47 VFO Timing Chart




Figure 4-6-48 Data Window Timing Chart


(2) VFO Control Logic

The VFO control circuit controls the input to the VFO circuit; that is, the PLO output PLO½F or recovered read data, RAWDT, it also generates a VFO fast synchronization (VFOFS) signal for faster VFO synchronization with the input signals RAWDT or PLO½F.

In a start-up sequence, the leading edge of the PWRDY signal sets the FLTSQ signal to inhibit the input to the VFO circuit. The initial seek completion sets a Linear Mode (LNMD) signal, and then resets the FLTSQ signal to enable the synchronization of the VFO circuit. The leading edge of the FLTSQ signal clocks the initial VFO fast-sync (IVFOFS) counter which issues a 24-byte pulse of the VFOFS1 signal.

The leading edge of the VFOFS1 signal sets the Servo Mode (SVMD) latch. The SVMD signal is applied to the VFO input multiplexer so that the PLO½F signal is applied to the VFO. Simultaneously, the VFOFS signal (24-byte) activates the fast synchronization of the VFO circuit.

When either PWRDY or SPGD signal, go false or when a seek error has occurred, or when a RTZ command is issued to the drive, the FLTSQ signal will go true. A block diagram of VFO control is shown in Figure 4-6-49, and the timing chart of an initial VFO control is shown in Figure 4-6-50.



B03P-4760-0111A...01

Figure 4-6-49 VFO Control Logic Block Diagram




Figure 4-6-50 Initial VFO Control Timing Chart

During a Non-read operation, the VFO circuit synchronizes with the PLO output, $PLO\frac{1}{2}F$, and generates a VFO clock (VFOCKL). In Hard Sector mode, at the beginning of a read operation, Read Gate is applied to the RG True Detect circuit and is clocked by the positive-going edge of the *CLK2 signal.

A rise read gate (RRG) signal, which is an output of the RG True Detect circuit, is applied to 6 byte shift register. Its output then Load 20 on the lock-to-data counter to generate a 6-byte lock-to-data (LDATA) signal. The leading edge of the LDATA signal resets Servo Mode (SVMD) so that the VFO circuit synchronizes with RAWDT. Refer to Figure 4-6-51.

At the end of the Read Gate signal, a half byte Set Lock-To-PLO (SLPLO) signal is issued and applied to the Lock-To-PLO Counter to generate a 6-byte Lock To PLO (LPLO) signal. The LPLO signal sets Servo Mode (SVMD) so that the VFO circuit synchronizes with $PLO\frac{1}{2}F$.

The LDATA and LPLO signals are converted into the VFO Fast-sync (VOFS) signal and applied to the VFO LPF circuit to decrease the time constant of the LPF. This promotes faster synchronization of the VFO circuit with RAWDT or $PLO\frac{1}{2}F$.




Figure 4-6-51 VFO Control Timing Chart

(3) 2-7 Decoder

The 2-7 decoder converts the 2-7 data into NRZ data.

The 2-7 data synchronized with 2F clock sent from VFO circuit is input to an eight-bit shift register, then sent to a decoder in which the 2-7 data is converted to NRZ data according to the conversion table listed in Table 4-6-2.

A read command starts the decoder detecting all 1 gap data. When this data is detected, the 2F clock is toggled to VFO clock (VFOCLK) to transfer the data. The 2-7 data is converted to NRZ data by gating VFOCLK. The NRZ data synchronized with VFOCLK is sent to the controller.

Figure 4-6-52 shows the abbreviated block diagram of the 2-7 decoder.




Figure 4-6-52 2-7 Decoder Block Diagram

Section 5
Troubleshooting Guide

5. TROUBLESHOOTING GUIDE

5.1 INTRODUCTION

This section will contain troubleshooting flow charts arranged according to the error status on the disk unit and control unit.

Note: Before any operation is attempted, maintenance personnel should read carefully Section 6 (Maintenance) and fully understand the details of the procedures and tools required.

Check the following items in list before applying power to the unit after installation.

- (1) Ensure that the AC line conditions satisfy the power supply requirements.
- (2) Ensure that the DC voltages satisfy the unit requirements.
- (3) Inspect the interface cables to ensure pin 1 on the cable goes to pin 1 of the connector at both the unit and at the control unit.
- (4) If the unit is in a daisy chain mode with one or more units, make sure that only the last unit has a line terminator (LTN) installed.
- (5) Ensure that the desired logical unit number (LUN) of the unit is selected on the KGFM PCB, see Section 3.7.1 and that each LUN in the system is unique.
- (6) In the case of Hard Sector (fixed sector length), ensure that the correct sector count is set on KGFM PCB, see Section 3.7.7.
- (7) Ensure that Tag 4/5 Enable or Disable is set, per the system configuration. See Section 3.7.3.
- (8) Ensure that File Protect key is in the proper position to meet the system requirement, see Section 3.7.4.
- (9) Ensure that Disable/Normal keys are correctly set to the Normal position. (Dual Channel option)
- (10) Ensure the Release Timer key is set to the desired position. (Dual channel option)
- (11) Ensure that all PCB assemblies and cables are firmly seated.

5.2 ERROR STATUS

The disk unit, optional power supply unit (PSU), and/or the control unit will issue the following statuses as shown in Table 5-2-1.

Table 5-2-1 Error Status

Error Status	Definition	Information Source
Alarm	Power malfunction has occurred on the disk unit or optional PSU.	Optional PSU
Not Selected	The control unit cannot select the specified disk unit.	Disk Unit Control Unit
Not Power Ready (*PWRDY)	DC power is not sufficient for the specified voltage.	Disk Unit (KGFM)
Power-up Sequence Check	Power-up sequence is not completed.	Disk Unit (KGFM)
Device Check (DVCK)	DVCK indicates a fault condition has occurred in the disk unit.	Disk Unit (KGFM)
Seek Error (SKERR)	SKERR status indicates that a seek malfunction has occurred in the disk unit.	Disk Unit (KGFM) Control Unit
Read Error	READ ERROR status result if a data error has occurred in read operation.	Control Unit
Dual Channel	DUAL CHANNEL malfunction concerns Select/Reserve functions.	Control Unit

Maintenance personnel can see the Power-up Sequence Check, Device Check (Fault) or Seek Error status at Fault Indicator LEDs on KGFM PCB assembly. These LEDs are defined as shown in Table 5-2-2.

Table 5-2-2 Fault Indicator Definition

Error Status	Status Tag		Status Bit			Error Code	Description
	2	1	4	2	1		
Power-up Sequence Check	0	0 ↑↓ 1	0	1	1	03/0B	Actuator Lock check (State 3)
			0	1	0	02/0A	DC Motor Accelerate check (State 2)
			1	1	0	06/0E	Accelerate complete check (State 6)
			1	1	1	07/0F	Initial seek check (State 7)
			1	0	1	05/0D	Emergency on Ready check
Device Check (Fault)	0	1	0	0	1	09	Control Check 1
			0	1	0	0A	Control Check 2
			0	1	1	0B	Write Off-track Check
			1	0	0	0C	Write Unsafe Check
			1	0	1	0D	Write Protect Check
			1	1	0	0E	Multiple Head Check
			1	1	1	0F	Emergency (Consequently 05/0D)
Seek Error	1	0	0	0	1	11	RTZ Time-out Check
			0	1	0	12	Seek Time-out Check
			0	1	1	13	Over-shoot Check
			1	0	0	14	Seek Guard Band Ccheck
			1	0	1	15	Linear Mode Guard Band Check
			1	1	0	16	RTZ outer Guard Band check
			1	1	1	17	Illegal Cylinder Check

Note: To be used with Table 2.3.1, page 2-3.

5.3 FAULT ISOLATION LIST

To isolate the fault, the possible faults defined by fault code and assembly to be replaced are listed in Table 5-3-1.

Table 5-3-1 Fault Isolation List

Code	Definition	Description
03/0B	Actuator Lock Check (State 3)	<p>Description : indicates that the actuator was not released during State 2, which was detected by no current flowing through the solenoid.</p> <p>Possible Fault:</p> <ul style="list-style-type: none"> ① Disconnection of CN12 on TVQM ② Actuator auto-lock fault (Drive) ③ Relay RL1/RL3 fault (TVQM PCB) ④ Relay driver fault (CZOM/KGKM PCB) ⑤ Release detection fault (CZOM/KGKM PCB) ⑥ Power-up sequence control fault (KGFM PCB)
02/0A	DC motor Accelerate check (State 2)	<p>Description : indicates that the rotational speed did not come up to 94% speed within 50 seconds of State 2.</p> <p>Possible Fault:</p> <ul style="list-style-type: none"> ① Disconnection of CN11 of TVQM PCB. ② Power amplifier fault (TVQM PCB) ③ DC motor control fault (CZOM/KGKM PCB) ④ +24V DC too low (Power Supply) ⑤ DC motor itself fault (Drive) ⑥ Power-up sequence control fault (KGFM PCB)
06/0E	Accelerate complete check (State 6)	<p>Description : indicates that the first acceleration of spindle motor was not terminated within 16 seconds of State 6.</p> <p>Possible Fault:</p> <ul style="list-style-type: none"> ① Power amplifier fault (TVQM PCB) ② DC motor control fault (CZOM/KGKM PCB) ③ +24V DC too low (Power Supply) ④ DC motor itself fault (Drive) ⑤ Power-up sequence control fault (KGFM PCB)
07/0F	Initial Seek Check (State 7) Note: S1 on CZOM/KGKM must be jumpered.	<p>Description : indicates that initial seek was not completed or not terminated within 4 seconds of State 7.</p> <p>Possible Fault:</p> <ul style="list-style-type: none"> ① Power amplifier fault (TVQM PCB) ② Actuator auto-lock fault (Drive) ③ Position sensing fault including PLO (CZOM/KGKM PCB) ④ Servo control fault (CZOM/KGKM PCB) ⑤ Power-up sequence or seek control logics fault (KGFM PCB) ⑥ Servo surface malfunction (Drive) ⑦ VCM fault (Drive)
05/0D	Emergency on Ready Check	<p>Description : indicates that VCM/DC motor over-heat or DC motor fault (sensor fault) occurred during Ready Status (State 4), and consequently goes to not-ready status.</p> <p>Possible Fault:</p> <ul style="list-style-type: none"> ① Power amplifier fault (TVQM PCB) ② Servo control fault (CZOM/KGKM PCB) ③ Seek control logic fault (KGFM PCB) ④ VCM itself fault (Drive) ⑤ DC motor control fault (CZOM/KGKM PCB) ⑥ DC motor phase detection fault (TVQM PCB) ⑦ DC motor phase decoder fault (CZOM/KGKM PCB) ⑧ Disconnection of CN11 of TVQM PCB

Table 5-3-1 Fault Isolation List (Continued)

Code	Definition	Description
09	Control Check 1	<p>Description : indicates that illegal command was issued from the control unit during not-ready status, head's moving or seek error status.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Illegal command from the control unit. ② Driver/receiver fault (KGFM PCB) ③ Cabling fault to the control unit.
0A	Control Check 2	<p>Description: indicates that illegal write command sequence has occurred within the drive.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Illegal command from the control unit ② Driver/receiver fault (KGFM PCB) ③ Cabling fault to the control unit
0B	Write Off-track Check	<p>Description : indicates that Off-track condition has occurred during write operation. The Off-track condition is detected by exceeding ± 0.65 V_{0-p} on FNPOS signal.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Servo control fault including adjustments (CZOM/KGKM PCB) ② Position sensing fault (CZOM/KGKM PCB) ③ Servo surface malfunction (Drive)
0C	Write Unsafe Check	<p>Description : indicates that write operation was not completed caused by write driver.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Write circuit fault for any head (CZOM/KGKM PCB) ② Specific head assembly fault (Drive) ③ Specific head group at HD0 to 3, HD4 to 7, or HD8/9 <ul style="list-style-type: none"> • HIC/chip select fault (KGFM PCB) • HIC itself fault (Drive) ④ Head select fault (CZOM/KGKM PCB) ⑤ Illegal head address by the control unit ⑥ HFM Encoder fault (KGFM PCB) ⑦ Head Address Register FAult (KGFM PCB)
0D	Write Protect Check	<p>Description : indicates that write operation was attempted during write-protect condition which was enabled by File-protect switch on KGFM or optional front panel.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Illegal write command from the control unit. ② Mis-operation of the switch. ③ Write Control Logic Fault (KGFM PCB)
0E	Multiple Head Check	<p>Description : indicates that multiple heads or HICs were selected during write operation.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① HIC chip-select driver fault (CZOM/KGKM PCB) (excluding the specific head group) ② HIC itself fault (Drive) ③ Multiple head detection fault (CZOM/KGKM PCB)
0F	Emergency on Ready Check	Refer to Code 05/0D
11	RTZ Time-out Check	<p>Description : indicates that RTZ operation was not terminated within 4 seconds.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Servo control fault (CZOM/KGKM PCB) ② Seek control logic fault (KGFM PCB) ③ Servo surface malfunction (Drive)

Table 5-3-1 Fault Isolation List (Continued)






Code	Definition	Description
12	Seek Time-out Check	<p>Description : indicates that seek operation was not terminated within 67ms.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Servo control fault (CZOM/KGKM PCB) ② Seek control logic fault (KGFM PCB) ③ Servo surface malfunction (Drive)
13	Over-shoot Check	<p>Description : indicates that the head over-shoot on to the unspecified new cylinder.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Servo control fault including adjustment (CZOM/KGKM PCB) ② Actuator auto-lock fault (Drive) ③ DC Voltage too high or low (Power Supply) ④ Servo surface malfunction (Drive) ⑤ Position sensing fault (CZOM/KGKM PCB) ⑥ Seek control logic fault (KGFM PCB)
14	Seek Guard Band Check	<p>Description : indicates that any Guard Band patterns were detected during seek operation.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Servo control fault including adjustment (CZOM/KGKM PCB) ② Position sensing fault (CZOM/KGKM PCB) ③ Servo surface malfunction (Drive) ④ Seek control logic fault (KGFM PCB)
15	Linear Mode Guard Band Check	<p>Description : indicates that any Guard Band patterns were detected during linear mode (track following).</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Servo control fault including adjustment (CZOM/KGKM PCB) ② Position sensing fault (CZOM/KGKM PCB) ③ Servo surface malfunction (Drive) ④ Seek control logic fault (KGFM PCB)
16	RTZ Outer Guard Band Check	<p>Description : indicates that Outer Guard Band Patterns were detected during RTZ operation.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Servo control fault (CZOM/KGKM PCB) ② Seek control logic fault (KGFM PCB)
17	Illegal Cylinder Check	<p>Description : indicates that Illegal cylinder address (CAR > 822) were set on the drive.</p> <p>Possible fault:</p> <ul style="list-style-type: none"> ① Illegal command from the control unit. ② Cylinder address register fault (KGFM PCB) ③ Line receiver fault (KGFM PCB)

5.4 TROUBLESHOOTING SYMBOL

The troubleshooting flow charts contain the procedures beginning with an error status, to pursue trouble sources.

The following conventions are provided to aid understanding the symbols used in this trouble shooting flow charts as shown in Table 5-4-1.

Table 5-4-1 Symbol of Flow Chart

Symbol	Description
	Terminals. Starting point of the trouble.
	Decision, go ahead according with YES or NO. (Reference test point.) ○ : possible fault (Refer to 5.3)
	Connector, go ahead same-numbered symbol in same sheet.
	Connector, go ahead same-numbered symbol in another sheet.
	Process, perform activity given.

5.5 TROUBLESHOOTING FLOW CHART

In this paragraph, the following flow charts are provided.

- Figure 5-5-1 Alarm (page 5-7)
- Figure 5-5-2 Not Selected (page 5-9)
- Figure 5-5-3 Not Power Ready (page 5-10)
- Figure 5-5-4 Power-up Sequence Check (page 5-11)
- Figure 5-5-5 Device Check (page 5-17)
- Figure 5-5-6 Seek Error (page 5-23)
- Figure 5-5-7 Read Error (page 5-30)
- Figure 5-5-8 Dual Channel (page 5-36)




Figure 5-5-1 Alarm Flow Chart (Sheet 1 of 2)




Figure 5-5-1 Alarm Flow Chart (Sheet 2 of 2)




Figure 5-5-2 Not Selected Flow Chart




Figure 5-5-3 Not Power Ready Flow Chart




Figure 5-5-4 Power-up Sequence Check Flow Chart (Sheet 1 of 6)




Figure 5-5-4 Power-up Sequence Check Flow Chart (Sheet 2 of 6)




Figure 5-5-4 Power-up Sequence Check Flow Chart (Sheet 3 of 6)




Figure 5-5-4 Power-up Sequence Check Flow Chart (Sheet 4 of 6)




Figure 5-5-4 Power-up Sequence Check Flow Chart (Sheet 5 of 6)




Figure 5-5-4 Power-up Sequence Check Flow Chart (Sheet 6 of 6)




Figure 5-5-5 Device Check Flow Chart (Sheet 1 of 6)




Figure 5-5-5 Device Check Flow Chart (Sheet 2 of 6)




Figure 5-5-5 Device Check Flow Chart (Sheet 3 of 6)





Figure 5-5-5 Device Check Flow Chart (Sheet 4 of 6)



Note) FPT (File Protect) switches are located on KGFM PCB assembly (SW1-Key 9) and an optional operator panel.

Figure 5-5-5 Device Check Flow Chart (Sheet 5 of 6)




Figure 5-5-5 Device Check Flow Chart (Sheet 6 of 6)




Figure 5-5-6 Seek Error Flow Chart (Sheet 1 of 7)




Figure 5-5-6 Seek Error Flow Chart (Sheet 2 of 7)




Figure 5-5-6 Seek Error Flow Chart (Sheet 3 of 7)




Figure 5-5-6 Seek Error Flow Chart (Sheet 4 of 7)




Figure 5-5-6 Seek Error Flow Chart (Sheet 5 of 7)




Figure 5-5-6 Seek Error Flow Chart (Sheet 6 of 7)






Figure 5-5-6 Seek Error Flow Chart (Sheet 7 of 7)



Note: 1) AA is Address Area
 2) DA is Data Area.

Figure 5-5-7 Read Error Flow Chart (Sheet 1 of 6)



- Note: 1) If the noise exceeding 1.0V_{0-p} appears on -FNPOS signal during Linear Mode, it is incorrect.
- 2) One HIC chip has four/two heads.
 CS0: HD0 to 3
 CS1: HD4 to 7
 CS2: HD8 and 9

Figure 5-5-7 Read Error Flow Chart (Sheet 2 of 6)




Figure 5-5-7 Read Error Flow Chart (Sheet 3 of 6)

From Sheet 3 and 5




Figure 5-5-7 Read Error Flow Chart (Sheet 4 of 6)




Figure 5-5 7 Read Error Flow Chart (Sheet 5 of 6)




Figure 5-5-7 Read Error Flow Chart (Sheet 6 of 6)




Figure 5-5-8 Dual Channel Malfunction Flow Chart (Sheet 1 of 5)




Figure 5-5-8 Dual Channel Malfunction Flow Chart (Sheet 2 of 5)




Figure 5-5-8 Dual Channel Malfunction Flow Chart (Sheet 3 of 5)




Figure 5-5-8 Dual Channel Malfunction Flow Chart (Sheet 4 of 5)




Figure 5-5-8 Dual Channel Malfunction Flow Chart (Sheet 5 of 5)

Section 6
Maintenance

6. MAINTENANCE

6.1 INTRODUCTION

This section covers maintenance of the unit, and is divided into General Precautions, Preventive Maintenance, Maintenance Equipment, Parts Replacement, and Electrical Checks and Adjustment items.

6.2 GENERAL PRECAUTIONS

6.2.1 Power On/Off

- (1) Visually check the condition of the device and all cables for wear or damage before turning the power on.
- (2) Always disconnect the power before removing or inserting printed circuit boards or connectors.
- (3) After maintenance, before turning the power on, ensure that all printed circuit boards and connectors correctly seated and installed in the correct position.

6.2.2 Parts Replacement

- (1) Use screwdrivers that match the size of the screws.
- (2) Do not leave removed screws in the drive.

Caution: Never loosen the retaining clamps for the DE aluminum cover. The DE must not be opened in the field. Screws marked with paint on their heads must not be loosened.

6.2.3 Dual Channel Switches

- (1) Turn the switches to the desired position according to system configuration.
- (2) After maintenance, turn the maintenance switch to the Normal A/B (NRA/NRB) position.

6.2.4 Other

- (1) Use test equipment that has been correctly calibrated.
- (2) Always record failure symptoms and remedies employed for later reference.

6.3 MAINTENANCE TOOLS AND EQUIPMENT

Table 6-3-1 Maintenance Tools and Equipment

Tool and equipment	Model
Oscilloscope	TEKTRONIX 475, or equivalent
Oscilloscope probe (x 10)	TEKTRONIX P6053B, or equivalent
Digital multimeter	
Screwdriver	#2 Phillips

6.4 PREVENTIVE MAINTENANCE

No preventive maintenance is required.

6.5 PCB ASSEMBLY REPLACEMENT

The parts required for maintenance are the three printed circuit board assemblies. (In case that dual channel option is not mounted). (Refer to Section 7. Spare Parts.) This section describes the removal of all PCB.

6.5.1 PCB Assembly Arrangement

Three PCB assemblies are mounted on the DE as shown in Figure 6-5-1.




Figure 6-5-1 PCB Assy. Arrangement

6.5.2 KGFM PCB Assembly Replacement Procedure

Refer to Figure 6-5-2.

To replace the KGFM PCB Assembly, proceed as follows:

- (1) Removal
 - (A) Loosen screws "A" and remove the top cover.
 - (B) Disconnect wiring (CN3 and CN4) from the KGFM PCB assembly.
 - (C) Remove the six screws indicates in Figure 6-5-2.
 - (D) Remove the KGFM PCB assembly by lifting it.
- (2) Installation
 - (A) Fasten the KGFM PCB Assembly to the side frame, six screws.
 - (B) Fasten connectors (CN3 and CN4).
 - (C) Install the top cover and tighten screws "A".




Figure 6-5-2 KGFM PCB Assembly Replacement

6.5.3 CZOM/KGKM PCB Assy. Replacement Procedure

To replace the CZOM/KGKM PCB Assembly, proceed as follows:
Refer to Figure 6-5-3.

(1) Removal

- (A) Loosen screws "B".
- (B) Raise the KGFM PCB Assy. by lifting up the upper side-frame.
- (C) Disconnect wiring (CN5, CN6, CN7, CN8, CN9, and CN10).

- (D) Remove six screws and lift out the CZOM/KGKM PCB Assembly. Be careful not to damage CN15 on the TIXM (Through Connector). The TIXM is connected to the CZOM/KGKM PCB assembly at the back of the board. Refer to Figure 6-5-4. CN15 will be disconnected by lifting the CZOM/KGKM PCB assembly.




Figure 6-5-3 CZOM/KGKM PCB Replacement




Figure 6-5-4 TIXM Connection

(2) Installation

- (A) Set the CZOM/KGKM PCB assembly on the lower side-frame. Then, check that CN15 is connected correctly.
- (B) Fasten the six screws, and fasten other connectors.
- (C) Tighten screws "B".

6.5.4 TVQM PCB Assembly Replacement

The TVQM PCB assembly is mounted on the rear side of DE. Refer to Figure 6.5.5.

(1) Removal

- (A) Remove the Fan Unit (which is optional) or the cover by loosening the the screws "E".
- (B) Disconnect wiring (CN11, CN12, CN13, and CN14) from the DE and the CZOM/KGKM PCB assembly.
- (C) Remove screws "F".

Note: Be careful not to lose the isolating bushings, which fit around the threaded portion of the screws "F". When replacing the TVQM PCB assembly.

(2) Installation

- (A) Fasten the TVQM PCB assembly to the DE with screws "F". At this time, do not forget to fit the isolating bushings.
- (B) Fasten connectors coming from the DE and the CZOM/KGKM PCB assembly.
- (C) Install the optional Fan Unit or the cover with screws "E".




Figure 6-5-5 TVQM PCB Assembly Replacement

6.6 PCB CHECK AND ADJUSTMENT

6.6.1 Test Point Arrangement on PCB

Each PCB assembly is provided with test points and potentiometers to check and/or adjust circuit functions.

(1) KGFM PCB assembly

The test points and potentiometers are located on the KGFM PCB assembly as shown in Figure 6-6-1. Check terminals are listed in Table 6-6-1, test points in Table 6-6-2, potentiometers in Table 6-6-3, and switch keys in Table 6-6-4.

Caution: The short plugs listed in Table 6-6-1 must not be removed during PCB replacement.




Figure 6-6-1 KGFM PCB Assembly Test Points

Table 6-6-1 KGFM Check Terminals

TRM5					
Pin	Abbreviation	Signal Name	Pin	Abbreviation	Signal Name
09	STG2	Status Tag 2	08	O V	Ground
10	STG1	Status Tag 1	07	RDY	Ready
11	STS4	Status Bit 4	06	FPT	File Protect
12	STS2	Status Bit 2	05	EMGN	Emergency Retract
13	STS1	Status Bit 1	04		
14			03		
15			02		
16	+5V	+5VDC	01		

TRM4					
Pin	Abbreviation	Signal Name	Pin	Abbreviation	Signal Name
09	STLTRE (0)	—————→	08	STLTRE (1)	←————
10	OFSTS (0)	—————→	07	OFSTS (1)	←————
11	*SKSTL (1)	—————→	06	*SKSTL (0)	←————
12	OFINT (1)	—————→	05	OFZNT (0)	←————
13	*SKIINH (1)	—————→	04	KSKIINH (0)	←————
14	NMINT (1)	—————→	03	NMINH (0)	←————
15	ILCYTM (0)	—————→	02	ILCYLTM (1)	←————
16	NOMSK (0)	—————→	01	NOMSK (1)	←————

Note) The pins shown by "→←" must be connected with Short-Plug (C63L-0790-0001).

Table 6-6-2 KGFM Test Points

Test Points	Abbreviation	Signal Name	Signal Level	Schematic Code
TRM5-01	RGC	Read Gate Control	TTL	AE1
TRM5-02	VCMHTL	VCM Heat Latch	TTL	AK1
TRM5-03	SKI	Seek In Complete	TTL	AK2
TRM5-04	OFSET	Offset	TTL	AE1
TRM5-05	RDMD	Read Mode	TTL	AM2
TRM5-06	SCT	Sector	TTL	AL1
TRM5-07	SLD	Selected	TTL	AC1
TRM5-08	O V	Ground		AQ1
TRM5-09	FLT	Fault	TTL	AK1
TRM5-10	RTZC	Return To Zero Control	TTL	AE1
TRM5-11	INX	Index	TTL	AL1
TRM5-12	PWRDY1	Power Ready 1	TTL	AG1
TRM5-13	SKEND	Seek End	TTL	AJ1
TRM5-14	WGC	Write Gate Control	TTL	AE1
TRM5-15	STCAR2	Set Cylinder Address Register 2	TTL	AE1
TRM5-16	O V	Ground		AQ1
TRM6-01	VFOFS1	VFO Fast Sync 1	TTL	AM2
TRM6-02	DFWD	Drive Forward	TTL	AH2
TRM6-03	LNMD	Linear Mode	TTL	AH2
TRM6-04	RDY	Ready	TTL	AJ1
TRM6-05	DMFLL	DC Motor Fault Latch	TTL	AK1
TRM6-06	*OSCLK	Oscillator Clock	TTL	AG1
TRM6-07	DRLM	Drive Liner Mode	TTL	AH1
TRM6-08	O V	Ground		AQ1
TRM6-09	ONCYL	On Cylinder	TTL	AJ1
TRM6-10	SKERR	Seek Error	TTL	AJ1
TRM6-11	SEKM	Seek Mode	TTL	AH1
TRM6-12	V=0	Velocity Equal to Zero	TTL	AH1
TRM6-13	ILCYL	Illegal Cylinder	TTL	AF1
TRM6-14	*VFOFS	VFO Fast Sync	TTL	AM2
TRM6-15	DEQZ	Differences Equal to Zero	TTL	AF2
TRM7-16	O V	Ground		AQ1

Table 6-6-2 KGFM Test Points (Continued)

Test Points	Abbreviation	Signal Name	Signal Level	Schematic Code
TRM7-01	DLSPD	Delay Low Speed	TTL	AH2
TRM7-02	SQINH	Sequence Inhibit	TTL	AG2
TRM7-03	*LPLO	Lock To PLO	TTL	AM1
TRM7-04	*SLPLO	Set Lock To PLO	TTL	AM1
TRM7-05	*VCTCLB	VFO Control Clock B	TTL	AH1
TRM7-06	*FLTSQ	Filter Squelch	TTL	AM2
TRM7-07	STL1	Settling 1	TTL	AJ1
TRM7-08	O V	Ground		AQ1
TRM7-09	PWRDY2	Power Ready Z	TTL	AG1
TRM7-10	SRSLD	Set Register Set Lock To Data	TTL	AM1
TRM7-11	ENWDP	Enable Wire Data Pulse	TTL	AM2
TRM7-12	*SLDATA	Set Lock to Data	TTL	AM1
TRM7-13	*VCTCLA	VFO Control Clock A	TTL	AH1
TRM7-14	*2BYTCLK	2 Byte Clock	TTL	AH1
TRM7-15	*LDATA	Lock To DATA	TTL	AM1
TRM7-16	O V	Ground		AQ1
TRM8-01	*PLO2B	PLO 2 Bit	TTL	AH1
TRM8-02	GTZM	Go To Zero Mode	TTL	AH1
TRM8-03	*CKCLRK	Check Clear Key	TTL	AC1
TRM8-04	*CLDF	Clamp Difference	TTL	AF2
TRM8-05	PSDR	Position Drive	TTL	AH2
TRM8-06	*CY \geq 384	Cylinder \geq 384	TTL	AF1
TRM8-07	D16 \bar{O} F	Difference 16 or Offset	TTL	AF2
TRM8-08	O V	Ground		AQ1
TRM8-09	*ACDME	Accelerate DC Motor Enable	TTL	AG2
TRM8-10	DLT31	Difference Less Than 31	TTL	AF2
TRM8-11	*CMPRS	Compress	TTL	AG2
TRM8-12	*RLDR	Relay Drive	TTL	AG2
TRM8-13	CHACMP	Channel-A Compare	TTL	AC1
TRM8-14	*LKRLS	Lock Release	TTL	AG2
TRM8-15	UNSQ	Under Sequence	TTL	AH1
TRM8-16	O V	Ground		AQ1

Table 6-6-2 KGFM Test Points (Continued)

Test Points	Abbreviation	Signal Name	Signal Level	Schematic Code
TRM9-01	WDAT2	Write Data 2	TTL	AN1
TRM9-02	ENCWD	Encord Write Data	TTL	AN2
TRM9-03	*WDTP	Write Data Pulse	TTL	AN3
TRM9-04	SETALL1	Set All 1	TTL	AP1
TRM9-05	RDAT	Read Data	TTL	AP1
TRM9-06	VFOCL	VFO Clock	TTL	AP1
TRM9-07				
TRM9-08	0 V	Ground		AQ1
TRM9-09	0 V	Ground		AQ1
TRM9-10	0 V	Ground		AQ1
TRM9-11	0 V	Ground		AQ1
TRM9-12	0 V	Ground		AQ1
TRM9-13	0 V	Ground		AQ1
TRM9-14	0 V	Ground		AQ1
TRM9-15	0 V	Ground		AQ1
TRM9-16	0 V	Ground		AQ1
W 1	+5V	+5VDC	DC	AQ1
W 2	-5V	-5VDC	DC	AB2
W 3	LVC 5V	LVC +5VDC	DC	AQ1
W 4	-5.2V	-5.2VDC	DC	AQ1
W 5	-12V	-12VDC	DC	AB2
W 6	0V	Ground		AQ1
W 7	0V	Ground		AQ1
W 8	0V	Ground		AQ1
W 9	0V	Ground		AQ1
W10	0V	Ground		AQ1

Table 6-6-3 KGFM Potentiometer Function

Pot No.	Function/Adjustment	Reference TP
RV1	Settling 1 (2.0ms)	TRM7-2

Note: No adjustment is required when the KGFM PCB is replaced.

Table 6-6-4 KGFM Switch Function

No.	Function	Reference TP
SW1	Disk Addressing Device Type (When Tag 4/5 enabled) Tag 4/5 Enable FPT On-side	None
SW2 SW3	Sector Counting	TRM5-06 (\$CT) TRM5-11 (ENX)
TRM1 TRM2	Busy signal terminator	None




Figure 6-6-2 CZOM PCB Assembly Test Points Arrangement

(2) CZOM PCB assembly

The test points and potentiometers located on the CZOM PCB assembly are shown in Figure 6-6-2. Test points are listed in Table 6-6-5, potentiometers in Table 6-6-6 switches in Table 6-6-7.

Table 6-6-5 CZOM Test Point

TP No.	Abbreviation	Signal Name	Level	Schematic Code
TP 1	WCA	Write Current A	Analog	
TP 2	WCB	Write Current B	Analog	
TP 3	PROT1	Pre-amplifier Output 1	Analog	
TP 4	PROT2	Pre-amplifier Output 2	Analog	
TP 5	AGCOT1	AGC Output 1	Analog	
TP 6	AGCOT2	AGC Output 2	Analog	
TP 7	REFP	Reference Pulse	ECL	
TP 8	DLDT	Delayed Data	ECL	
TP 9	DTWD	Data Window	ECL	
TP10	VFOVC	VFO Control Voltage	Analog	
TRM1- 1	PHA	Phase A	TTL	
TRM1- 2	* PHB	Phase B	TTL	
TRM1- 3	PHC	Phase C	TTL	
TRM1- 4				
TRM1- 5				
TRM1- 6				
TRM1- 7				
TRM1- 8	(0V)	Ground		
TRM1- 9				
TRM1-10	* CTCL	Control Clock	TTL	
TRM1-11	(TEST1)		TTL	
TRM1-12				
TRM1-13	Q44	Q44	TTL	
TRM1-14	* STARTP	Start Pulse	TTL	
TRM1-15	* TMCL	Timer Clock	TTL	
TRM1-16	STSPD	Set Speed	TTL	
TRM2- 1	* USF	Unsafe	TTL	
TRM2- 2	+ RAWDT	Raw Data	ECL	
TRM2- 3				
TRM2- 4				
TRM2- 5				
TRM2- 6				
TRM2- 7				
TRM2- 8	(0V)	Ground		
TRM2- 9	* DIGLT	Diag Latch	TTL	
TRM2-10				
TRM2-11				
TRM2-12				
TRM2-13				
TRM2-14				
TRM2-15	- RAWDT	Raw Data	ECL	
TRM2-16				
TRM3- 1	SERVO	Servo Signal	Analog	
TRM3- 2	SAGC	Servo AGC	Analog	
TRM3- 3				
TRM3- 4	PLOSS	PLO Single-shot	TTL	
TRM3- 5	* HDLD	Head Loaded	TTL	
TRM3- 6	PLOLT	PLO Latch	TTL	
TRM3- 7	POSN	Position N	Analog	
TRM3- 8	(0V)	Ground		
TRM3- 9	POSQ	Position Q	Analog	
TRM3-10	* SVPND	Servo Pulse Window	TTL	

Table 6-6-5 CZOM Test Point (Continued)

TP No.	Abbreviation	Signal Name	Level	Schematic Code
TRM3-11	(TESTP)		TTL	
TRM3-12	SVPL	Servo Pulse	TTL	
TRM3-13	* PLOLT	PLO Latch	TTL	
TRM3-14	- ABSVL	Absolute Velocity	Analog	
TRM3-15	SVSLT	Servo Slice Out	TTL	
TRM3-16	(TEST2)		TTL	
TRM4- 1	PLO 1/2F	PLO 1/2 Frequency	TTL	
TRM4- 2	* GT1	Gate 1	TTL	
TRM4- 3	* GT2	Gate 2	TTL	
TRM4- 4	* GT3	Gate 3	TTL	
TRM4- 5	BYTCL	Byte Clock	TTL	
TRM4- 6				
TRM4- 7	PLOVC	PLO Control Voltage	Analog	
TRM4- 8	(0V)	Ground		
TRM4- 9	* MSDT	Missing Detected	TTL	
TRM4-10				
TRM4-11	* GT4	Gate 4	TTL	
TRM4-12	* IGB2P	Inner Guard Band 2 Pulse	TTL	
TRM4-13				
TRM4-14	* OGBP	Outer Guard Band Pulse	TTL	
TRM4-15	* IGB1P	Inner Guard Band 1 Pulse	TTL	
TRM4-16				
TRM5- 1	PADR	Power Amplifier Drive	Analog	
TRM5- 2	- VEL	Velocity	Analog	
TRM5- 3	FNVEL	Fine Velocity	Analog	
TRM5- 4				
TRM5- 5	- DAC	DAC Output	Analog	
TRM5- 6				
TRM5- 7	CLPOS	Clamp Position	Analog	
TRM5- 8	(0V)	Ground		
TRM5- 9	- FNPOS	Fine Position	Analog	
TRM5-10				
TRM5-11				
TRM5-12				
TRM5-13	PER	Position Error	Analog	
TRM5-14	VER	Velocity Error	Analog	
TRM5-15				
TRM5-16	- FUNC	Function	Analog	
TRM6- 1	OFTRK	Off-track	TTL	
TRM6- 2	NQGTZ	N + Q Greater Than Zero	TTL	
TRM6- 3	NGTQ	N Greater Than Zero	TTL	
TRM6- 4				
TRM6- 5	* OGB	Outer Guard Band	TTL	
TRM6- 6				
TRM6- 7	DRLM	Drive Linear Motor	TTL	
TRM6- 8	(0V)	Ground		
TRM6- 9	FWD	Forward	TTL	
TRM6-10	TXPL	Track Crossing Pulse	TTL	
TRM6-11	* RINX	Raw Index	TTL	
TRM6-12	* IGB2	Inner Guard Band 2	TTL	
TRM6-13	* IGB1	Inner Guard Band 1	TTL	
TRM6-14				

Table 6-6-5 CZOM Test Point (Continued)

TP No.	Abbreviation	Signal Name	Level	Schematic Code
TRM6-15	V = 0	Velocity Equal To Zero	TTL	
TRM6-16	ONTRK	On-track	TTL	
W 1	(TEST)			
W 2	(TESTOFST)		Analog	
W 3	(0V)	Ground		
W 4	(0V)	Ground		
W 5	(0V)	Ground		

Table 6-6-6 CZOM Potentiometer Function

Pot. No	Function/Adjustment	Reference TP.
RV 1	VCO (PLO) Adjustment	TRM4-1/S2, S3
RV 2	Delayed Data One-shot	TP8/TP9
RV 3	Positioning Time Adjustment	
RV 4	Position Signal Adjustment	TRM3-7
RV 5	Velocity Offset Adjustment	TRM5-2
RV 6	Write Current Adjustment	TP1/TP2
RV 7	Referenc Pulse Adjustment	TP7
RV 8	VCO (VFO) Adjustment	TP9
RV 9	Servo Pulse Window Adjustment	TRM3-10
RV10	PLO Single-shot Adjustment	TRM3-4
RV11	DAC Adjustment	TRM5-5
RV12	Fine Velocity Adjustment	TRM5-3

Table 6-6-7 CZOM Switch Function

Pot. No	Function/Adjustment	Reference T.P.
S1	Power Amplifier Cut	
S2	VCO (PLO) Adjustment 1	TRM4-1/RV1
S3	VCO (PLO) Adjustment 2	TRM4-1/RV1
S4	Current Sense Offset (On-end)	
S5	Power Amplifier Drive Offset A (On-end)	
S6	Power Amplifier Drive Offset B (On-end)	

Note) Short-plugs on J1, J2 and J3 must not be removed.

(3) KGKM PCB

The test points and switches are located on KGKM PCB as shown in Figure 6-6-3. Test points are listed in Tables 6-6-8 and 6-6-9 and switch functions in Table 6-6-10.

The KGKM PCA is fully compatible with the CZOM and may be used interchangeably.




Figure 6-6-3 KGKM PCA Assembly Test Points

Table 6-6-8 KGKM Test Point (1/3)

TP No.	Abbreviation	Signal Name	Level	Schematic Code
TP 1	WCA	Write Current A	Analog	
TP 2	WCB	Write Current B	Analog	
TP 3	PROT1	Pre-amplifier Output 1	Analog	
TP 4	PROT2	Pre-amplifier Output 2	Analog	
TP 5	AGCOT1	AGC Output 1	Analog	
TP 6	AGCOT2	AGC Output 2	Analog	
TP 7	REFF	Reference Pulse	ECL	
TP 8	DLDT	Delayed Data	ECL	
TP 9	DTWD	Data Window	ECL	
TP10	VFOVC	VFO Control Voltage	Analog	
1- 1	PHA	Phase A	TTL	
1- 2	* PHB	Phase B	TTL	
1- 3	PHC	Phase C	TTL	
1- 4	NGTQ	N Greater Than Q	TTL	
1- 5	NQGTZ	N+Q Greater Than Zero	TTL	
1- 6				
1- 7	PLOVC	PLO Control Voltage	Analog	
1- 8	(0V)	Ground		
1- 9				
1-10	* CTCL	Control Clock	TTL	
1-11	(TEST1)		TTL	
1-12	SPDGD	Speed Good	TTL	
1-13	Q44	Q44	TTL	
1-14	* STARTP	Start Pulse	TTL	
1-15	* TMCL	Timer Clock	TTL	
1-16	STSPD	Set Speed	TTL	
2- 1	* USF	Unsafe	TTL	
2- 2	+ RAWDT	Raw Data	ECL	
2- 3				
2- 4				
2- 5				
2- 6				
2- 7				
2- 8	(0V)	Ground		
2- 9	* DIGLT	Diag Latch	TTL	
2-10				
2-11				
2-12				
2-13				
2-14				
2-15	- RAWDT	Raw Data	ECL	
2-16				

Table 6-6-8 KGKM Test Point (2/3)

TP No.	Abbreviation	Signal Name	Level	Schematic Code
3- 1	SERVO	Servo Signal	Analog	
3- 2	SAGC	Servo AGC	Analog	
3- 3				
3- 4	PLOSS	PLO Single-shot	TTL	
3- 5				
3- 6	PLOLT	PLO Latch	TTL	
3- 7	POSN	Position N	Analog	
3- 8	(0V)	Ground		
3- 9	POSQ	Position Q		
3-10	* SVPND	Servo Pulse Window	TTL	
3-11	(TESTP)		TTL	
3-12	SVPL	Servo Pulse	TTL	
3-13	* PLOLT	PLO Latch	TTL	
3-14	- ABSVL	Absolute Velocity	Analog	
3-15	SVSLT	Servo Slice Out	TTL	
3-16	(TEST2)		TTL	
4- 1	PLO 1/2F	PLO 1/2 Frequency	TTL	
4- 2	* GT1	Gate 1	TTL	
4- 3	* GT2	Gate 2	TTL	
4- 4	* GT3	Gate 3	TTL	
4- 5	BYTCL	Byte Clock	TTL	
4- 6				
4- 7				
4- 8	(0V)	Ground		
4- 9	* MSDT	Missing Detected	TTL	
4-10	* INX	Index	TTL	
4-11	* GT4	Gate 4	TTL	
4-12	* IGB2P	Inner Guard Band 2 Pulse	TTL	
4-13				
4-14	* OGBP	Outer Guard Band Pulse	TTL	
4-15	* IGB1P	Inner Guard Band 1 Pulse	TTL	
4-16				
5- 1	PADR	Power Amplifier Drive	Analog	
5- 2	- VEL	Velocity	Analog	
5- 3	FNVEL	Fine Velocity	Analog	
5- 4	* ACCL	Acceleration	TTL	
5- 5	- DAC	DAC Output	Analog	
5- 6				
5- 7	CLPOS	Clamp Position	Analog	
5- 8	(0V)	Ground		
5- 9	- FNPOS	Fine Position	Analog	
5-10				
5-11				
5-12				
5-13	PER	Position Error	Analog	
5-14	VER	Velocity Error	Analog	
5-15				
5-16	- FUNC	Function	Analog	

Table 6-6-8 KGKM Test Point (3/3)

TP No.	Abbreviation	Signal Name	Level	Schematic Code
6- 1	OFTRK	Off-track	TTL	
6- 2				
6- 3	* HDLD	Head Loaded	TTL	
6- 4	* PSDR	Position Drive	TTL	
6- 5	* OGB	Outer Guard Band	TTL	
6- 6				
6- 7	DRLM	Drive Linear Motor	TTL	
6- 8	(0V)	Ground		
6- 9	FWD	Forward	TTL	
6-10	TXPL	Track Crossing Pulse	TTL	
6-11				
6-12	* IGB2	Inner Guard Band 2	TTL	
6-13	* IGB1	Inner Guard Band 1	TTL	
6-14				
6-15	V = 0	Velocity Equal To Zero	TTL	
6-16	ONTRK	On-track	TTL	
W1	(TEST)			
W2	(TESTOFST)		Analog	
W3	(0V)	Ground		
W4	(0V)	Ground		
W5	(0V)	Ground		

Table 6-6-9 KGKM Potentiometer Function

Pot. No.	Function/Adjustment	Reference TP.
RV 1	VCO (PLO) Adjustment	TRM4-1/S2, S3
RV 2	Delayed Data One-shot	TP8/TP9
RV 3	Positioning Time Adjustment	
RV 4	Positioning Signal Adjustment	TRM3-7
RV 5	Velocity Offset Adjustment 1	TRM5-2
RV 6	Write Current Adjustment	TP1/TP2
RV 7	Reference Pulse Adjustment	TP7
RV 8	VCO (VFO) Adjustment	TP9
RV 9	Servo Pulse Window Adjustment	TRM3-10
RV10	PLO Single-shot Adjustment	TRM3-4
RV11	DAC Adjustment	TRM5-5
RV12	Fine Velocity Adjustment	TRM5-3
RV13	Velocity Offset Adjustment 2	TRM5-2
RV14	Velocity Offset Adjustment 3	TRM5-2

Table 6-6-10 KGKM Switch Function

Pot. No.	Function/Adjustment	Reference TP.
S1	Power Amplifier Cut	
S2	VCO (PLO) Adjustment 1	TRM4-1/RV1
S3	VCO (PLO) Adjustment 2	TRM4-1/RV1
SW2	LED Enable Switch	
SW3	Reference Data Switch	

Note: Short-plugs on J1, J2 and J3 must not be removed.

(4) XCGM PCB Assembly

The test points and switches are located on XCGM PCB assembly as shown in Figure 6-6-4. Test points are listed in Tables 6-6-11 and 6-6-12 and switch functions in Table 6-6-13.




Figure 6-6-4 XCGM PCB Assembly Test Points

(4) XCGM PCB Assembly

The test points and switches located on the XCGM PCB assembly are shown in Figure 6-6-4. Test points and test terminals are located in table 6-6-11. Switch functions are located in table 6-6-12.

Table 6-6-11 XCGM Test Terminals and Test Points

TRM4					
Pin	Abbreviation	Signal Name	Pin	Abbreviation	Signal Name
09	*TRGSUP (1)	—————→	08	*TRGSVP (0)	←————
10	RSVCL (1)	—————→	07	RSVCL (0)	←————
11	OV	Ground	06	*RSVCL	Reserve Clock
12	OV	Ground	05	CLK2	Clock 2
13	OV	Ground	04	CLK1	Clock 1
14	CLK2 (1)	—————→	03	CLK2 (0)	←————
15	CLK1 (1)	—————→	02	CLK1 (0)	←————
16	PWRDY (1)	—————→	01	PWRDY (0)	←————
TRM5					
Pin	Abbreviation	Signal Name	Pin	Abbreviation	Signal Name
09	RSTMP (1)	—————→	08	RSTMP (0)	←————
10	*RSTMP (1)	—————→	07	*RSTMP (0)	←————
11	OV		06	RSTMP	Release Timer Pulse
12	OV		05	*RSTMP	Release Timer Pulse
13	OV		04	*INTR	Interrupt
14	*INTR (1)	—————→	03	*INTR (0)	←————
15	*TRDB (1)	—————→	02	*TRDB (0)	←————
16	TRDA (1)	—————→	01	TRDA (0)	←————

Note) The pins shown by "→←" must be connected with Short-Plug (C63L-0790-0001).

Table 6-6-11 XCGM Test Points

Test Points	Abbreviation	Signal Name	Signal Level	Schematic Code
TRM6-01	*DISCHB2	Disable Channel B2	TTL	XC2
TRM6-02	CHBCMP	Channel B Compare	TTL	XB3
TRM6-03				
TRM6-04				
TRM6-05	DISAK	Disable A Key	TTL	XC2
TRM6-06				
TRM6-07	DISCHA	Disable Channel A	TTL	XC3
TRM6-08	DISCHB	Disable Channel B	TTL	XC3
TRM6-09	CHAENB2	Channel A Enable 2	TTL	XC2
TRM6-10	SKENDB	Seek End B	TTL	XC3
TRM6-11				
TRM6-12	DISBK	Disable B Key	TTL	XC2
TRM6-13	SKENDA	Seek End A	TTL	XC3
TRM6-14	*DISCHA1	Disable Channel A1	TTL	XC2
TRM6-15	RSTMK	Release Timer Key	TTL	XC2
TRM6-16	CHBENB	Channel B Enable	TTL	XC2
TRM7-01				
TRM7-02	LCHASLD	Lamp Channel A Selected	TTL	XC1
TRM7-03				
TRM7-04	LCHBRVS	Lamp Channel B Reserved	TTL	XC1
TRM7-05	LCHARSV	Lamp Channel A Reserved	TTL	XC1
TRM7-06	BUSYB	BUSYB	TTL	XC1
TRM7-07	LCHBSLD	Lamp Channel B Selected	TTL	XC1
TRM7-08	O V	Ground		
TRM7-09	*CHBSLD	Channel B Selected	TTL	XC1
TRM7-10	*CHASLD	Channel A Selected	TTL	XC1
TRM7-11	BUSYA	BUSYA		XC1
TRM7-12	CHBRVS	Channel B Reserved	TTL	XC1
TRM7-13				
TRM7-14	CHARSV	Channel A Reserved	TTL	XC1
TRM7-15				
TRM7-16	+5V	+5V DC	DC	XC1
W 1	+5V	+5V DC	DC	XC4
W 2	0V	Ground		XC4
W 3	-5V	-5V DC	DC	XB2

Table 6-6-12 XCGM Switch Function

No.	Function	Reference T.P.
SW1	Channel-A Switch	None
SW2	Channel-B Switch	None
SW3	Release Timer Switch	None
TRM1 TRM2	Busy Signal Terminator	None
TRM3	Mode Selection	None

6.6.2 PCB Adjustment after PCB Replacement

Table 6-6-13 Adjustment after PCB Replacement

Item	Spare Part	Adjustment/Selection
1	KGKM (B16B-9340-00304)	(1) Disk Addressing (SW 1) (2) Device Type (SW 1) (3) File Protect (SW 1) (4) TAG 4/5 Enable (SW 1) (5) Sector Counting (SW 2/SW 3) (6) ON-side (SW 1)
2	CZOM (B16B-9340-0020A)	(1) Position Signal Adjustment (RV4) (2) Positioning Time Adjustment (RV3) (3) ON-Side (S4.S5.S6)-CZOM PCB ONLY
3	TVQM (B16B-9250-0010A)	None
4	XCGM (B16B-9930-0010A)	None

Caution
Do not adjust the unspecified potentiometers at PCB replacement.

1. Position signal gain adjustment

(A) CZOM

1. Confirm that the drive has normal status.
2. Repeatedly issue an RTZ command from Cylinder 0.
3. Connect the test point TRM6-7 (DRLM) to one vertical input channel of an oscilloscope and trigger with the positive-going edge of the signal on CZOM PCB assembly (DC coupled).
4. Connect the test point TRM3-7 (POSN) to the other vertical channel of the oscilloscope (DC coupled).
5. Adjust potentiometer RV4 so that POSN signal amplitude is $8.0V \pm 0.1V$ (peak to peak). Refer to Figure 6-6-5.

Note: On the occasion that RTZ operation is not completed, rotate potentiometer RV3 a little.




Figure 6-6-5 Position Signal Gain Adjustment

(B) KGKM

1. Confirm that drive has normal status.
2. Set switch SW2 to ON.
3. Adjust RV4 to the position where LED D62 lights after ontrack at cylinder 1 in on-cylinder status. LED D62 continues lighting after adjustment is finished completely.
4. Set switch SW2 to OFF.

2. Positioning Time Adjustment

(A) CZOM

1. Repeatedly issue an alternate seek command between Cylinder 0 and Cylinder 822 (decimal).
2. Connect the test point TRM5-4 (*ACCL) to one vertical input channel of an oscilloscope and trigger with the positive-going edge of the signal on CZOM PCB assembly (DC coupled).
3. Connect the test point TRM6-7 (DRLM) to the other channel.
4. Adjust potentiometer RV3 so that the decelerate time (T_{dc}) is $17.3 \text{ ms} \pm 1 \text{ ms}$. Refer to Figure 6-6-6.




Figure 6-6-6 Positioning Time Adjustment

(B) KGKM

1. Set switch SW2 to ON.
2. Repeatedly issue an alternate seek command between Cylinder 0 and Cylinder 822 (decimal).
3. Adjust RV3 to the position where LED D61 lights. LED D61 should remain lit during the seek operation.
4. Set switch SW2 to OFF.

6.6.3 Electrical Measurement

This paragraph describes electrical measurements.


IMPORTANT: THE FOLLOWING PROCEDURES ARE FOR MEASUREMENT ONLY. ANY ADJUSTMENTS ARE PERFORMED AT THE FACTORY AND ARE NOT REQUIRED WHEN REPLACING BOARDS.

(1) Read Output Measurement

Caution

Use the 0 V terminals near test points TP3 and TP4 on the CZOM/KGKM PCB, and use a 300 MHz wide band pass oscilloscope. Measurement error may occur if these precautions are not followed.

- ① Confirm that the specific track can be rewritten for the Read Output measurement.
- ② Write repetitive "1100" and "101101101101" pattern ("CCCCCCCCB6DB6 DB616") to all records on the specific track, e.g. CE track or Cylinder 0 track.
- ③ Connect test points TP3 and TP4 on the CZOM/KGKM PCB with differential mode (inverted CH2 and add with CH1).
- ④ After writing, measure the peak-to-peak level V_{2F} and V_{1F} as shown in Figure 6-6-7.



$$V_{2F} \geq 200 \text{ mV}_{p-p}$$
$$\text{Resolution Ratio} = \frac{V_{2F}}{V_{1F}} \times 100 (\%) \geq 60\%$$

Figure 6-6-7 Read Output Measurement

(2) CZOM/KGKM PCB

- a. PLO Free-run Frequency Adjustment (RV1, S2 and S3)
 1. Turn the power off.
 2. Set S1 to the off position (2 to 3: off)
 3. Clamp TRM3-16 (or W1) to 0V firmly.
 4. Turn the power on, and wait 70 seconds.
 5. Connect the test point TRM4-7 (PLOVc) to an oscilloscope (DC coupled).
 6. Adjust potentiometer RV1 so that TRM4-7 (PLOVc) signal is $+2.5V \pm 0.1V$.
 7. Connect test point TRM4-5 (BYTCLK) to a frequency counter.
 8. Select the proper capacitance as shown in Figure 6-6-8 so that the frequency of TRM4-5 is closest to 1.229MHz as possible.
 9. Finally adjust the potentiometer RV1 so that the frequency of TRM4-5 is $1.229MHz \pm 2\%$.




Figure 6-6-8 PLO Free-run Frequency Adjustment

- b. Delayed Data One-shot (RV2)
 1. Confirm that unit has normal status.
 2. Connect test point TP (DTWD) on CZOM/KGKM PCB to one vertical input of an oscilloscope (DC coupled).
 3. Connect test point TP (DLDT) on CZOM/KGKM PCB to the other vertical input.
 4. Trigger with the positive-going edge of TP (DTWD).
 5. Issue a read command to the drive.
 6. Adjust the potentiometer RV2 so that the following T is $12ns \pm 1ns$.

Caution
Use the same length of probe for measurement of T. Read error caused by measurement error may occur if this precaution is not followed.




Figure 6-6-9 Delayed Data One-shot Adjustment

- c. Velocity Offset Adjustment (RV5)
 1. Confirm that unit has normal status.
 2. Connect test point TRM5-2 (-VEL) to an oscilloscope.
 3. Adjust potentiometer RV5 so that TRM5-2 (-VEL) signal is $0\text{V} \pm 50\text{mV}$ with linear mode on Cylinder 0.
- d. Write Current Adjustment (RV6)
 1. Confirm that unit has a normal status.
 2. Connect TP1 (WCA) to channel of oscilloscope and connect TP2 (WCB) to the other vertical input channel with invert mode set.
 3. Add the two channels (differential mode).
 4. Issue a write command on Cylinder 0 and Head 0.
 5. Adjust potentiometer RV6 so that the difference is $451\text{mV} \pm 10\text{mV}$.
- e. Reference Pulse Adjustment (RV7)
 1. Confirm that unit has a normal status.
 2. Connect test point TP7 (REFP) signal to one channel of the oscilloscope (DC coupled).
 3. Trigger the oscilloscope with the positive-going edge of the test point signal.
 4. Adjust potentiometer RV7 so that the following T_{REF} is $8\text{ns} \pm 0.5\text{ns}$.




Figure 6-6-10 Reference Pulse Adjustment

- f. VFO Free-run Frequency Adjustment (RV8)
1. Turn the power off.
 2. Set S1 to the off position.
 3. Clamp TRM7-06 (*FLT SQ) on KGFM PCB to 0V firmly.
 4. Turn the power on, and wait 70 seconds.
 5. Connect the test point TP9 (DTWD) to a frequency counter.
 6. Adjust the potentiometer RV8 so that the frequency of TP9 (DTWD) signal is $19.664\text{MHz} \pm 300\text{KHz}$.
- g. Servo Pulse Window Adjustment (RV9)
1. Confirm that unit has normal status.
 2. Connect the test point TRM3-10 to an oscilloscope.
 3. Trigger by itself at the positive-going edge.
 4. Adjust the potentiometer RV9 so that the following T_{SVP} is $320\text{ns} \pm 10\text{ns}$.




Figure 6-6-11 Servo Pulse Window Adjustment

- h. PLO Single-shot Adjustment (RV10)
1. Confirm that unit has normal status.
 2. Connect the test point TRM3-4 (PLOSS) to an oscilloscope.
 3. Trigger by itself at the positive-going edge.
 4. Adjust potentiometer RV10 so that the following T_{SS} is $1.5\mu\text{s} \pm 0.1\mu\text{s}$.




Figure 6-6-12 PLO Single-shot Adjustment

i. DAC Adjustment (RV11)

1. Confirm that unit has a normal status.
2. Issue the alternate seek command between Cylinder 0 and Cylinder 822 (decimal) repeatedly.
3. Connect the test point TRM6-7 (DRLM) to an oscilloscope and trigger with positive-going edge of the signal. (DC coupled)
4. Connect the test point TRM5-5 (-DA) to the other channel at the oscilloscope. (DC coupled)
5. Adjust a potentiometer RV11 so that V_{DA} is $7.3V \pm 0.3V$ as shown in Figure 6-6-13.




Figure 6-6-13 DAC Output Adjustment

j. Fine Velocity Offset Adjustment (RV12)

1. Confirm that unit has a normal status.
2. Connect test point TRM5-3 (FNVEL) to an oscilloscope.
3. Adjust potentiometer RV12 so that TRM5-3 signal is $0V \pm 50mV$ with linear mode and without seek command on Cylinder 0.

Section 7
Spare Parts List

7. SPARE PARTS LIST

7.1 SPARE PARTS LIST

Refer to Table 7-1.

Table 7-1 Spare Parts List

PART NUMBER	DESCRIPTION
*B03B-4740-E002A	FAN UNIT, A.C. (120V)
*B03B-4740-E005A	FAN UNIT, D.C. (24)
*B14L-5105-0178A	POWER SUPPLY UNIT
B16B-9830-0010A	KGFM, INTERFACE PCA
B16B-9340-0030A	KGKM, ANALOG PCA
B16B-9250-0010A	TVQM POWER AMP.
*B550-1995-T041A L1	POWER/DC FAN CABLE (1.5m)
*B660-1995-T041A L2	POWER/DC FAN CABLE (15cm)
*B660-0625-T327A L1	D.C. POWER CABLE (1.5cm)
*B660-0625-T327A L2	D.C. POWER CABLE (15cm)
*B660-0625-T328A L1	A.C. FAN CABLE (1.5m)
*B660-0625-T328A L2	A.C. FAN CABLE (15cm)
B03P-4760-0111A	M233X C.E. MANUAL
B03P-4760-0101A	M233X ENGINEERING SPECS
FJ 0566-015-81	POWER SUPPLY C.E. MANUAL
C76L-0960-0001	56 Ohm TERMINATOR (4 REFL.)
B660-0625-T329A	DUAL PORT PWR CABLE
B660-1060-T096	INTERFACE CABLE, DUAL PORT (26cm)
B660-1060-T097	INTERFACE CABLE, DUAL PORT (16cm)
B21L-1810-0002A	RACK MOUNTING KIT
B030-4590-Y514A	FILLER PANEL, RACK MOUNT
B03B-4590-E501A	CONTROL PANEL UNIT
B660-1995-T003A	CONTROL PANEL CABLE
B030-4740-X047A	FAN COVER (TVQM)

Section 8
IC Details

8. IC DETAILS

8.1 INTRODUCTION

This section describes functions of TTL, ECL, Linear and FUJITSU Proprietary IC's.

8.2 LOGIC CONVENTIONS AND SYMBOLOGY

8.2.1 TTL Logic

M233XK Disk Drive uses +5V Transistor-Transistor-Logic. TTL logic is defined in terms of standard POSITIVE LOGIC using the following definitions:

High = Logical "1"

Low = Logical "0"

The input/output logic of TTL are defined as follows:

(A) TTL Low Power Schottky IC Level




Figure 8-2-1 Low Power Schottky IC Level

(B) TTL Schottley IC Level




Figure 8-2-2 TTL Schottky IC Level

8.2.2 ECL Logic

M233XK Disk Drive uses -5.2V ECL (Emitter-Coupled-Logic). The high impedance of the logic (input to differential amplifier) coupled with the low impedance of the driving source (emitter-follower output) allows high DC fan-out.

High-speed operation and high fan-out is possible because all circuits are designed to operate in a 50 ohm system. Complementary outputs cause a function and its complement to appear simultaneously at the device output, without the use of external inverters. In a M233X each output is terminated by resistors. ECL logic is defined in terms of standard POSITIVE LOGIC using the following definitions:

High = Logical "1"
Low = Logical "0"

The input/output logic levels of ECL are defined as follows:





Figure 8-2-3 ECL Logic Level

8.2.3 Logic Symbology


The following conventions are provided to aid in understanding the symbology used in this manual.

1) TTL



This indicates AND gate.

$$Y = A \cdot B$$



This indicates OR gate.


$$Y = A + B$$

A circle placed on any input line or on the output line indicates that logical "0" is the significant state.

The absence of a circle, "1" is the significant state.




2) ECL



This indicates AND/NAND Gate.

$$Y = A \cdot B = \bar{Z}$$



This indicates OR/NOR gate.


$$Y = A + B = \bar{Z}$$



This is equivalent to TTL.

3) All logic symbols on each logic diagram are identified by a sequential numbering and element type code.

For example:



M75* : Sequential part number ON the parts list.

LS00 : Abbreviation (marking) of the element code.

F8 : Physical location of element on P.C.B. assembly.

8.3 IC INTERCHANGEABILITY GUIDE

8.3.1 TTL IC Interchangeability

Table 8-3-1 TTL Interchangeability

FUJITSU		Direct Replacement	Functions	Page
Part Number	Code			
MB74LS00M	LS00	SN74LS00N	Quad 2-input NAND	
MB74LS02M	LS02	SN74LS02N	Quad 2-input NOR	
MB74LS04M	LS04	SN74LS04N	Hex Inverter	
MB74LS05M	LS05	SN74LS05N	Hex Inverter with Open Collector	
MB74LS08M	LS08	SN74LS08N	Quad 2-input AND	
MB74LS10M	LS10	SN74LS10N	Triple 3-input NAND	
MB74LS11M	LS11	SN74LS11N	Triple 3-input AND	
MB74LS14M	LS14	SN74LS14N	Hex Schmitt-Triggered Inverter	
MB74LS27M	LS27	SN74LS27N	Triple 3-input NOR	
MB74LS32M	LS32	SN74LS32N	Quad 2-input OR	

Table 8-3-1 TTL Interchangeability (Continued)

FUJITSU		Direct Replacement	Functions	Remark
Part Number	Code			
MB74LS37M	LS37	SN74LS37N	Quad 2-input NAND Buffer	
MB74LS42M	LS42	SN74LS42N	4-line-to-10-line Decoder	
MB74LS51M	LS51	SN74LS51N	Dual 2-wide 2-input AND-OR INVERT	
MB74LS54M	LS54	SN74LS54N	4-wide AND-OR-INVERT	
MB74LS74AM	LS74	SN74LS74AN	Dual D-type Positive-Edge-Triggered Flip-Flop	
MB74LS85M	LS85	SN74LS85N	4-bit Magnitude Comparator	
MB74LS86M	LS86	SN74LS86N	Quad 2-input EOR	
—	LS123	SN74LS123N	Dual Retriggerable Monostable Multivibrator with Clear	
MB74LS148M	LS148	SN74LS148N	8-to-3 Priority Encoder	
MB74LS153M	LS153	SN74LS153N	Dual 4-line-to-1-line Data Selector/Multiplexer	
MB74LS161AM	LS161	SN74LS161AN	4-bit Binary Counter	
MB74LS164M	LS164	SN74LS164N	8-bit Shift Register	
MB74LS174M	LS174	SN74LS174N	Hex D-type Flip-Flop	
MB74LS175M	LS175	SN74LS175N	Quad D-type Flip-Flop	
MB74LS191M	LS191	SN74LS191N	4-bit Binary Up/Down Counter	
—	LS221	SN74LS221N	Dual Monostable Multivibrator with Clear	
—	LS279	SN74LS279N	Quad S-R Latch	
MB74LS283M	LS283	SN74LS283N	4-bit Full Adder	
—	LS393	SN74LS393N	Dual 4-bit Binary Counters	
MB434M	434	SN75451BP	Dual 2-input AND Buffer with Open-collector	
MB436M	436	SN75453BP	Dual 2-input OR Buffer with Open-collector	
—	LX16	SN75452BP	Dual 2-input NAND Buffer with Open-collector	
MB84020BM	4020	MC14020BCP	14-Bit Binary Counter	
MB74S00M	LH01	SN74S00N	Quad 2-input NAND	
MB74S04M	LH04	SN74S04N	Hex Inverter	
MB74S08M	S08	SN74S08N	Quad 2-input AND	
—	LH10	SN74S112N	Dual J-K Negative-Edge-Triggered Flip-Flop with Preset and Clear	
—	LH24	SN74S124N	Dual VCO	
MB74S37M	S08	SN74S37N	Quad 2-input AND	
MB74S51M	LH06	SN74S51N	Dual 2-wide 2-input AND-OR-INVERT	
—	S64	SN74S64N	4-2-3-2-input AND/OR-INVERT	
—	S74	SN74S74N	Dual D-type Positive-Edge-Triggered Flip-Flop	
—	LH07	SN74S133N	13-input NAND Gate	
MB74S174M	LH28	SN74S174N	Hex D-type Flip-Flop	
—	LX32	SN7406N	Hex Inverter Buffer	

- Note 1) Direct Replacement is device from Texas Instruments Inc. except 4020.
 2) Direct Replacement of 4020 is a device from MOTOROLA Semiconductor Product Inc.

8.3.2 ECL IC Interchangeability

Table 8-3-2 ECL Interchangeability

FUJITSU		Direct Replacement	Functions	Remark
Part Number	Code			
MB10174C	174	MC10174L	Dual 4-to-1 Multiplexer	
MB10102C	102	MC10102L	Quadruple 2-input NOR	
MB10105C	105	MC10105L	Triple 2-3-2 Input OR/NOR	
MB10116C	116	MC10116L	Triple Receiver	
MB10124C	124	MC10124L	Quadruple TTL to ECL Translator	
MB10125C	125	MC10125L	Quadruple ECL to TTL Translator	
MB10131C	131	MC10131L	Dual D-type Master-Slave Flip-Flop	
MB10101C	101	MC10101L	Quad OR-NOR Gates	

Note: Direct replacement is a device from MOTOROLA Semiconductor Product Inc.

8.3.3 Linear IC Interchangeability

Table 8-3-3 Linear IC Interchangeability

FUJITSU		Direct Replacement	Functions	Remark
Part Number	Code			
MB3607M	A1458	μ PC251C (NEC)	Dual 741-type Operational Amplifier	
MB4002M	A4002		High Speed Voltage Comparator	
	A311	μ PC271C (NEC)	311-type Voltage Comparator	
	A082	HA17082PS (HITACHI)	082-type-J-FET Dual Operational Amplifier	
	A399	μ PC177C (NEC)	339-type Voltage Comparator	
	A610	μ PC610D (NEC)	8-bit D/A Converter	
	A201	DG201BK (Siliconix)	Quad SPST Analog Switch	
	A7812	μ PC14312H (NEC)	7812-type +12V Regulator	
	A7952	μ PC16352H (NEC)	7952-type -5.2V Regulator	
	3450	MC3450L (MOTOROLA)	Quad Line Receiver	
	75108A	SN75108AN (T1)	Dual Line Receiver with Open-collector	
	75110	SN75110AN (T1)	Dual Line Driver	
	3107	HD103107 (HITACHI)	ECL Voltage Controlled Oscillator	

8.3.4 FUJITSU Proprietary IC

Table 8-3-4 FUJITSU Proprietary IC List


FUJITSU		Classification	Functions	Remark
Part Number	Code			
MB4303C	A4303	Analog Master-Slice	AGC Amplifier	
MB4311C	A4311	Analog Master-Slice	Peak Detector	
MB4316C	A4316	Analog Master-Slice	Read/Write Bus Switch	
MB4319C	A4319	Analog Master-Slice	Peak Hold	
MB15238C	15238	Bipolar 500-gate	Servo Control Logic	
	DV18	Hybrid IC	Clock Driver	
MB43121CR	AM121	Analog Master-Slice	Pulse Shaper	

8.4 FUJITSU PROPRIETARY IC DETAIL

(1) MB4002M

High Speed Differential Comparator


The MB4002M is a Differential Voltage Comparator intended for applications requiring high accuracy and fast response times. The device is useful as a variable threshold Schmitt trigger, a pulse height discriminator, a voltage comparator in high-speed A/D converters, a memory sense amplifier or a high-noise immunity line receiver. The output of the comparator is compatible with all integrated logic forms.




(2) MB4303C

AGC Amplifier

The MB4303C is a Automatic-Gain-Control Amplifier with Differential Inputs and Outputs. It contains another Differential Amplifier.




**(3) MB4311C
Peak Detector**




- 1: OUT1
- 2: OUT1
- 3: IN2
- 4: IN2
- 5: VH
- 6: VL
- 7: SQ
- 8: GND
- 9: Vee
- 10: AGCG
- 11: CLA
- 12: CAP
- 13: VAGC
- 14: IN1
- 15: IN1
- 16: Vcc

**(4) MB4316C
Read/Write Bus Switch**



- 1: Vee2
- 2: GAN2
- 3: GAN1
- 4: IN5
- 5: IN4
- 6: OUT5
- 7: OUT6
- 8: GND
- 9: Vee1
- 10: IN2
- 11: IN3
- 12: OUT4
- 13: OUT3
- 14: IN1
- 15: OUT2
- 16: OUT1

(5) MB4319C
Peak Hold




- 1: REG1
- 2: VELOCITY
- 3: *GATE1
- 4: *GATE2
- 5: *GATE3
- 6: *GATE4
- 7: CARIE
- 8: GND
- 9: VEE
- 10: REG3
- 11: EVEN2
- 12: ODD2
- 13: EVEN1
- 14: ODD1
- 15: REG2
- 16: V_{cc}

PH: Peak Hold
CC: Constant Current


(6) MB43121C Pulse Shaper

This LSI has the following functions.

- Pulse Shaper (Analog to Digital Converter)
- Channel Select
- Write Data Driver



(7) DV18
Clock Driver



- 1: N.C.
- 2: ENB
- 3: XE1
- 4: N.C.
- 5: N.C.
- 6: N.C.
- 7: XEZ
- 8: GND
- 9: N.C.
- 10: N.C.
- 11: N.C.
- 12: N.C.
- 13: OUT
- 14: N.C.
- 15: Vcc
- 16: N.C.

(8) MB15207C (Bipolar 500 Gates LSI)

This LSI has the following functions.

- NRZ to MFM Encoder with Write Compensation
- MFM to NRZ Decoder (not used)
- PLO/VFO Phase Comparator (not used)
- Physical Index Detector (not used)
- Fault Detector

The package of B500 LSI is shown in Figure 8-4-1, the pin assignment is shown in Table 8-4-1, and the block diagram is shown in Figure 8-4-2.

(9) MB15238C (Bipolar 500 Gates LSI)

This LSI has the following functions.

- PLO Latch
- Divide and Timing Counter
- Peak Hold Gate Decoder
- Index/Guard Band Pattern Decoder
- Guard Band Detector with Counter
- Polarity Control Gates Decoder
- 2-bit Full Adder

The package of B500 LSI is shown in Figure 8-4-1, the pin assignment is shown in Table 8-4-1, and the block diagram is shown in Figure 8-4-2.




Figure 8-4-1 B500 LSI Package

Table 8-4-1 MB15238C Pin Assignment

Pin No.	I/O	Name of Terminal	Pin No.	I/O	Name of Terminal	Pin No.	I/O	Name of Terminal	Pin No.	I/O	Name of Terminal
1	NC		17	O	* SQN	33	O	* CNT15	49	O	* SQI
2	O	PLOCLK	18	O	* INX	34	I	* OGBQ	50	O	* FIGB1
3	O	* GT1	19	I	* CAR1	35	O	CT7	51	I	NGTQ
4	O	* CT15	20	O	* OINX	36	I	VCO2	52	O	* MSDT
5	O	* GT4	21	O	* SNI	37	NC		53	O	* EINX
6	O	* GT3	22	O	* RSTGB	38	I	PWRDY	54	V	GND
7	O	PLOLT	23	O	CNT4	39	O	CT8F	55	O	* SNN
8	O	* OGBP	24	O	* EQUAL	40		GND	56	O	XPL
9	O	SFRGA	25	O	* PCLMP	41	O	* GT2	57	I	* OFTRK
10	I	* SEL1F	26	O	* MCLMP	42	O	* PLOLT	58	I	* SVPMS
11	O	SFRGE	27	O	* PAR1	43	O	* IGBIP	59	O	* IGB1
12	O	CNT1	28	I	* SKC	44	NC		60	I	* IGB2Q
13	I	* RSTGB	29	O	* OGB	45	O	* IGB2P	61	VSS	+5V
14	I	* HDLD	30	O	* IGB2	46	I	CNT7	62	I	VCO1
15	I	NQGTZ	31	I	* IGB1Q	47	V	+5V	63	O	CNT64
16	I	* CAR2	32	I	* MSDT	48	I	* PLOLT	64	I	PLOLT




Figure 8-4-2 MB15238C Block Diagram

Section 9
Parts List




Figure 9-1 M2331K/M2333K Micro Disk Drive

B03P-4760-0111A...01A

Table 9-1 M2331K/M2333K Micro Disk Drive

INDEX NO.	COMPOSITION & QUANTITY					SPECIFICATION	DESCRIPTION	CHARACTER	REMARK	REVISION
	1					B03B-4765-B001A	M2331K Micro-Disk Drive			
	1					B03B-4765-B003A	M2333K Micro-Disk Drive			
1	1					B030-4760-T001A	M2331K Disk Drive Unit			
1	1					B030-4760-T002A	M2333K Disk Drive Unit			
2	1					B030-4760-V331A	Frame Unit			
3	1					C370-1270-0002	Manufacturing Name Label			
4	1					C370-1270-0003	Revision Label			
5	1					B03B-4740-E002A	Fan Unit (AC 115V) Option			
5	1					B030-4740-E005A	(DC 24V) Option			
6	1					B03B-4760-E402A	Dual Channel Option			

B03P-4760-0111A...01




Figure 9-2 Frame Unit (1/2)

Table 9-2 Frame Unit (Basic)

INDEX NO.	COMPOSITION & QUANTITY					SPECIFICATION	DESCRIPTION	CHARACTER	REMARK	REVISION
1	1					B030-4760-T001A	M2331K Disk Drive Unit			
1	1					B030-4760-T002A	M2333K Disk Drive Unit			
2	1					B030-4760-V331A	Frame Unit			
2-1	1					B030-4740-X310A	Plate			
2-2	2					F6-SBD-4x6S-M-NI1A	Screw			
2-3	1					B030-4740-X309A	Plate			
2-4	2					F6-SBD-4x6S-M-NI1A	Screw			
2-5	1					B030-4740-W304A	Stopper			
2-6	2					F6-SBD-4x8S-M-NI1A	Screw			
2-7	1					B030-4740-W305A	Stopper			
2-8	2					F6-SBD-4x8S-M-NI1A	Screw			
2-9	1					B030-4760-W332A	Frame Assy.			
2-10	1					C300-0010-X176	Screw			
2-11	1					B030-4760-W333A	Frame Assy.			
2-12	1					C300-0010-X176	Screw			
2-13	1					B030-4740-X312A	Hinge			
2-14	1					B030-4740-X311A	Stopper			
2-15	1					B16B-9340-0030A#U	Controller K			
2-16	6					F6-SBD-4x6S-M-NI1A	Screw			
2-17	1					B16B-9250-0010A#U	Power Amplifier Q			
2-18	2					B030-4740-X046A	Bushing			
2-19	2					F6-SBD-3x8S-M-NI1A	Screw			
2-20	1					B660-0625-T318A	Cable			
2-21	1					B660-1060-T118A#L80R00	Cable			
2-22	1					B16B-9830-0010A#U	Controller F			
2-23	6					F6-SBD-3x6S-M-NI1A	Screw			
2-24	2					B660-1990-T036A#L70R00	Cable			
2-25	2					F6-SBD-3x6S-M-NI1A	Screw			
2-26	1					B030-4760-X331A	Cover			
2-27	1					B030-4740-X047A	Cover			
2-28	2					F6-SBD-4x6S-M-MI1A	Screw			
3	1					C370-1270-0002A	Nameplate			
4	1					C370-1270-0003A	Revision Label			

B03P-4706-0111A..02A

B03P-4760-011A...01




Figure 9-2 Frame Unit (2/2)

Table 9-2 Frame Unit (Option)

INDEX NO.	COMPOSITION & QUANTITY					SPECIFICATION	DESCRIPTION	CHARACTER	REMARK	REVISION
5	1	1				B03B-4740-E002A	Fan Unit			
5	1	1				B03B-4740-E004A	Fan Unit			
5-1		1				B030-4740-V201A	Fan Assy.			
5-2		1				F6-SBD-4x8S-M-N11A	Screw			
5-3		1				B030-4740-W204A	Retainer			
5-4						F6-SBD-4x10S-M-N11A	Screw			
5-5						B370-0950-0409A	Label			
6	1	1				B03B-4760-E402A	Dual Channel			
6-1		1				B030-4740-X401A	Frame			
6-2		1				F6-SBD-3x6S-M-N11A	Screw			
6-3		4				B16B-9930-0010A#U	Crosscall G			
6-4		1				F6-SBD-3x5S-M-N11A	Screw			
6-5		i				B660-1060-T096A#L280R0	Cable			
6-6		1				B660-1060-T097A#L300R0	Cable			
6-7		1				B030-4740-X404A	Cover			
6-8						F6-SBD-3x6S-M-N11A	Screw			
6-9						B370-0950-0454A	Label			

B03P-4760-0111A...01

Section 10
Schematics


SHEET	ABBR	TITLE	SHEET	ABBR	TITLE	SHEET	ABBR	TITLE
001		Schematics / Drawings List	031	BB2	AGC Amplifier / Pulse Shaper	061	BM1	Servo Control Logic
002		Functional Block Diagram	032	BC1	HIC Power Supply	062	BN1	Servo Power Amplifier Drive
003	AA1	Connection With CZOM/KGKM PCA / Dual Channel Connection	033	BD1	VFO Phase Comparator	063	CA1	DC Motor Power Amplifier
004	AA2	Interface Connection / Line Terminator	034	BD2	VFO Charge Pump And VCO	064	CA2	Servo Power Amplifier
005	AB1	A-Cable Signal Receivers	035	BE1	VFO Data Separator	065	DA1	Connection With CZOM/KGKM PCA And Head IC/Data Servo Head IC
006	AB2	A/B-Cable Signal Drivers	036	BF1	DC Motor Control (1)	066		KGKM PCB Assembly
007	AB3	Wired-AND With Dual Channel Option	037	BF2	DC Motor Control (2)	067		CZOM PCB Assembly
008	AC1	Unit Selection	038	BG1	Power Ready Detector	068		KGKM PCB Assembly
009	AD1	Status Multiplexer	039	BH1	Carrier Amplifier / PLO Phase Comparator	069		TVQM PCB Assembly
010	AE1	Command Decoder / Head Address Register	040	BJ1	PLO Charge Pump And VCO / DAC			
011	AF1	Next / Present Cylinder Address Register	041	BK1	Position Sensing			
012	AF2	Defference Counter	042	BL1	Velocity Generator / Fine Position Detect			
013	AG1	Power Up Sequencer (1)	043	BL2	Error Amplifier			
014	AG2	Power Up Sequencer (2)	044	BM1	Servo Control Logic			
015	AH1	Seek Control Latches (1)	045	BN1	Servo Power Amplifier Drive			
016	AH2	Seek Control Latches (2)	046	BA1	Connection With KGKM PCA/ TIEM And TVQM PCA's			KGKM version
017	AJ1	Seek Status Generator	047	BB1	R/W Bus Switch / Head And Chip Selection			
018	AK1	Fault Detect	048	BB2	AGC Amplifier / Pulse Shaper			
019	AK2	Seek Check Detect	049	BC1	HIC Power Supply			
020	AK3	Maintenauce Display	050	BD1	VFO Phase Comparator			
021	AL1	Sector Generator / Sector Counter	051	BD2	VFO Charge Pump And VCO			
022	AM1	VFO Control (1)	052	BE1	VFO Data Separator			
023	AM2	VFO Control (2)	053	BF1	DC Motor Control (1)			
024	AN1	Encoder / Decoder Control	054	BF2	DC Motor Control (2)			
025	AN2	Encoder	055	BG1	Power Ready Detector			
026	AN3	Write Compensation	056	BH1	Carrier Amplifier / PLO Phase Comparator			
027	AP1	Decoder	057	BJ1	PLO Charge Pump And VCO / DAC			
028	AQ1	IC Power Supply	058	BK1	Position Sensing			
029	BA1	Connection With CZOM PCA/ TIEM And TVQM PCA's	059	BL1	Velocity Generator / Fine Position Detect			CZOM version
030	BB1	R/W Bus Switch / Head And Chip Selection	060	BL2	Error Amplifier			

EQUIPMENT DRAWING SECTION
 SHEET

Schematics / Drawings List	
FUJITSU LIMITED 001/69	


B03P-4760-0111A...01

10-3




REV	DATE	DESIGN	CHECK	DESCRIPTION	DATE	BY	FILE

TITLE: Functional Block Diagram
 DRAWN BY: _____
 CHECKED BY: _____
 DATE: _____
 FILE: _____
FUJITSU LIMITED UNIT 002 / 53.3 FDXA-2002-2




A
A
2

REV.	1	DATE	1991.10.15
REV.	2	DATE	
REV.	3	DATE	
REV.	4	DATE	
REV.	5	DATE	
REV.	6	DATE	
REV.	7	DATE	
REV.	8	DATE	
REV.	9	DATE	
REV.	10	DATE	
REV.	11	DATE	
REV.	12	DATE	
REV.	13	DATE	
REV.	14	DATE	




A
B
I

REV	DATE	BY	CHK	APP	DESCRIPTION



A
B
2




A
B
3

REV	DATE	BY	CHKD	APP'D	QTY	

B03P-4760-011A...01


10-9



ACC-

REV.	DESCRIPTION	DATE	BY

A
D
I




NO.	DATE	REV.	NAME	DEPT.	APPROVED	DATE
FUJITSU LIMITED						009/

B03P-4760-011A...01

10-11


A
E
I



XXXB2	*TAG2C	09	M118	09	CK	
AB3C9	BUS3	04	10	18	03	*HAR0
AB3B9	BUS2	05	20	06		*HAR4
AB3B9	BUS1	12	30	28		*HAR2
AB3A9	BUS0	13	40	38		*HAR1
AJ1D7	*RSTCAR2	04	LS175	A27		

AA2B6 (CN4 - 10)
AA2B6 (CN4 - 09)
AA2B6 (CN4 - 08)
AA2B6 (CN4 - 07)

FUJITSU LIMITED 010




AFI

NO.	REV.	DATE	BY	CHECKED	APPROVED

B03P-4760-011A...01


10-13



AF2

FUJITSU LIMITED

FDNA-2901-3




A
G
I

REV	DATE	BY	CHK	APP	REVISION

B03P-4760-011A...01


10-15



NO.	SYMBOL	VALUE	UNIT
1	M16	LS00	IC
2	M17	LS00	IC
3	M19	LS00	IC
4	M23	LS00	IC
5	M27	LS00	IC
6	M32	LS00	IC
7	M33	LS00	IC
8	M34	LS00	IC
9	M37	LS00	IC
10	M39	LS00	IC
11	M40	LS00	IC
12	M41	LS00	IC
13	M42	LS00	IC
14	M43	LS00	IC
15	M44	LS00	IC
16	M45	LS00	IC
17	M46	LS00	IC
18	M47	LS00	IC
19	M48	LS00	IC
20	M49	LS00	IC
21	M50	LS00	IC
22	M51	LS00	IC
23	M52	LS00	IC
24	M53	LS00	IC
25	M54	LS00	IC
26	M55	LS00	IC
27	M56	LS00	IC
28	M57	LS00	IC
29	M58	LS00	IC
30	M59	LS00	IC
31	M60	LS00	IC
32	M61	LS00	IC
33	M62	LS00	IC
34	M63	LS00	IC
35	M64	LS00	IC
36	M65	LS00	IC
37	M66	LS00	IC
38	M67	LS00	IC
39	M68	LS00	IC
40	M69	LS00	IC
41	M70	LS00	IC
42	M71	LS00	IC
43	M72	LS00	IC
44	M73	LS00	IC
45	M74	LS00	IC
46	M75	LS00	IC
47	M76	LS00	IC
48	M77	LS00	IC
49	M78	LS00	IC
50	M79	LS00	IC
51	M80	LS00	IC
52	M81	LS00	IC
53	M82	LS00	IC
54	M83	LS00	IC
55	M84	LS00	IC
56	M85	LS00	IC
57	M86	LS00	IC
58	M87	LS00	IC
59	M88	LS00	IC
60	M89	LS00	IC
61	M90	LS00	IC
62	M91	LS00	IC
63	M92	LS00	IC
64	M93	LS00	IC
65	M94	LS00	IC
66	M95	LS00	IC
67	M96	LS00	IC
68	M97	LS00	IC
69	M98	LS00	IC
70	M99	LS00	IC
71	M100	LS00	IC

FUJITSU LIMITED

FORM-2901-3




A
H

REV	DATE	BY	CHKD	APPROVED	DESIGNER	DATE	SHEET	TOTAL

FUJITSU LIMITED OIS
FDXA-2901-3

B03P-4760-011A...01

10-17




AH 2

FUJITSU LIMITED

10-18

B03P-4760-011A..01




REV	DATE	BY	CHECK	REVISION	DATE

DRAWN BY:
 CHECKED BY:
 APPROVED BY:
FUJITSU LIMITED *211* /
 FOXA-2901-3

B03P-4760-0111A...01


10-19



FUJITSU LIMITED

10-20

B03P-4760-011A..01




AK2

NO.	REV.	DATE	BY	CHKD.	APP.	DESCRIPTION

FUJITSU LIMITED

B03P-4760-011A...01


10-21



AK3

PART	QTY	UNIT	SPEC	REVISION	DATE	BY	CHKD	APPD	CMT

FUJITSU LIMITED D20
FMA-2901-3




A
L
I

REVISION							DATE	BY	CHKD	APPV	REVISION
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											

FUJITSU LIMITED 22/11

B03P-4760-011A...01


10-23



REV	DATE	BY	CHK

FUJITSU LIMITED

A
M
I




AM2

REV	DATE	BY	CHK	APP	DESIGNER	CHK	APP

FUJITSU LIMITED 025

B03P-4760-0111A...01

10-25




AN-

NO.	REV.	DATE	BY	CHK	APP.	DESCRIPTION

024/ FUJITSU LIMITED

FDIA-2901-3




AN2

REV	DATE	BY	CHK	DESCRIPTION	DATE	BY	CHK	DESCRIPTION
001								
002								
003								
004								
005								

B03P-4760-011A...01

10-27



A
B
C
D
E
F
G
H


3

REV	NO.	DATE	BY	CHECKED	APPROVED









FUJITSU LIMITED

B03P-4760-0111A...01

10-29



B
A
I



DATE _____


SECTION _____

DATE	NAME	REVISION	DESCRIPTION

FUJITSU LIMITED 029/

B03P-4760-011A...01

BB-1



10-31


DATE

REVISIONS

SECTION

					DATE	DESCRIPTION	BY	CHECKED
					FUJITSU LIMITED		JFH/030/	
FDXA-2901-3								

DOCUMENT CONTROL SECTION
DATE




B
B
2

REV	DATE	BY	CHKD	DESCRIPTION	DATE

TITLE _____
 DRAW NO _____
 SHEET 031 /
FUJITSU LIMITED
 FDA-2901-3

B03P-4760-011A...01

10-33




MEASUREMENT CONTROL SECTION

DATE

B C D

FUJITSU LIMITED

FDMA-2901-3



DOCUMENT CONTROL SECTION

DATE


REV	NO.	DATE	BY	CHKD	DESCRIPTION

FUJITSU LIMITED 033/

FDXA-2901-3

B03P-4760-0111A..01

10-35





BDD2

REV	DATE	BY	CHK	APP	DESCRIPTION

FUJITSU LIMITED 034/

10-36

B03P-4760-0111A...01




B E I

DATE DOCUMENT CONTROL SECTION

REV	NO	DATE	BY	CHK	DESCRIPTION	APP

FUJITSU LIMITED 036/

MEASUREMENT POINT SECTION
↑
↓
↑
↓




BFL

NO.	REV.	DATE	DESCRIPTION	BY

FUJITSU LIMITED 034/
 FDXA-2901-3

10-38

B03P-4760-0111A...01




BFB
2

REV	DATE	BY	CHKD	QA	DESCRIPTION	APP
FUJITSU LIMITED						087/

FDXA-2901-3

B03P-4760-011A..01

10-39



B G

REV	NO	DATE	BY	CHK	APP	COM

DATE _____

BY _____

CHK _____

APP _____


COM _____

FUJITSU LIMITED

10-40

B03P-4760-011A...01

DOCUMENT CONTROL SECTION
 DATE




B-I

NO.	REV.	DATE	BY	CHKD.	DESCRIPTION	APP.

FUJITSU LIMITED 059/

FDXA-2901-3



DOCUMENT CONTROL SECTION

DATE


REV	DATE	BY	CHKD	DESCRIPTION

FUJITSU LIMITED

B
K
I

B03P-4760-011A..01

10-43



31


DOCUMENT CONTROL SECTION

DATE

REV	DATE	BY	CHK	APP	DESIGNER	DATE	APP	DATE	BY	CHK	APP

FUJITSU LIMITED 042

FJXA-2901-3




B
L
2

REVISION HISTORY SECTION
DATE

REV.	DATE	DESCRIPTION

FUJITSU LIMITED
043
FDXA-2901-3



REGIMENT CONTROL SECTION

UNIT

NO.	TEST POINT	TEST POINT	TEST POINT	TEST POINT	TEST POINT

DATE: 06/1


DESIGNED BY: _____

DRAWN BY: _____

CHKD BY: _____









APPROVED BY: _____

FUJITSU LIMITED



REV	DATE	ENG	DES	CHK	DESCRIPTION	DATE	BY
FUJITSU LIMITED							
FDXA-2901-3							

B
N
I




FUJITSU LIMITED

B
A
I

10-48

BO3P-4760-0111A...01

DOCUMENT CONTROL SECTION
DATE




REV	DATE	BY	CHK	APPROVED	DATE
FUJITSU LIMITED					047/
FORM-2901-3					

B
B
B

B03P-4760-0111A..01


10-49



DB2

10-50

BO3P-4760-011A...01



B
C
1


REWORKING SECTION
DATE

NO.	REV.	DATE	BY	CHKD.	DESCRIPTION	DATE	BY

FUJITSU LIMITED

FDMA-2901-3

DOCUMENT CONTAIN SECTION
DATE




B D 2

REV	DATE	BY	CHK	DESCRIPTION	UNIT DRAW NO Q37// FUJITSU LIMITED JAPAN FAXA-2901-3

B03P-4760-0111A...01

10-53

0111



NO.	REV.	DATE	BY	CHKD.	DESCRIPTION
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					

DATE: _____

BY: _____

CHKD.: _____

DESCRIPTION: _____

FUJITSU LIMITED


FORM-2901-3

B03P-4760-0111A...01

10-59

DOCUMENT CONTROL SECTION


DATE



B
K
-

REV		DATE		BY		CHK		APP		MATERIAL		QUANTITY		REMARKS	
<p style="text-align: right;">FUJITSU LIMITED</p>												<p style="text-align: right;">FDXA-2901-3</p>			

IMPROVEMENT CONTROL SECTION
DATE




REV	DATE	BY	CHKD	DESCRIPTION	DATE

FUJITSU LIMITED 06/

B
M
I

B03P-4760-011A..01


10-63



B
N
I

FUJITSU LIMITED

FORM-2901-3




CAI

DOCUMENT CONTROL SECTION	↑	↑
DATE		

REV	DATE	BY	CHK	DESCRIPTION	QTY

FUJITSU LIMITED 043/



C
A
2


DOCUMENT CONTROL SECTION	
DATE	

B03P-4760-011A..01

10-65

NO.	REV.	DATE	BY	CHKD.	DESCRIPTION	APP.	DATE
FUJITSU LIMITED							01/2/
FDXA-2901-3							


日付	
移管原図	↑
	↑



KGFM B16B-6330-CQ10A


TITLE						KGFM P.C.B ASSEMBLY	
DRAW NO							
EDIT	DATE	DESIGN	CHECK	DESCRIPTION		APPR	
DESIGN		DRAWN	CHECK			FUJITSU LIMITED	
						SHEET 066 /	

日付	
移管原図	↑ ↑




						TITLE CZOM P.C.B. ASSEMBLY	
						DRAW NO	
EDIT	DATE	DESIGN	CHECK	DESCRIPTION		SHEET	
DESIGN		DRAWN	CHECK	APP1	FUJITSU LIMITED 067/		

日付	↑	↑
移管原図		



						TITLE		KGKM P.C.B. ASSEMBLY	
						DRAWN			
REV	DATE	DESIGN	CHECK	DESCRIPTION		APPR		SHEET	
DESIGN		DRAWN	CHECK			FUJITSU LIMITED		068	



日付
 移
 管
 原
 区


REV.	DATE	DESIGN	CHECK	DESCRIPTION

TITLE		TV QM P.C.B ASSEMBLY
DRAW. NO.		
DESIGN		
CHECK		
APPR.		
SHEET		069/69





Dual Channel Option Circuit Diagram

B03P-4760-0111A...01

10-73



Functional Block Diagram									
FUJITSU LIMITED 002/									
FDXA-2901-3									



X
A
I








REV	DATE	BY	CHK	APP	REV

FUJITSU LIMITED 003 / 2003

FDKA-2901-3

B03P-4750-0111A...01


10-75



X
A
2

REV	DATE	BY	CHK	APP	REMARKS

FUJITSU LIMITED 004/




X
B
I

REV	DATE	BY	CHKD	APPD	DESCRIPTION	DATE	BY

B03P-4760-0111A...01


10-77



REV		DATE		BY		CHK	
FUJITSU LIMITED <small>004</small>							
<small>FDNA-2901-3</small>							

B03P-4760-011A..01

10-79



XC1


FUJITSU LIMITED

FCMA-2901-3

10-80

B03P-4760-011A...01


XCC2



NO.	REV.	DATE	DESCRIPTION	BY	CHK.

FUJITSU LIMITED 009


目付
↑
↑



X
C
4

REV	DATE	BY	CHK	APP	DESCRIPTION	FILE

FUJITSU LIMITED 011/



XCGM B1E8-9930-0010A

REV.	DATE	BY	CHKD	DESCRIPTION

TITLE XCGM P.C.B ASSEMBLY	
PART NO. - - -	REV. - - -
FUJITSU LIMITED	
DATE 012/12	

区 番 号 ↑ ↑	付日
-----------------------	----

B03P-4760-0111A...01

10-83

Appendix A
Single Power Supply
B14L-5105-0178A#A2

APPENDIX A

A.1 General Description

A.1.1 General

This appendix describes the installation, operation, and maintenance of the optional Power Supply (B14L-5105-0178A#A2). The power supply is designed to provide the power required by the Model M231XK/M232XK/M233XK/M233XKS/M233XKS + M1053A Micro Disk Drives. Dynamic load presented by these drives. Adequate derating of component and quality workmanship have been used throughout the design and manufacture of this power supply to gain maximum reliability and operating life. Reliability and long life are also assured through the use of an internal cooling fan.

The power supply operates from a primary power source of 100V AC at 50/60 Hz, 115V AC at 50/60 Hz, 120V AC at 50/60 Hz, 220V AC at 50/60 Hz, and 240V AC at 50/60 Hz. Line voltage variations of $+10\%$, -13% , respectively, can be tolerated without degradation of power supply performance.

All output voltages are available on the back of the power supply using connector.

The +5V DC circuit has an over-voltage protection feature which operates if the output voltage exceeds 25% of nominal. The AC input line is protected by fuse (F1). Since +5V, +24V and -12V AC circuits have over-current status output voltages will be reduced. The 115V AC circuit is protected by the fuse. The alarm circuit shuts off, lights the alarm lamp and outputs the alarm signal by the temperature rise, the malfunction of output voltages and the alarm signal in the device.

A.1.2 Specifications

Table A.1.1 shows the specifications for the Power Supply. The specifications are for operation at rated load unless otherwise indicated.

Table A.1.1 Power Supply Specifications

Parameter	Specifications
Input Voltage	100V AC $\pm \frac{10\%}{3\%}$ 50/60 Hz $\pm \frac{2\%}{4\%}$, 115V AC $\pm \frac{10\%}{13\%}$ 50/60 Hz $\pm \frac{2\%}{4\%}$ 120V AC $\pm \frac{10\%}{12\%}$ 50/60 Hz $\pm \frac{2\%}{4\%}$, 115V AC $\pm \frac{10\%}{13\%}$ 50/60 Hz $\pm \frac{2\%}{4\%}$ 240V AC $\pm \frac{10\%}{13\%}$ 50/60 Hz $\pm \frac{2\%}{4\%}$,
Input Current	4.9A (100V AC), 4.5A (115V AC) 4.4A (120V AC), 2.7A (220V AC) 2.5A (240V AC)
Rated Output Current	+ 5V DC $\pm 4\%$, 11A + 24V DC $\pm 10\%$ (when + 5V DC is nominal), 5A - 12V DC $\pm 5\%$ (when + 5V DC is nominal), 5A 115V AC $\pm \frac{15\%}{26\%}$, 0.25A
Output: Nominal Output/ Adjustment Range	+ 5V DC/Adj $\pm 10\%$ (When the Input Voltage is more than 100V) + 24V Unregulated - 12V Regulated
Ripple Voltage	+ 5V 90mV P-P + 24V Unregulated 3V P-P - 12V 70mV P-P
Peak Current	+ 5V DC 11A - 24V DC 9.5A - 12V DC 5A
Protection:	
AC Input Lines	10A Fuse
DC Output Lines	+ 5V, + 24V, - 12V Over-current protection circuit
AC Output Lines	AC Input Fuse
Environment:	
Operating Ambient	5°C to 50°C
Relative Humidity	20% to 85% (Operating) 8% to 90% (Storage)
Physical:	
Height	96 mm
Width	215 mm
Depth	240 mm
Weight	5.8 kg

A.1.3 Outer View

The outer view of this power supply unit is shown in Figure A.1.1.




Figure A.1.1 Outer view

A.2 Operation

A.2.1 General

The switches and alarm lamp of power supply unit are described in this section.

A.2.2 Main line switch (SW1)

This switch controls application of site AC power to the power supply unit.

A.2.3 Alarm lamp

Alarm lamp indicates the following power malfunction has occurred on the power supply unit.

- (a) +5V DC ; Over-current, High-voltage and Low-voltage
- (b) -12V DC; Over-current, and Low-voltage.
- (c) -24V ; Over-current, and Low-voltage.
- (d) Fan ; Thermal-switch
- (e) AC output; Fuse-blown

Note: When an over-current has occurred on AC input lines, Fuse-blown. Therefore, an alarm lamp is not lightened caused by power loss of a drive circuit.

A.3 Installation

A.3.1 Unpacking

Use normal care when opening the reusable shipping container for the Power Supply. After unpacking the unit, visually inspect it as follows:

- (1) Check for scratches, rust and soiling.
- (b) Check for loose or missing parts and screws.

A.3.2 Mounting

Do not insert a mounting screw if it exceeds 6 mm from the surface of the Power Supply.

A.3.3 Fuse exchange

Fuseholder shall not be accessible to user.

A.3.4 Clearance for cooling

When installed, the following clearance shall be maintained for proper cooling. (Figure A.3.1)

A.3.5 Input AC

The Power Supply can select one input group (100V AC at 50/60 Hz, 115V AC at 50/60 Hz, 120V AC at 50/60 Hz) or the other input group (220V AC at 50/60 Hz, 240V AC at 50/60 Hz) by changing the Voltage Select. Input-voltage is provided between TRM1-1 to 2 at the front of the Power Supply.

A.3.6 Output Voltage

All output voltages are provided by the connectors at the back of the Power Supply. The connectors are clearly marked by numbers. (Figure A.3.2) The connection diagram is shown in Table A.3.1.





Figure A.3.1 Clearance for cooling

FRONT VIEW



REAR VIEW




Figure A.3.2 Power supply front and rear view

Table A.3.1 Connection Diagram

CONNECTOR	NO.	VOLTAGE
CN31	1	0V
	2	0V
	3	- 12V
	4	- 12V
	5	0V
	5	0V
	7	+ 5V
	8	+ 5V
	9	0V
	10	0V
	11	+24V
	12	+24V
CN32	1	115V AC
	2	115V AC
	3	FG
	4	NC
	5	ALM (Receive)
	6	ALM (Receive)
CN33	1	+ 5V
	2	0V
	3	- 12V
	4	NC
	5	0V

Main Line Switch and fuse are installed in front of the Power Supply, and fuse current value is indicated clearly on the chassis.

A.4 Theory of Operation

A.4.1 General

This chapter contains circuit descriptions of the features within the Power Supply.


This power supply is the switching regulator of inverter control type and controls the output voltage of the inverter by switching on time width. The required voltage is obtained from the turn ratio of the primary and secondary inverter transformer. Rectification and smoothing of this output provides the regulated output voltage.

The theory of regulation of output voltages is that output voltages are controlled by the inverter input pulse width which is changed according to the input and output voltages.

The inverter transformer insulates primary lines and secondary lines, and is miniturized by raising the working frequency of the inverter. The smoothing circuit, after the inverter, is the choke input type and provides the mean value of the rectifier output voltage.

In this power supply unit, the output voltage of the +5V circuit controls the inverter, the +24V DC and, -12V DC output voltages are provided from the transformer directly. These features are shown in block diagram in Figure A.4.1.

A waveform which can be observed on each line is shown in Figure A.4.2.



Note 1: TRM3 selects 100V/115V/120V or 220V/240V.
2: (F2) is optional.

Figure A.4.1 Power supply block diagram




Figure A.4.2 Block diagram and waveforms

A.4.2 AC input

AC line input voltage is applied to main line switch (SW1) through the terminal 1 and 2 of TRM1. The filtered AC line input from SW1 is applied to the voltage select terminal (TRM3). TRM3 is select the input voltage group (100, 115, 120V) or the input voltage group (220, 240V). The primary rectifier form is changed by selecting TRM3.

Rectified input voltage is smoothed by the capacitor and is applied to the inverter. The secondary main transformer which is driven by the output voltage of interver is rectified and filtered to become the output voltage. Auxiliary power supply transformer changes the input voltage by selecting the tap.

A.4.3 Voltage regulation

The DC voltage regulators are composed of high quality semiconductor regulators which are commonly used in these applications and are readily available.

A.4.4 Over-voltage protection circuit

Over-voltage protection circuits are used to insure that the output voltage level will not damage the disk drive if the power supply circuits should malfunction. If the +5V supply circuit exceeds about 6.5V, all DC output voltage will be turned off and the alarm lamp will be set.

A.4.5 Over-current protection circuit

The DC output voltage circuit is provided with an over-current protection circuit. This circuit protects the power supply when the output is shorted and improper current is flowing for some reason.

The circuit working act to drop the voltage if the current value of each current detection part exceeds the established value.

A.4.6 Alarm


This power supply is provided with an alarm circuit. This circuit detects improper voltage, temperature rise, fan stoppage, device alarm etc. and according to these, turns off the output, lights the alarm lamp and outputs the alarm signal. The alarm lamp is on the front panel. For device alarm, the device alarm lamp is lit, for other abnormal conditions, the power alarm lamp is lit. To clear the alarm condition, turn off main line switch (SW1). Remove the cause of the alarm condition, apply power and the power supply should have normal status.

A.4.7 Device alarm circuit


When on the device side a power or fan fault occurs the device alarm signal is sent to the supply. This signal actuates a circuit which turns off the output, lights the device alarm lamp and outputs the alarm signal to TRM1.

A.4.8 Transformer voltages


The input/output voltages of transformers are shown in Figure A.4.3.



Transformer T1
(on the PWB AD1)




Transformer T3
(on the PWB D3)



Transformer T2

Figure A.4.3 Input/output voltage of transformers

A.5 Troubleshooting



A.6 Maintenance

A.6.1 General

This power supply unit needs no preventive maintenance. The parts required for maintenance are only fan and fuse. This section describes the replacement operation of fan and fuse.

A.6.2 General precautions

A.6.2.1 Power ON/OFF

- (1) Check carefully the condition of the unit and the drive and cabling before turning the power on and off.
- (2) Always turn the power off before replacing the fan and fuse.

A.6.2.2 Parts replacement

- (1) Use screwdrivers and other tools matched to the size of the screws and nuts.
- (2) Do not leave removed screws or nuts etc. in the unit.
- (3) Tighten all the screws securely.

A.6.2.3 Others

- (1) Use test equipment that has been correctly calibrated.
- (2) Always record the data and its processing for later reference when trouble occurs.

A.6.3 Spare parts replacement

A.6.3.1 Fuse replacement

Refer to Figure A.6.1.

Fuseholder shall not be accessible to user.




Figure A.6.1 Fuse replacement

A.6.3.2 Fan replacement

- (1) Unfasten screws 2 to remove and the fan side cover.
- (2) Disconnect the connector from the chassis.
- (3) Make it in opposite order.

Refer to Figure A.6.2.

A.6.3.3 Unit test

When the parts are replaced, the following checks are required.

Note: Before those checks, make sure that;

- All internal connectors are properly inserted at specified place.
- There is no foreign matter in the power unit.
- The screws and nuts are tightened securely.

- (1) Measure the insulation resistance
 - a. Open the in/output connectors.
 - b. Measure the insulation resistance between the secondary winding and the frame:
100V DC more than $5M\Omega$

Note: Recommended test equipment
Instrument Manufacturer Spec. No.
● 100V megger Yokogawa Electric 3213-11

- (2) Power ON/OFF output voltage check
 - a. Open the output connectors.
 - b. Switch power on.
 - c. Check the output voltage from the check terminal.
(Because of the no-load condition, output voltages except +5V DC will indicate a little bit low value than the specified.)
 - d. confirm the rotation of the fan.




Figure A.6.2 Fan replacement

A.6.4 Input voltage select

Remove the terminal Cover and select in accordance with the Figure A.6.3.

FRONT VIEW






Figure A.6.3 Input voltage select

A.7 Spare Parts List


Table A.7.1 Spare Parts List

ITEM	SPECIFICATIONS	DESCRIPTION	NICKNAME	Q'TY
1	CES4-250V-10A	Fuse	F1 (F2)	1 (2)
2	109D0912H402	Fan	FAN 1	1
3	5025-03R1	Connector	CN7	1
4	5005TL	Contact		2

() optional

A.8 Schematics

Refer to the following page.



- Notes:
1. The symbol in () indicates the symbol on the part.
 2. Parts with symbol * are mounted in a same package.
 3. Resistors unless otherwise specified: 1/4 W
 4. R82(location 8F): 1.3 to 1.8 kΩ(adjusted)

DATE					DESIGN					CHECK					REVISION					DRAWN					DATE				
Power Supply B14L-5105-0178A#2 Circuit Diagram																													
FUJITSU LIMITED 001 / 1																													

Appendix B
Dual Power Supply
B14L-5105-0187A#A1

APPENDIX B

B.1 General Description

B.1.1 General

This manual describes the installation, operation, and maintenance of the optional dual drive Power Supply. The power supply is designed to provide the power required by Microdisk Drives and the dynamic load presented by these drives.

Adequate derating of components and quality workmanship have been used throughout the design and manufacture of this power supply to gain maximum reliability and operating life. Reliability and long life are further enhanced through the use of an internal cooling fan.

The power supply can be operated from a primary power source of 100V AC to 120V AC at 50/60 Hz and 200V AC to 240V AC at 50/60 Hz.

All output voltages are available on the back of the power supply using connectors.

The +5V DC circuit has an over-voltage protection feature which operates if the output voltage exceeds 25% of nominal. The AC input line is protected by circuit breaker (NFB1). Since +5V, +24V and -12V DC circuits have over-current status output voltages will be reduced. The alarm circuit shuts off, lights the alarm lamp by abnormal temperature rise, malfunction of output voltages or alarm signal from the device.

B.1.2 Specifications

Table B.1.1 shows the specifications for this power supply. The specifications are for operation at rated load unless otherwise indicated.

Table B.1.1 Power Supply Specifications

Parameter	Specifications
Input Voltage	100 - 120V AC/200 - 240V AC 50/60 Hz Single phase
Input Current	9A (100V AC) - 8A (120V AC) 5.4A (200V AC) - 4.7A (240V AC)
Rated Output Current	+ 5V DC \pm 3% 22A + 24V DC \pm 10% 10A - 12V DC \pm 5% 10A
Output: Nominal Output	+ 5V DC/Adj \pm 10% + 24V Unregulated - 12V
Ripple Voltage	+ 5V 50mV P-P + 24V Unregulated 1.0V P-P - 12V 400mV P-P
Peak Current	+ 5V DC 22A + 24V DC 19A (7ms max., duty 23% max) - 12V DC 10A
Protection: AC Input Lines DC Output Lines	20A Circuit Breaker + 5V, + 24V, - 12V Over-current protection circuit
Environment: Operating Ambient Relative Humidity	5°C to 50°C 20% to 85% (Operating) 8% to 90% (Storage)
Physical: Height Width Depth Weight	96 mm 380 mm 220 mm 7 kg

B.1.3 Outer view

The outer view of this power supply unit is shown in Figure B.1.1.




Figure B.1.1 Outer view

B.2 Operation

B.2.1 General

The switch and alarm lamp of power supply unit are described in this section.

B.2.2 Main line switch (NFB1)

This switch controls application of site AC power to the power supply unit.

B.2.3 Alarm lamp

Alarm Lamp indicates one or more of the following power malfunctions has occurred on the power supply unit.

- (a) + 5V DC ; Over-current, High-voltage and Low-voltage
- (b) - 12V DC ; Over-current and Low-voltage
- (c) + 24V DC ; Over-current and Low-voltage
- (d) Fan Thermal-switch

Note: When an over-current has occurred on AC input lines, main line switch is turned off.

Therefore no alarm lamp is lit since power is lost.

B.3 Installation

B.3.1 Unpacking

Use normal care when opening the reusable shipping container for the power supply. After unpacking the unit, visually inspect it as follows:


- (a) Check for scratches, rust and soiling.
- (b) Check for loose or missing parts and screws.

B.3.2 Mounting

Do not insert any mounting screw which extends 6 mm or more below the surface of the power supply cover.

B.3.3 Clearance for cooling

When installed, the following clearances shall be maintained for proper cooling.



B.3.4 Input AC

The Power Supply can be selected as one input group (100V AC to 120V AC at 50/60 Hz) or the other input group (200V AC to 240V AC at 50/60 Hz) by changing the Voltage Select Strap.

Input-voltage provided between TRM1 terminals 1 to 2 at the front of the power supply.

B.3.5 Output voltages

All output voltages are provided with connectors at the back of the power supply. The connectors are clearly marked by numbers. (Figure B.3.1) The connection diagram is shown in Table B.3.1.

FRONT VIEW

REAR VIEW





Figure B.3.1 Power supply front and rear view

Table B.3.1 Connection Diagram

Connector	No.	Voltage or Signal
CN31 (Device 1) CN41 (Device 2)	1	0 V
	2	0 V
	3	- 12 V
	4	- 12 V
	5	0 V
	6	0 V
	7	+ 5 V
	8	+ 5 V
	9	0 V
	10	0 V
	11	+24 V
	12	+24 V
CN33 (Device 1) CN43 (Device 2)	1	+ 5 V
	2	0 V
	3	- 12 V
	4	
	5	0 V
CN32 (Device 1)	1	
	2	
	3	
	4	
	5	DEVICE1 ALARM
	6	0 V
CN42 (Device 2)	1	
	2	
	3	
	4	
	5	DEVICE2 ALARM
	6	0 V

B.4 Theory of Operation

B.4.1 General

This chapter contains circuit descriptions of the features within the power supply.

This power supply is the switching regulator of inverter control type and controls the output voltage of the inverter by switching on time width. Transforming to the required voltage according to the turn ratio of the primary and secondary inverter transformer, rectifying, smoothing the regulated output voltage is gained.

The theory of regulation of output voltages is that output voltages are controlled by the inverter input pulse width which is changed according to the input and output voltages.

The inverter transformer insulated primary lines and secondary lines, and is miniturized by raising the working frequency of the inverter.

The smoothing circuit after the inverter is the choke input type and provides the mean value of the rectifier output voltage.

In this power supply unit, the output voltage of the +5V DC circuit controls the inverter, and -12V DC circuit controls another inverter, with the +24V DC output voltage separated wiring of the transformer.

These features are shown in block diagram in Figure B.4.1.

A wave form which can be observed on each line is shown in Figure B.4.2.




Figure B.4.1 Power supply block diagram




Figure B.4.2 Block diagram and waveform

B.4.2 AC input

AC line input voltage is applied to circuit breaker (NFB1) through the terminal number 1 and 2 of TRM1. The filtered AC line input from NFB1 is applied to the voltage select terminals (TRM3). TRM3 is the terminals which select the input voltage group (100-120V AC) or the input voltage group (200-240V AC). The primary rectifier form is changed by selecting TRM3. Rectified input voltage is smoothed by the capacitors and is applied to two inverters. The secondary main transformer which is driven by the output voltage of inverter is rectified and through the filter and becomes the output voltage.

B.4.3 Voltage regulation

The DC voltage regulators are composed of high quality semiconductor regulators which are commonly used in these applications and are readily available.

B.4.4 Over-voltage protection circuit

Over-voltage protection circuits are used to insure that the output voltage level will not damage the disk drive if the power supply circuits should malfunction. If the +5V supply circuit exceeds about 6.3V, all DC output voltage will be turned off and the alarm lamp will be set.

B.4.5 Over-current protection circuit


The DC output voltage circuit is provided with the over-current protection circuit. This circuit protects the power supply when the output voltage end is shorted and improper current is going to flow for some reason. The circuit working act to drop the voltage if the current value of each current detection part exceeds the established value.

B.4.6 Alarm

This power supply is provided with an alarm circuit. This alarm circuit detects the improper output voltage, in frame temperature rise, fan stop and according to these, turn off the DC output, lights the power alarm lamp and output the alarm signal.

The power alarm lamp is one the front panel, printed "ALM". The alarm signal is the secondary circuit, and so must be used in the secondary circuit, as follows.


To clear the alarm condition, turn off the circuit breaker, NFB1. Excluding the cause of being the alarm condition, re-returning on, power supply operated again.



B.4.7 Device alarm circuit

When the accident occurtion the device side (Microdisk drive 1 or 2), by DEVICE1 ALARM or DEVICE2 ALARM signal from the device side, this circuit turn off the DC output and lights DEVICE1 ALARM LAMP or DEVICE2 ALARM lamp.

B.5 Troubleshooting



B.6 Maintenance

B.6.1 General

This power supply unit needs no preventive maintenance. The component required for maintenance is only fan. This section describes the replacement operation of fan.

B.6.2 General precautions

B.6.2.1 Power ON/OFF

- (1) Check carefully the operating condition of the unit and the drive before turning the power on and off.
- (2) Always turn the power off before replacing the fan.

B.6.2.2 Parts replacement

- (1) Use screwdrivers and other tools matched to the size of the screws and nuts.
- (2) Do not leave removed screws or nuts etc. in the unit.
- (3) Tighten all screws securely.

B.6.2.3 Others

- (1) Use test equipment that has been correctly calibrated.
- (2) Always record the data and its processing for later reference when trouble occurs.

B.6.3 Spare parts replacement

B.6.3.1 Fan replacement

- (1) Unfasten two screws “1” to remove the fan and fan guard.
- (2) Disconnect the connector “4”.
- (3) Make it in opposite order.

Refer to Figure B.6.1.

B.6.3.2 Unit test

When the fan is replaced, the following checked are required.

Note: Before those checks, make sure that;

1. All internal connectors are properly inserted at specified place.
2. There is no foreign matter in the power unit.
3. The screws and nuts are tightened securely.

(1) Measure the insulation resistance

- a. Open the in/output connectors.
- b. Measure the insulation resistance between the primary winding and the frame:
500V DC more than 10mega ohms
- c. Measure the insulation resistance between the secondary winding and the frame:
100V DC more than 5mega ohms

Note: Recommended test equipment
Instrument Manufacturer Spec. No.
500V megger Yokogawa Electric 3213-13
100V megger Yokogawa Electric 3213-11

(2) Power ON/OFF output voltage check

- a. Open the output connectors.
- b. Switch power on.
- c. Check the output voltage from the check connector.
- d. Confirm the rotation of the fan.




Figure B.6.1 Fan replacement

B.6.4 Input voltage select

Connect the terminal plate to terminal block TRM3 and select in accordance with Figure B.6.2.




Figure B.6.2 Input voltage select


B.7 Spare Parts List

Table B.7.1 Spare Parts List

Item	Specifications	Description	Nickname	Q'ty
1	109D0912H402	Fan	FAN1	1

B.8 Schematics

Refer to the following page.



- Note:
1. Resistors unless otherwise specified: 1/8 W
 2. Capacitor unless otherwise specified: 50 V
 3. The symbol in [] indicates the symbol on the part.

Relay terminals table

relay name	coil	contact point	part No.
RL 1	10 T	03 G	GV-254P -0C12V

Note:
The oblique line in the column indicates that the contact point is not used.

REV	DATE	BY	CHK	APP

Power Supply B14L-5105-01P74
Circuit Diagram

Fold



No Postage
Necessary
If Mailed
in the
United States

BUSINESS REPLY MAIL
First Class Permit # 7446 San Jose

Postage will be paid by Addressee

FUJITSU AMERICA, INC.
Storage Products Division
Technical Support Dept.
3055 Orchard Dr.
San Jose, CA 95134



Fold