

PUBLICATIONS UPDATE

System 80

**OS/3
Screen Format Services
Technical Overview**

UP-9977 Rev. 1-A

This Library Memo announces the release and availability of Update A to System 80 OS/3 Screen Format Services Technical Overview, UP-9977 Rev. 1.

This overview is a standard library item (SLI). It is part of the standard library provided automatically with the purchase of the product.

This update provides an index and a set of tab breakers. The content of the manual is unchanged.

Copies of Update A are now available. You can order the update only, or the complete manual with the update, through your local Unisys representative. To receive only the update, order UP-9977 Rev. 1-A. To receive the complete manual, order UP-9977 Rev. 1.

Mailing Lists
MBZ, MCZ, MMZ, M28U,
and M29U

Mailing Lists
MB00, MB01, and MBW
(24 pages plus Memo)

Library Memo for
UP-9977 Rev. 1-A

February 1989



PAGE STATUS SUMMARY
ISSUE: Update A - UP-9977 Rev. 1
RELEASE 12.0 Forward

Part/Section	Page Number	Update Level	Part/Section	Page Number	Update Level	Part/Section	Page Number	Update Level
Cover		Orig.	Appendix E	Tab Breaker 1, 2	A* Orig.			
Title Page/Disclaimer		Orig.	Appendix F	Tab Breaker 1 thru 13	A* Orig.			
PSS	iii	A	Index	Tab Breaker 1 thru 6	A* A*			
About This Overview	Tab Breaker v thru viii	A* Orig.	User Comments Form					
Contents	ix thru xv	Orig.	Back Cover		Orig.			
1	Tab Breaker 1 thru 14	A* Orig.						
2	Tab Breaker 1 thru 7	A* Orig.						
3	Tab Breaker 1 thru 46	A* Orig.						
4	Tab Breaker 1 thru 29	A* Orig.						
5	Tab Breaker 1 thru 7	A* Orig.						
6	Tab Breaker 1 thru 13	A* Orig.						
7	Tab Breaker 1 thru 37	A* Orig.						
Appendix A	Tab Breaker 1 thru 7	A* Orig.						
Appendix B	Tab Breaker 1, 2	A* Orig.						
Appendix C	Tab Breaker 1	A* Orig.						
Appendix D	Tab Breaker 1	A* Orig.						

* New page



Index

A

Alphabet (language) used in formats, 3-6, D-1
Alphabetic data fields
 editing, 2-2
 indicating, 2-1
Alphanumeric data fields
 editing, 2-2
 indicating, 2-1

B

BAL macroinstructions for screen formats
 CLOSE, 7-29
 DMINP, 7-30
 DMOUT, 7-33
 DMSEL,SCREEN, 7-32
 OPEN, 7-28
Batch format generator, B-1
Bidirectional fields during screen
 replenishing, 3-14, 3-37

C

Characteristics screen
 description, 3-5
 dialog screens associated with, 3-11
 modifying, 5-3, 5-4
 optional screens associated with, 3-11
 overwriting on, 3-43, (figure) 3-44
COBOL programs using screen formats
 coding conventions, 7-8
 combining separately compiled programs, 7-26

connect-free reporting in, 7-23
function key coding in, 7-20
IMS action, sample, F-1
indicators, 7-18
multivolume workstation coding in, 7-20
status codes in, (table) 7-22
Conditional display properties, specifying, 3-34
Conditional erase/replenish screen, (figure) 3-13, 4-11, 4-14
Conditional field display dialog screen, 3-33
Conditional field protection dialog screen, 3-38
Conditional indicators
 dialog screen, 3-12, 3-24
 erase screen, 3-13
 in optional screens, 3-12
 replenish screen, 3-13
 setting, 3-8
Conditional retention dialog screen, 3-37
Conditional values screens, 6-2, 6-10
Connect-free reporting in COBOL programs, 7-24
Constants
 changing screen intensity and emphasis of, 3-9
 nondisplayed, 3-10
CREATE function
 for complex screen formats, 4-10
 for simple screen formats, 4-1
CREATE-FROM function, 5-1
Creating a new format
 complex, 4-10
 description, 3-2
 simple, 4-1
Cursor
 movement, controlling, 3-42
 positioning for transmission, 7-37

Index

D

Data division in COBOL programs using screen formats, 7-10
Data fields, variable
 assigning names to, 3-27
 description, 1-11, 2-1
 editing, 2-1, 2-2
 internal length, 3-27
 I/O direction for, 3-27
 types of, 2-1
Decimal point alignment in numeric fields, 2-5
Default display properties, specifying, 3-4
DELETE function, 3-3, 6-1, 6-13
Device assignment set, 7-1
Dialog screens
 conditional indicators in, 3-12
 default values, 3-41
 description, 3-11, 3-24, (table) 3-25
 initiating in pass 3, 4-8
 screen 1 (general field characteristics), 3-25, 4-19, 4-21
 screen 2 (input field response, default, and replenishing), 3-30, 4-21
 screen 3 (conditional field display), 3-33
 screen 4 (special field display), 3-34
 screen 5 (conditional field retention), 3-37
 screen 6 (conditional field protection), 3-38
 screen 7 (field change notification), 3-39
 screen 8 (input field range checking), 3-39
Display attributes, 3-18, E-1
Display control and error message display, 6-5
Display functions, 6-1
Display retention, specifying
 at field level, 3-21
 on characteristics screen, 3-10
Display retention screen, 3-20
Displaying
 a format, 3-3
 fields within an existing format, 3-3

Displays, types of

 display control and error message, 6-5
 format, 6-6
 function/command key, 6-5
 special editing, 6-4

Duplicating lines in a format, 4-26

DVC/LFD sequence, 7-1

E

Edit characters for variable data fields, specifying, 4-6

Edit screen

 sample, (figure) 3-16
 use, 3-15

Editing

 data fields, 2-2
 display, special, 6-4
 examples, (table) 2-7
 results of, 2-4
 rules for, 3-16
 screen for, 3-15
 signed output fields, 2-6
 specifying special characters for, 3-9

Editing, types of numeric

 insertion, 2-3
 suppression/replacement, 2-4

Emphasis, specifying in dialog screen 4, 3-35

Environment division in COBOL programs
 using screen formats, 7-9

Erase/unlock option, specifying on
 characteristics screen, 3-7

Erase screen format

 description, 3-8
 indicator, 3-13

Error message field, requesting in
 characteristics screen, 3-9, 3-18

Error message screen, 3-18, 4-11, 4-15

Error message caused by home screen
 entries, 3-44

Error retry count in characteristics screen,
 3-6

Errors, highlighting in display retention screen, 3-21

ESCORT programs using screen formats, 7-34

Exclamation point, using in field editing, 2-2

F

FC-type module, 1-5, 1-13

Field change notification dialog screen, 3-39

Field protect feature for remote terminals, 1-5

File specifications form for RPG II programs using screen formats, 7-4

Format display, 6-6

Formats (*See* Screen formats, creating)

FORTRAN IV programs using screen formats, 7-26

FORTRAN 77 programs using screen formats, 7-27

Function key reporting in COBOL programs, (table) 7-25

Function keys

 assigning functions or commands to, 3-10, 3-22

 functions, (table) C-1

 recommended use of, 3-23

 restricted, 7-37

Function/command key, 6-5

 display, 6-5

 screen, 3-22

H

HELP function, 3-46

Home screen

 description, 1-7, 3-1, (figure) 3-2

 error messages, 3-44

 overwriting characters on, 3-43

 sample, 4-13

I

IMS action programs using screen formats, 7-35, F-1

Incorporating formats into a program, 7-1

Indicators (option and response) in COBOL programs, 3-22, 7-18

Indicators, conditional

 erase screen, 3-13

 in dialog and optional screens, 3-12

 replenish screen, 3-13

 setting, 3-8

Input field

 changing screen intensity and emphasis of, 3-9

 setting range check values for, 3-39

 setting retain indicator for, 3-37

Input format specifications form for RPG II programs using screen formats, 7-5, 7-35

Input record screen, 6-2, 6-11

Input screen, sample, (figure) 1-2

Input/output screen

 modifying, 5-4

 pass 3 example, 4-18

 rules for completing, 4-9

 sample, (figure) 1-4

Insertion editing of numeric fields, 2-3

Intensity, specifying in dialog screen 4, 3-35

I/O direction

 modifying, 5-4

 specifying, 4-8

(*See also* Input/output screen)

J

Job control statements

 description, 7-1

 examples, 7-3

 for multiple workstations, A-6

 USE SFS, 7-1, A-1

Index

K

Keyboard, unlocking after transmitting a format, 3-8

L

Laying out screen format (pass 1), 4-4, 4-16
LFD job control statement, 7-2

Library

 retrieving formats from, 3-4
 storing formats in, 3-3

LIST function, 6-1

List screen, 6-2, 6-6

Lowercase-to-uppercase translation, 3-6

M

MODIFY

 function, 5-1
 screen, 5-3

Modifying an existing format, 3-3, 5-1

Multiple workstations, job control stream for, A-6

N

Nondisplay screen, 3-23

Nondisplayed field, specifying on characteristics screen, 3-10

Notation conventions, vii

Numeric data fields

 editing, 2-2
 indicating, 2-1

O

Option indicators in COBOL programs, 7-18

Optional screens

 conditional indicators in, 3-12
 description, 3-11

error message, 3-18, 4-11
replenish (*See Replenish screen*)
use in creating complex formats, 4-10

Original format, definition, 3-7

Output field

 changing screen intensity and emphasis of, 3-9
 during screen replenishing, 3-14
 setting a retain indicator for, 3-37
 signed, 2-6
 unconditionally preventing display of, 3-34

Output record screen, 6-2, 6-12

Output screen, sample, (figure) 1-3

Output specifications form for RPG II
 programs using screen formats, 7-5, 7-36

Overlay format

 creating, 4-25
 modifying, 5-4
 specifying on characteristics screen, 3-7
 using, 4-22

Overwriting characters

 in dialog screen 1, 3-29
 in home screen, 3-42
 transmitting after, 3-43

P

Passes in creating screen formats

 providing layout (pass 1), 4-4, 4-9
 specifying I/O directions (pass 3), 4-8, 4-10

 specifying type attributes and edit characters (pass 2), 4-6, 4-10

Printout of existing format, obtaining, 3-3

Procedure division in COBOL programs
 using screen formats, 7-10

Protected

 characters, 3-29
 fields, identifying with TAB key, 6-1

Protecting

 conditional fields, 3-38
 display components, 1-12

R

Replenish screen
 description, 3-7
 in complex formats, 4-11
 indicator, 3-13
 using blanks for, 3-17
Replenishing strings containing underlines, 3-33
Response indicators in COBOL programs, 7-18
Retaining
 field contents on screen, 3-37
 a display after transmitting, 3-10
RPG II programs using screen formats, 7-4, 7-35

S

Screen format coordinator (SFC)
 description, 1-5, 1-13
 functions, (figure) 1-6
Screen format generator (SFG)
 activating, 3-1
 description, 1-5
 displaying stored formats, 1-8
 error indicators, 1-8
 functions, (figure) 1-6, 1-7
 home screen, 1-7, 3-1
 prompts, 1-8
 screen components, 1-9
Screen formats, creating
 complex (using optional and dialog screens), 4-10
 overlay, 4-25
 simple (accepting all defaults), 4-1
Screen formats, incorporating into a program, 7-1
Screens, types of
 characteristics, (figure) 3-5, 4-14
 conditional erase/replenish, (figure) 3-13, 4-11

conditional values, 6-2, 6-10
dialog (*See* Dialog screens)
display retention, (figure) 3-21
edit, (figure) 3-16
error message, (figure) 3-19, 4-11
function/command key, (figure) 3-21
home, (figure) 3-2, 4-13
input record, 6-2, 6-11
list, 6-2, 6-6
nondisplay, (figure) 3-23
output record, 6-2, 6-12
special display, (figure) 3-17
sublist, 6-2, 6-8
summary, 6-2
SHOW function, 6-1
Special display screen, 3-17
Special editing display, 6-4
SPOOL function, 6-1, 6-12
Spooling using batch format generator, B-1
Storing formats, 1-5
Sublist screen, 6-23, 6-8
Summary screen (for LIST function) 6-2, 6-3
Suppression/replacement editing of numeric fields, 2-4
\$Y\$FMT library, 7-1

T

TERMINATE function, 3-3, 6-13
Type attributes
 modifying, 5-4, 5-6
 screen (pass 2) example, 4-16
 specifying, 4-6

U

Unconditional indicators, 3-12
UNISCOPE 400, accessing dialog screen 4
 from, 3-34
Unlocking keyboard after transmitting a format, 3-8

Index

USE SFS job control statement, 7-1, A-1

V

Variable data fields

(See Data fields, variable)

W

WSAM DMCTL parameters, valid in SFS,
1-5

Symbols

\$Y\$FMT library, 7-1



USER COMMENTS

We will use your comments to improve subsequent editions.

NOTE: Please do not use this form as an order blank.

(Document Title)

(Document No.)

(Revision No.)

(Update Level)

Comments:

From:

(Name of User)

(Business Address)

Fold on dotted lines, and mail. (No postage is necessary if mailed in the U.S.A.)
Thank you for your cooperation

CUT

FOLD



NO POSTAGE
NECESSARY
IF MAILED IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 21 BLUE BELL, PA.

POSTAGE WILL BE PAID BY ADDRESSEE

Unisys Corporation
E/MSG Product Information Development
PO Box 500 — E5-114
Blue Bell, PA 19422-9990



FOLD